

FIRST AID	
<b>HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE</b> If you experience signs and symptoms such as nausea, abdominal pain, tightness in chest, or weakness, see a physician immediately.	
For information on health concerns, medical emergencies, or Pesticide incidents, call the National Pesticide Information Center at 1-800-858-7378.	
<b>If Swallowed:</b>	<ul style="list-style-type: none"> <li>Immediately call a Poison Control Center or doctor, or transport the patient to the nearest hospital.</li> <li>DO NOT DRINK WATER.</li> <li>Do not administer anything by mouth or make the person vomit unless advised to do so by a doctor.</li> </ul>
<b>If on Skin or on Clothing:</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If Inhaled:</b>	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>If in Eyes:</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>TREATMENT FOR PET POISONING</b>	
If animal ingests tracking powder, call a veterinarian at once.	
<b>NOTE TO PHYSICIAN OR VETERINARIAN</b>	
Contains the Phosphine-producing active, Zinc Phosphide. Probable mucosal damage may contraindicate the use gastric lavage. For animals ingesting tracking powder and/or showing poisoning signs, induce vomiting by using hydrogen peroxide. Sodium bicarbonate can be given orally to neutralize the stomach acidity. The stomach and intestinal tract can be evacuated, oxygen administered and cardiac and circulatory stimulants given.	
For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas).	

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** Fatal if swallowed. Fatal if absorbed through skin. Causes skin burns. Harmful if inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing dust.

##### Personal Protective Equipment

All handlers, including loaders and applicators must wear:

- Coveralls, over long-sleeved shirt and long pants;
- Chemical resistant footwear plus socks;
- Waterproof gloves;
- When mixing and loading, wear a chemical resistant apron.
- When cleaning equipment, wear a chemical resistant apron.

Any person who retrieves carcasses or unused tracking powder following application of this product must wear waterproof gloves.

##### User Safety Requirements:

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exists, use detergent and hot water. Keep and wash PPE separately from other laundry.

##### User Safety Recommendations:

- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

##### ENVIRONMENTAL HAZARDS

This product is extremely toxic to birds, fish and other wildlife. Wildlife that ingest tracking powder may be killed. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have contacted and/or eaten this tracking powder. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

##### PHYSICAL-CHEMICAL HAZARDS

Do not store with or use near oxidizing agents. Hazardous chemical reactions may occur.

## RESTRICTED USE PESTICIDE

DUE TO ACUTE ORAL, ACUTE DERMAL, PRIMARY SKIN IRRITATION TOXICITY

CATEGORY I AND HAZARDS TO NON-TARGET SPECIES

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.



## ZINC PHOSPHIDE TRACKING POWDER

For Indoor Use Only  
KILLS HOUSE MICE

##### ACTIVE INGREDIENT:

Zinc Phosphide .....10.0%

OTHER INGREDIENTS:.....90.0%

TOTAL .....100.0%

EPA Reg. No. 61282-101

EPA Est. No. 61282-WI-01

KEEP OUT OF REACH  
OF CHILDREN  
**DANGER**  
**POISON**



##### Manufactured by:

HACCO, Inc.  
110 Hopkins Dr.  
Randolph, WI 53956 U.S.A. LA 220489-0617

Item No. 112846



Net Contents: 25 lbs. (11.34 kg)

Net Weight: 25 lbs. (11.34 kg)

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ THIS LABEL: Only use for the pests, sites and application methods prescribed on this label.

##### USE RESTRICTIONS:

- Do not apply this product in a way that will contact workers on other persons, either directly or through drift.
- Only protected handlers may be in the area during application.
- Keep all other persons out of the treated area during application.
- Do not apply by any method, to any pest, or to any site not specified on the label. This product may only be used for the control of house mice inside homes, industrial and agricultural buildings, and similar man-made structures. The only exception is that the product may also be dusted from the outside of the building into structural voids.
- Apply only in locations inaccessible to children, pets, or domestic animals.
- Do not place tracking powder near or inside ventilation duct openings.
- If using this product in agricultural buildings where livestock feeds are stored, or in commercial food service, food manufacturing, or food processing establishments, limit treatments to concealed, inaccessible places such as spaces between floors and walls. Do not apply tracking powder along walls, in corners, or in open floor areas of rooms in which food or feed is handled or stored. Do not apply Prozap® Zinc Phosphide Tracking Powder in areas where there is a possibility of contaminating water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come in direct contact with food.

##### APPLICATION DIRECTIONS:

Evenly sprinkle 3 to 6 grams by lightly agitating spoon (one to two level teaspoonful amounts) of Prozap® Zinc Phosphide Tracking Powder in approximately 3 by 24 inch patches. Using a hand-powered duster, dust into wall voids and spaces between floors. While wearing waterproof gloves, collect and properly dispose of all accessible dead animals. Maintain Prozap® Zinc Phosphide Tracking Powder in treated areas for seven days or until fresh signs of mouse activity cease to appear. Clean up any tracking powder that is accessible and dispose of in accordance with disposal directions.

**SELECTION OF TREATMENT AREAS:** Determine dry, acid-free areas where house mice will most likely pick up Prozap® Zinc Phosphide Tracking Powder on their feet or fur and ingest it during grooming. Generally, these areas are along walls, by gnawed opening, in corners and concealed places, in spaces between floors and walls, or in locations where house mice or their signs have been observed. Remove goods piled directly on floor and place on skids. Use boxes or other obstacles to force house mice to travel through constricted areas. When using this product in homes, only treat in concealed, inaccessible places such as spaces between floors and walls.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store only in original container, in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. If container is not to be recycled, then dispose of bags in an approved waste disposal facility or by incineration.

## DISCLAIMER

**DISCLAIMER:** To the extent permitted by applicable law, Seller makes no representation or warranty, either expressed or implied, for results due to misuse, improper handling or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or improper storage of this material.

For non-emergency (e.g., current product information), Call: 1-800-621-8829