

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Neogen® Sample Handling Products- D/E Neutralizing Broth  
Product code : SHP-DE  
Type of product : Food Safety -- [Food Safety]  
Part Number(s) : RS96010DE|BPPFV10DE|SSL10DE|HS10DE2G|700002014|700002064|700002076|700002107

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals  
Scientific research and development

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Neogen Corporation  
620 Leshar Place  
48912 Lansing – Michigan  
United States of America  
T 800.234.5333  
[sds@neogen.com](mailto:sds@neogen.com) - <https://www.neogen.com/>

#### 1.4. Emergency telephone number

Emergency number : 24 hours:  
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)  
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to GB CLP (SI 2019:720 as amended)

Skin sensitisation, Category 1 H317  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GHS UK) :



GHS07

Signal word (GHS UK) : Warning  
Hazard statements (GHS UK) : H317 - May cause an allergic skin reaction.  
Precautionary statements (GHS UK) : P261 - Avoid breathing dust, fume, gas, mist, vapours or spray.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection and

# Neogen® Sample Handling Products- D/E Neutralizing Broth

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

hearing protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P333+P313 - If skin irritation or rash occurs: Get medical advice or attention.

### 2.3. Other hazards

#### Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII	Sodium metabisulfite (7681-57-4), Sodium bisulfite (7631-90-5), Sodium thioglycollate (367-51-1)
Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII	Sodium metabisulfite (7681-57-4), Sodium bisulfite (7631-90-5), Sodium thioglycollate (367-51-1)

#### Results of Endocrine Disruptor assessment

Component	
Substance(s) not considered as endocrine disrupting. They are not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, nor identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP	Sodium metabisulfite(7681-57-4), Sodium bisulfite(7631-90-5), Sodium thioglycollate(367-51-1)

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
Sodium metabisulfite substance with workplace exposure limit(s)	CAS-No.: 7681-57-4 EC-No.: 231-673-0	0.1 – 0.5	Acute Tox. 4 (Oral), H302 (ATE=1540 mg/kg bodyweight) Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium bisulfite substance with workplace exposure limit(s)	CAS-No.: 7631-90-5 EC-No.: 231-548-0	0.1 – 0.5	Acute Tox. 4 (Oral), H302 (ATE=1540 mg/kg bodyweight)
Sodium thioglycollate	CAS-No.: 367-51-1 EC-No.: 206-696-4	0.1 – 0.5	Acute Tox. 3 (Oral), H301 (ATE=125 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1500 mg/kg bodyweight) STOT RE 1, H372 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

No additional information available

# Neogen® Sample Handling Products- D/E Neutralizing Broth

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

No additional information available

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

No additional information available

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

No additional information available

### 6.3. Methods and material for containment and cleaning up

No additional information available

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

No additional information available

### 7.2. Conditions for safe storage, including any incompatibilities

No additional information available

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

# Neogen® Sample Handling Products- D/E Neutralizing Broth

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Sodium metabisulfite (7681-57-4)	
United Kingdom - Occupational Exposure Limits	
Local name	Disodium disulphite
WEL TWA (OEL TWA)	5 mg/m <sup>3</sup>
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Sodium bisulfite (7631-90-5)	
United Kingdom - Occupational Exposure Limits	
Local name	Sodium hydrogen sulphite
WEL TWA (OEL TWA)	5 mg/m <sup>3</sup>
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

#### 8.2.2.1. Eye and face protection

No additional information available

#### 8.2.2.2. Skin protection

No additional information available

#### 8.2.2.3. Respiratory protection

No additional information available

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Violet.
Odour	: Characteristic.
Odour threshold	: Not available
pH	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flash point	: Not available

# Neogen® Sample Handling Products- D/E Neutralizing Broth

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Flammability	: Not available
Explosive limits	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Relative vapour density at 20°C	: Not available
Relative density	: 1
Density	: Not available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
Viscosity, kinematic	: Not available
Explosive properties	: Not available

### 9.2. Other information

Particle characteristics : Not applicable

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

No additional information available

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

Sodium metabisulfite (7681-57-4)	
LD50 oral rat	1540 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	1540 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Read-across, Dermal, 14 day(s))
LD50 dermal	2500 mg/kg
LC50 Inhalation - Rat	> 5.5 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Read-across, Inhalation (dust), 14 day(s))

# Neogen® Sample Handling Products- D/E Neutralizing Broth

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

<b>Sodium metabisulfite (7681-57-4)</b>	
LC50 Inhalation - Rat (Dust/Mist)	> 5.5 mg/l Source: ECHA
<b>Sodium bisulfite (7631-90-5)</b>	
LD50 oral rat	1540 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Read-across, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 5.5 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Read-across, Inhalation (dust), 14 day(s))
LC50 Inhalation - Rat (Dust/Mist)	> 5.5 mg/l Source: ECHA
<b>Sodium thioglycollate (367-51-1)</b>	
LD50 oral rat	50 – 200 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Male / female, Experimental value, Oral, 15 day(s))
LD50 dermal rat	1000 – 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Female, Experimental value, Dermal, 14 day(s))
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
<b>Sodium metabisulfite (7681-57-4)</b>	
pH	4.5 (25 %)
<b>Sodium bisulfite (7631-90-5)</b>	
pH	4.1 (42 %, 20 °C)
<b>Sodium thioglycollate (367-51-1)</b>	
pH	7 (609.1 g/l, 20 °C, OECD 105: Water Solubility)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
<b>Sodium metabisulfite (7681-57-4)</b>	
pH	4.5 (25 %)
<b>Sodium bisulfite (7631-90-5)</b>	
pH	4.1 (42 %, 20 °C)
<b>Sodium thioglycollate (367-51-1)</b>	
pH	7 (609.1 g/l, 20 °C, OECD 105: Water Solubility)
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
<b>Sodium bisulfite (7631-90-5)</b>	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
<b>Sodium thioglycollate (367-51-1)</b>	
LOAEL (oral, rat, 90 days)	60 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
LOAEL (dermal, rat/rabbit, 90 days)	11.25 mg/kg bodyweight Animal: rat, Guideline: other., Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

# Neogen® Sample Handling Products- D/E Neutralizing Broth

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Sodium thioglycollate (367-51-1)	
NOAEL (oral, rat, 90 days)	20 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	≥ 180 mg/kg bodyweight Animal: rat, Guideline: other., Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Sodium metabisulfite (7681-57-4)	
Viscosity, kinematic	Not applicable (solid)

Sodium bisulfite (7631-90-5)	
Viscosity, kinematic	Not applicable (solid)

Sodium thioglycollate (367-51-1)	
Viscosity, kinematic	Not applicable (solid)

### Other information

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

Sodium metabisulfite (7681-57-4)	
LC50 - Fish [1]	316 mg/l (DIN 38412-15, 96 h, Leuciscus idus, Static system, Fresh water, Read-across, Nominal concentration)
EC50 72h - Algae [1]	43.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	> 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 316 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '34 d'

Sodium bisulfite (7631-90-5)	
LC50 - Fish [1]	464 – 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Read-across, Lethal)
EC50 - Crustacea [1]	230 mg/l (48 h, Daphnia magna, Static system, Fresh water, Read-across, Locomotor effect)
EC50 72h - Algae [1]	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Read-across, Growth rate)
NOEC (chronic)	> 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 316 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '34 d'

Sodium thioglycollate (367-51-1)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Read-across, GLP)

# Neogen® Sample Handling Products- D/E Neutralizing Broth

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Sodium thioglycollate (367-51-1)	
EC50 - Crustacea [1]	47 mg/l (48 h, Daphnia magna, Experimental value, Locomotor effect)
EC50 - Other aquatic organisms [1]	47.31 mg/l Test organisms (species):
EC50 72h - Algae [1]	5.07 mg/l Test organisms (species):
ErC50 algae	5.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Read-across, GLP)
NOEC (chronic)	3.9 mg/l Test organisms (species): Duration: '21 d'

### 12.2. Persistence and degradability

Neogen® Sample Handling Products- D/E Neutralizing Broth	
Persistence and degradability	Not rapidly degradable
Sodium metabisulfite (7681-57-4)	
Persistence and degradability	Biodegradability in water: no data available.
Chemical oxygen demand (COD)	0.15 g O <sub>2</sub> /g substance
Sodium bisulfite (7631-90-5)	
Persistence and degradability	Biodegradability in water: no data available.
Sodium thioglycollate (367-51-1)	
Persistence and degradability	Readily biodegradable in water.

### 12.3. Bioaccumulative potential

Sodium metabisulfite (7681-57-4)	
Partition coefficient n-octanol/water (Log Pow)	-3.7 Source: ICSC
Bioaccumulative potential	Not bioaccumulative.
Sodium bisulfite (7631-90-5)	
Bioaccumulative potential	Not bioaccumulative.
Sodium thioglycollate (367-51-1)	
Partition coefficient n-octanol/water (Log Pow)	-3 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 22 °C)
Bioaccumulative potential	Not bioaccumulative.

### 12.4. Mobility in soil

Sodium metabisulfite (7681-57-4)	
Surface tension	70.7 mN/m (20 °C, OECD 115: Surface Tension of Aqueous Solutions)
Ecology - soil	No (test)data on mobility of the substance available.
Sodium bisulfite (7631-90-5)	
Surface tension	No data available in the literature
Ecology - soil	Low potential for adsorption in soil.
Sodium thioglycollate (367-51-1)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.16 (log Koc, SRC PCKOCWIN v2.0, QSAR)

# Neogen® Sample Handling Products- D/E Neutralizing Broth

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

### Sodium thioglycollate (367-51-1)

Ecology - soil : Highly mobile in soil.

### 12.5. Results of PBT and vPvB assessment

#### Component

Sodium metabisulfite (7681-57-4)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
Sodium bisulfite (7631-90-5)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
Sodium thioglycollate (367-51-1)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII

### 12.6. Other adverse effects

Ozone : Not classified (Based on available data, the classification criteria are not met)

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

HP Code : HP12 - "Release of an acute toxic gas:" waste which releases acute toxic gases (Acute Tox. 1, 2 or 3) in contact with water or an acid

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
Not regulated for transport				
<b>14.2. UN proper shipping name</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>Transport document description</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

# Neogen® Sample Handling Products- D/E Neutralizing Broth

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

### Air transport

Not regulated

### Inland waterway transport

Not regulated

### Rail transport

Not regulated

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. National regulations

##### UK REACH Annex XVII (Restriction List)

This product contains no substance(s) listed on UK REACH Annex XVII (Restriction List) equal to or above the level of SDS disclosure

##### UK REACH Annex XIV (Authorisation List)

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

##### UK REACH Candidate List (SVHC)

This product contains no substance(s) listed on the UK REACH Candidate List (SVHC) above the 0.1% level of disclosure

##### GB PIC Regulation (Prior Informed Consent)

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

##### POP Regulation (Persistent Organic Pollutants)

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

##### Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

##### Control of Poisons and Explosives Precursors Act

This product contains no substance(s) listed as a reportable poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

##### Drug Precursors Regulation (EC 273/2004)

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

#### 15.1.2. Other Information

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

### Full text of H- and EUH-statements:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4

# Neogen® Sample Handling Products- D/E Neutralizing Broth

## Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), UK

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.