

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Xylose Lysine Deoxycholate (XLD) Agar
Product code : NCM0027
Type of product : Food Safety -- [Food Safety]
Part Number(s) : NCM0027|400000753|700003040|NCM0027A|700003041|NCM0027B|700003042|NCM0027C|700004399|NCM0027D

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture : Laboratory chemicals
Scientific research and development

1.3. Details of the supplier of the safety data sheet

Manufacturer

Neogen Corporation
620 Leshar Place
48912 Lansing, Michigan
United States of America
T 800.234.5333
sds@neogen.com, <https://www.neogen.com/>

1.4. Emergency telephone number

Emergency number : 24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H411
Category 2
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS09

Signal word (CLP) : -

Hazard statements (CLP) : H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P391 - Collect spillage.

2.3. Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Xylose Lysine Deoxycholate (XLD) Agar

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Sucrose (57-50-1), Sodium chloride (7647-14-5), Sodium cholate (361-09-1), Ferric ammonium citrate (1185-57-5), Calcium chloride, anhydrous (10043-52-4)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Sucrose (57-50-1), Sodium chloride (7647-14-5), Sodium cholate (361-09-1), Ferric ammonium citrate (1185-57-5), Calcium chloride, anhydrous (10043-52-4)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sucrose substance with national workplace exposure limit(s) (BE, EE, ES, FR, GB, HR, IE, LT, PT)	CAS-No.: 57-50-1 EC-No.: 200-334-9	≥ 10 – < 15	Not classified
Sodium thiosulfate, anhydrous	CAS-No.: 7772-98-7 EC-No.: 231-867-5	≥ 10 – < 15	Acute Tox. 4 (Inhalation:dust,mist), H332
Sodium chloride substance with national workplace exposure limit(s) (LT, LV)	CAS-No.: 7647-14-5 EC-No.: 231-598-3	≥ 5 – < 10	Not classified
Sodium cholate	CAS-No.: 361-09-1 EC-No.: 206-643-5	≥ 1 – < 5	Aquatic Chronic 3, H412
Sodium deoxycholate	CAS-No.: 302-95-4 EC-No.: 206-132-7	≥ 1 – < 5	Acute Tox. 4 (Oral), H302 STOT SE 3, H335
Ferric ammonium citrate substance with national workplace exposure limit(s) (BE, GB)	CAS-No.: 1185-57-5 EC-No.: 214-686-6	≥ 1 – < 5	Not classified
Magnesium sulfate anhydrous	CAS-No.: 7487-88-9 EC-No.: 231-298-2	≥ 0.1 – < 0.5	Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)
Calcium chloride, anhydrous substance with national workplace exposure limit(s) (CZ, LV)	CAS-No.: 10043-52-4 EC-No.: 233-140-8 EC Index-No.: 017-013-00-2	≥ 0.1 – < 0.5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
Self protection of the first-aider	: First aid workers will be equipped with suitable personal protective equipment.

Xylose Lysine Deoxycholate (XLD) Agar

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal conditions. Dust of the product, if present, may cause respiratory irritation after excessive inhalation exposure.
Symptoms/effects after skin contact	: None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing.
Symptoms/effects after eye contact	: None under normal conditions. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
------------------	---

For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area.

For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Mechanically recover the product.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

Xylose Lysine Deoxycholate (XLD) Agar

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Keep cool. Protect from sunlight.
Storage temperature : 2 – 30 °C
Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Sucrose (57-50-1)	
Ireland - Occupational Exposure Limits	
Local name	Sucrose
OEL TWA	10 mg/m ³
OEL STEL	20 mg/m ³
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Xylose Lysine Deoxycholate (XLD) Agar

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Red.
Appearance	: Powder.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: 7.2 – 7.6
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

Xylose Lysine Deoxycholate (XLD) Agar

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Sucrose (57-50-1)

LD50 oral rat	29700 mg/kg (Rat, Literature study, Oral)
---------------	---

Sodium thiosulfate, anhydrous (7772-98-7)

LD50 oral rat	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Read-across, Oral, 14 day(s))
---------------	---

LD50 dermal rabbit	> 2000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
--------------------	---

LC50 Inhalation - Rat	> 2.6 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Read-across, Inhalation (aerosol), 14 day(s))
-----------------------	---

Sodium chloride (7647-14-5)

LD50 oral rat	> 3980 mg/kg bodyweight (Rat, Experimental value, 20 % aqueous solution, Oral)
---------------	--

LD50 dermal rabbit	> 10000 mg/kg (Rabbit, Experimental value, Dermal)
--------------------	--

LC50 Inhalation - Rat	> 42 mg/l air (1 h, Rat, Male, Experimental value, 20 % aqueous solution, Inhalation (aerosol))
-----------------------	---

LC50 Inhalation - Rat (Dust/Mist)	> 10.5 mg/l Source: Corporate Solution From Thomson Micromedex
-----------------------------------	--

Sodium cholate (361-09-1)

LD50 oral	2400 mg/kg bodyweight Animal: mouse
-----------	-------------------------------------

Sodium deoxycholate (302-95-4)

LD50 oral rat	1370 mg/kg (Rat, Oral)
---------------	------------------------

Ferric ammonium citrate (1185-57-5)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: other:
---------------	---

LD50 dermal rabbit	> 7940 mg/kg Source: ECHA
--------------------	---------------------------

Magnesium sulfate anhydrous (7487-88-9)

LD50 oral rat	> 2000 mg/kg bodyweight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Male / female, Experimental value, Oral, 14 day(s))
---------------	---

LD50 dermal rat	> 2000 mg/kg (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Read-across, Dermal, 14 day(s))
-----------------	--

Calcium chloride, anhydrous (10043-52-4)

LD50 oral rat	2301 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
---------------	--

LD50 oral	1940 mg/kg
-----------	------------

LD50 dermal rabbit	> 5000 mg/kg bodyweight (Other, 24 h, Rabbit, Male / female, Experimental value, Dermal)
--------------------	--

Xylose Lysine Deoxycholate (XLD) Agar

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Calcium chloride, anhydrous (10043-52-4)	
LD50 dermal	5000 mg/kg
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 7.2 – 7.6
Sucrose (57-50-1)	
pH	No data available in the literature
Sodium thiosulfate, anhydrous (7772-98-7)	
pH	7.8 (10 %)
Sodium chloride (7647-14-5)	
pH	7.5 (18 °C)
Sodium cholate (361-09-1)	
pH	8 – 9.5 (5 %)
Sodium deoxycholate (302-95-4)	
pH	7.5 – 9 (2 %)
Ferric ammonium citrate (1185-57-5)	
pH	6 – 8 Source: ECHA
Magnesium sulfate anhydrous (7487-88-9)	
pH	7 (5 %)
Calcium chloride, anhydrous (10043-52-4)	
pH	No data available in the literature
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 7.2 – 7.6
Sucrose (57-50-1)	
pH	No data available in the literature
Sodium thiosulfate, anhydrous (7772-98-7)	
pH	7.8 (10 %)
Sodium chloride (7647-14-5)	
pH	7.5 (18 °C)
Sodium cholate (361-09-1)	
pH	8 – 9.5 (5 %)
Sodium deoxycholate (302-95-4)	
pH	7.5 – 9 (2 %)
Ferric ammonium citrate (1185-57-5)	
pH	6 – 8 Source: ECHA
Magnesium sulfate anhydrous (7487-88-9)	
pH	7 (5 %)
Calcium chloride, anhydrous (10043-52-4)	
pH	No data available in the literature
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)

Xylose Lysine Deoxycholate (XLD) Agar

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)

Ferric ammonium citrate (1185-57-5)

NOAEL (animal/male, F0/P)	595.9 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)

Sodium deoxycholate (302-95-4)

STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

Xylose Lysine Deoxycholate (XLD) Agar

Viscosity, kinematic	Not applicable
----------------------	----------------

Sucrose (57-50-1)

Viscosity, kinematic	Not applicable (solid)
----------------------	------------------------

Sodium chloride (7647-14-5)

Viscosity, kinematic	Not applicable (solid)
----------------------	------------------------

Sodium deoxycholate (302-95-4)

Viscosity, kinematic	Not applicable (solid)
----------------------	------------------------

Magnesium sulfate anhydrous (7487-88-9)

Viscosity, kinematic	Not applicable (solid)
----------------------	------------------------

Calcium chloride, anhydrous (10043-52-4)

Viscosity, kinematic	Not applicable (solid)
----------------------	------------------------

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

Sucrose (57-50-1)

LC50 - Fish [1]	199000000 mg/l Source: ECOSAR
-----------------	-------------------------------

Sodium thiosulfate, anhydrous (7772-98-7)

LC50 - Fish [1]	510 mg/l (96 h, Lepomis macrochirus, Static system, Fresh water, Read-across, Lethal)
EC50 - Crustacea [1]	230 mg/l (48 h, Daphnia magna, Static system, Fresh water, Read-across, Locomotor effect)
EC50 72h - Algae [1]	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Read-across, Growth rate)
NOEC (chronic)	> 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

Xylose Lysine Deoxycholate (XLD) Agar

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium thiosulfate, anhydrous (7772-98-7)	
NOEC chronic fish	≥ 316 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '34 d'
Sodium chloride (7647-14-5)	
LC50 - Fish [1]	5840 mg/l (ASTM, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Lethal)
LOEC (chronic)	441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'
NOEC (chronic)	314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'
Sodium cholate (361-09-1)	
LC50 - Fish [1]	45356.434 mg/l Source: Ecological Structure Activity Relationships
EC50 - Other aquatic organisms [1]	35.8713 mg/l Test organisms (species):
EC50 72h - Algae [1]	169.7059 mg/l Test organisms (species):
EC50 96h - Algae [1]	22734.682 mg/l Source: Ecological Structure Activity Relationships
Sodium deoxycholate (302-95-4)	
LC50 - Fish [1]	1592.185 mg/l Source: ECOSAR
EC50 96h - Algae [1]	968.709 mg/l Source: ECOSAR
Ferric ammonium citrate (1185-57-5)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Static system, Fresh water, Experimental value)
LC50 - Fish [2]	> 100 mg/l Test organisms (species): other:
EC50 - Crustacea [1]	275 mg/l (48 h, Daphnia magna, Static system, Fresh water, Experimental value)
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): other:
ErC50 algae	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Static system, Fresh water, Experimental value)
Magnesium sulfate anhydrous (7487-88-9)	
LC50 - Fish [1]	680 mg/l (EPA 600/4-90/027, 96 h, Pimephales promelas, Static system, Fresh water, Read-across, Lethal)
LC50 - Fish [2]	15500 mg/l (96 h, Gambusia affinis, Static system)
EC50 - Crustacea [1]	1700 mg/l (24 h, Daphnia magna)
EC50 72h - Algae [1]	0.00411 mg/l
Calcium chloride, anhydrous (10043-52-4)	
LC50 - Fish [1]	4630 mg/l (EPA 600/4-90/027, 96 h, Pimephales promelas, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	2400 mg/l Source: SIDS
EC50 72h - Algae [1]	2900 mg/l Source: SIDS
ErC50 algae	> 4000 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Experimental value, GLP)
LOEC (chronic)	240 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	481 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	230 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '25 d'

Xylose Lysine Deoxycholate (XLD) Agar

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.2. Persistence and degradability

Xylose Lysine Deoxycholate (XLD) Agar

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Sucrose (57-50-1)

Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.69 g O ₂ /g substance
ThOD	1.12 g O ₂ /g substance
BOD (% of ThOD)	0.61 (5 day(s), Literature study)

Sodium thiosulfate, anhydrous (7772-98-7)

Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

Sodium chloride (7647-14-5)

Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

Sodium cholate (361-09-1)

Persistence and degradability	Not readily biodegradable in water.
-------------------------------	-------------------------------------

Sodium deoxycholate (302-95-4)

Persistence and degradability	Biodegradability in water: no data available.
-------------------------------	---

Ferric ammonium citrate (1185-57-5)

Persistence and degradability	Readily biodegradable in water.
-------------------------------	---------------------------------

Magnesium sulfate anhydrous (7487-88-9)

Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

Calcium chloride, anhydrous (10043-52-4)

Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

12.3. Bioaccumulative potential

Sucrose (57-50-1)

Partition coefficient n-octanol/water (Log Pow)	-3.7 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.

Sodium thiosulfate, anhydrous (7772-98-7)

Partition coefficient n-octanol/water (Log Pow)	-4.35 Source: International Chemical Safety Cards
---	---

Xylose Lysine Deoxycholate (XLD) Agar

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium thiosulfate, anhydrous (7772-98-7)	
Bioaccumulative potential	No bioaccumulation data available.
Sodium chloride (7647-14-5)	
Bioaccumulative potential	Not bioaccumulative.
Sodium cholate (361-09-1)	
Partition coefficient n-octanol/water (Log Pow)	-0.29 (Calculated, KOWWIN)
Bioaccumulative potential	Not bioaccumulative.
Sodium deoxycholate (302-95-4)	
Partition coefficient n-octanol/water (Log Pow)	1.24 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Ferric ammonium citrate (1185-57-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.737 (Calculated, 25 °C)
Bioaccumulative potential	Not bioaccumulative.
Magnesium sulfate anhydrous (7487-88-9)	
Bioaccumulative potential	Not bioaccumulative.
Calcium chloride, anhydrous (10043-52-4)	
Partition coefficient n-octanol/water (Log Pow)	0.05 Source: QSAR
Bioaccumulative potential	Not bioaccumulative.
12.4. Mobility in soil	
Sucrose (57-50-1)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.
Sodium chloride (7647-14-5)	
Surface tension	73.03 mN/m (23 °C, 14.5 g/l)
Ecology - soil	No (test)data on mobility of the substance available.
Sodium cholate (361-09-1)	
Mobility in soil	1140 Source: Quantitative Structure Activity Relation
Ecology - soil	Highly mobile in soil.
Sodium deoxycholate (302-95-4)	
Ecology - soil	No (test)data on mobility of the substance available.
Ferric ammonium citrate (1185-57-5)	
Ecology - soil	No (test)data on mobility of the substance available.
Magnesium sulfate anhydrous (7487-88-9)	
Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available.

Xylose Lysine Deoxycholate (XLD) Agar

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Calcium chloride, anhydrous (10043-52-4)

Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Results of PBT and vPvB assessment

Component

Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Sucrose (57-50-1), Sodium chloride (7647-14-5), Sodium cholate (361-09-1), Ferric ammonium citrate (1185-57-5), Calcium chloride, anhydrous (10043-52-4)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Sucrose (57-50-1), Sodium chloride (7647-14-5), Sodium cholate (361-09-1), Ferric ammonium citrate (1185-57-5), Calcium chloride, anhydrous (10043-52-4)

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not regulated	Not regulated	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not regulated	Not regulated	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not regulated	Not regulated	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not regulated	Not regulated	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not regulated	Not regulated	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Xylose Lysine Deoxycholate (XLD) Agar

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate

Xylose Lysine Deoxycholate (XLD) Agar

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit

Xylose Lysine Deoxycholate (XLD) Agar

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
TWA	Time Weighted Average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	Unique Formula Identifier

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.