Hektoen Enteric (HE) Agar

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 30/09/2025 Revision date: 06/10/2025 Supersedes version of: 30/09/2025 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	:	Mixture
Product name	:	Hektoen Enteric (HE) Agar
Product code	:	NCM0006
Type of product	:	Food Safety -- [Food Safety]
Part Number(s)	:	700002971|NCM0006A|700002972|NCM0006B|700002973|NCM0006C|700004375|NCM0006D|700002974|NCM0006E|400000375|NCM0006

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture	:	Laboratory chemicals Scientific research and development

1.3. Details of the supplier of the safety data sheet

Manufacturer
Neogen Corporation
620 Lesher Place
48912 Lansing, Michigan
United States of America
T 800.234.5333
sds@neogen.com, https://www.neogen.com/

1.4. Emergency telephone number

Emergency number	:	24 hours: Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international) Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :

GHS07

Signal word (CLP)	:	Warning
Contains	:	D-Salicin
Hazard statements (CLP)	:	H317 - May cause an allergic skin reaction.
Precautionary statements (CLP)	:	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P321 - Specific treatment (see supplemental first aid instruction on this label).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Sucrose (57-50-1), Sodium chloride (7647-14-5), Ferric ammonium citrate (1185-57-5), Sodium carbonate (497-19-8), Sodium cholate (361-09-1)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Sucrose (57-50-1), Sodium chloride (7647-14-5), Ferric ammonium citrate (1185-57-5), Sodium carbonate (497-19-8), Sodium cholate (361-09-1)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sucrose substance with national workplace exposure limit(s) (BE, EE, ES, FR, GB, HR, IE, LT, PT)	CAS-No.: 57-50-1 EC-No.: 200-334-9	≥ 15 – < 25	Not classified
Sodium chloride substance with national workplace exposure limit(s) (LT, LV)	CAS-No.: 7647-14-5 EC-No.: 231-598-3	≥ 5 – < 10	Not classified
Sodium thiosulfate, anhydrous	CAS-No.: 7772-98-7 EC-No.: 231-867-5	≥ 1 – < 5	Acute Tox. 4 (Inhalation:dust,mist), H332
Sodium cholate	CAS-No.: 361-09-1 EC-No.: 206-643-5	≥ 1 – < 5	Aquatic Chronic 3, H412
Sodium deoxycholate	CAS-No.: 302-95-4 EC-No.: 206-132-7	≥ 1 – < 5	Acute Tox. 4 (Oral), H302 STOT SE 3, H335
D-Salicin	CAS-No.: 138-52-3 EC-No.: 205-331-6	≥ 1 – < 5	Skin Sens. 1, H317
Ferric ammonium citrate substance with national workplace exposure limit(s) (BE, GB)	CAS-No.: 1185-57-5 EC-No.: 214-686-6	≥ 1 – < 5	Not classified
Sodium carbonate substance with national workplace exposure limit(s) (RO)	CAS-No.: 497-19-8 EC-No.: 207-838-8 EC Index-No.: 011-005-00-2	≥ 0.5 – < 1	Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact	:	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	:	Rinse eyes with water as a precaution.
First-aid measures after ingestion	:	Call a poison center or a doctor if you feel unwell.
Self protection of the first-aider	:	First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	:	None under normal conditions. Dust of the product, if present, may cause respiratory irritation after excessive inhalation exposure.
Symptoms/effects after skin contact	:	May cause an allergic skin reaction.
Symptoms/effects after eye contact	:	None under normal conditions. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion	:	None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	:	Water spray. Dry powder. Foam.
Unsuitable extinguishing media	:	Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	:	No fire hazard.
Explosion hazard	:	No direct explosion hazard.
Hazardous decomposition products in case of fire	:	Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions	:	Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	:	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	:	Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment	:	Wear recommended personal protective equipment.
Emergency procedures	:	Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment	:	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	:	Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment	:	Using a clean shovel, put the material in a dry container and cover without compressing it.
Methods for cleaning up	:	Mechanically recover the product.
Other information	:	Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	:	Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures	:	Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	:	Keep in a cool, well-ventilated place away from heat.
Storage conditions	:	Keep cool. Protect from sunlight.
Storage temperature	:	2 – 30 °C
Packaging materials	:	Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Sucrose (57-50-1)	
Ireland - Occupational Exposure Limits	
Local name	Sucrose
OEL TWA	10 mg/m³
OEL STEL	20 mg/m³
Remark	Advisory OELV (Advisory Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2024

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:
Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:
Wear recommended personal protective equipment.
Personal protective equipment symbol(s):

Eye and face protection

Eye protection:
Safety glasses

Skin protection

Skin and body protection:
Wear suitable protective clothing

Hand protection:
Protective gloves

Respiratory protection

Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:
Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Solid
Colour	:	Light green.
Appearance	:	Powder.
Odour	:	Characteristic. mild.
Odour threshold	:	Not available
Melting point	:	Not available
Freezing point	:	Not applicable
Boiling point	:	Not available
Flammability	:	Non flammable.
Lower explosion limit	:	Not applicable
Upper explosion limit	:	Not applicable
Flash point	:	Not applicable
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	Not available
pH	:	7.3 – 7.7
pH solution	:	Not available
Viscosity, kinematic	:	Not applicable
Solubility	:	Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	:	Not available
Vapour pressure	:	Not available
Vapour pressure at 50°C	:	Not available
Density	:	Not available
Relative density	:	Not available
Relative vapour density at 20°C	:	Not applicable
Particle size	:	Not available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Sucrose (57-50-1)	
LD50 oral rat	29700 mg/kg (Rat, Literature study, Oral)

Sodium chloride (7647-14-5)	
LD50 oral rat	> 3980 mg/kg bodyweight (Rat, Experimental value, 20 % aqueous solution, Oral)
LD50 dermal rabbit	> 10000 mg/kg (Rabbit, Experimental value, Dermal)
LC50 Inhalation - Rat	> 42 mg/l air (1 h, Rat, Male, Experimental value, 20 % aqueous solution, Inhalation (aerosol))
LC50 Inhalation - Rat (Dust/Mist)	> 10.5 mg/l Source: Corporate Solution From Thomson Micromedex

Sodium thiosulfate, anhydrous (7772-98-7)	
LD50 oral rat	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 2.6 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Read-across, Inhalation (aerosol), 14 day(s))

Ferric ammonium citrate (1185-57-5)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: other:
LD50 dermal rabbit	> 7940 mg/kg Source: ECHA

Sodium carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	2800 mg/kg
LD50 dermal rabbit	> 2000 mg/kg (16 CFR 1500.40, 24 h, Rabbit, Experimental value, Dermal, 14 day(s))
LD50 dermal	2500 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	1.2 mg/l/4h

Sodium cholate (361-09-1)	
LD50 oral	2400 mg/kg bodyweight Animal: mouse

Sodium deoxycholate (302-95-4)	
LD50 oral rat	1370 mg/kg (Rat, Oral)

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)
pH: 7.3 – 7.7

Sucrose (57-50-1)	
pH	No data available in the literature

Sodium chloride (7647-14-5)	
pH	7.5 (18 °C)

Sodium thiosulfate, anhydrous (7772-98-7)	
pH	7.8 (10 %)

Ferric ammonium citrate (1185-57-5)	
pH	6 – 8 Source: ECHA

Sodium cholate (361-09-1)	
pH	8 – 9.5 (5 %)

Sodium deoxycholate (302-95-4)	
pH	7.5 – 9 (2 %)

Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)
pH: 7.3 – 7.7

Sucrose (57-50-1)	
pH	No data available in the literature

Sodium chloride (7647-14-5)	
pH	7.5 (18 °C)

Sodium thiosulfate, anhydrous (7772-98-7)	
pH	7.8 (10 %)

Ferric ammonium citrate (1185-57-5)	
pH	6 – 8 Source: ECHA

Sodium cholate (361-09-1)	
pH	8 – 9.5 (5 %)

Sodium deoxycholate (302-95-4)	
pH	7.5 – 9 (2 %)

Respiratory or skin sensitisation : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

Ferric ammonium citrate (1185-57-5)	
NOAEL (animal/male, F0/P)	595.9 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

Sodium deoxycholate (302-95-4)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Hektoen Enteric (HE) Agar	
Viscosity, kinematic	Not applicable

Sucrose (57-50-1)	
Viscosity, kinematic	Not applicable (solid)

Sodium chloride (7647-14-5)	
Viscosity, kinematic	Not applicable (solid)

Sodium carbonate (497-19-8)	
Viscosity, kinematic	Not applicable (solid)

Sodium deoxycholate (302-95-4)	
Viscosity, kinematic	Not applicable (solid)

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short–term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long–term (chronic) : Not classified (Based on available data, the classification criteria are not met)

Sucrose (57-50-1)	
LC50 - Fish [1]	199000000 mg/l Source: ECOSAR

Sodium chloride (7647-14-5)	
LC50 - Fish [1]	5840 mg/l (ASTM, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Lethal)
LOEC (chronic)	441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'
NOEC (chronic)	314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'

Sodium thiosulfate, anhydrous (7772-98-7)	
LC50 - Fish [1]	510 mg/l (96 h, Lepomis macrochirus, Static system, Fresh water, Read-across, Lethal)
EC50 - Crustacea [1]	230 mg/l (48 h, Daphnia magna, Static system, Fresh water, Read-across, Locomotor effect)
EC50 72h - Algae [1]	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Read-across, Growth rate)
NOEC (chronic)	> 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 316 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '34 d'

Ferric ammonium citrate (1185-57-5)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Static system, Fresh water, Experimental value)
LC50 - Fish [2]	> 100 mg/l Test organisms (species): other:
EC50 - Crustacea [1]	275 mg/l (48 h, Daphnia magna, Static system, Fresh water, Experimental value)
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): other:

Ferric ammonium citrate (1185-57-5)	
ErC50 algae	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Static system, Fresh water, Experimental value)

Sodium carbonate (497-19-8)	
LC50 - Fish [1]	300 mg/l (96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	200 – 227 mg/l (48 h, Ceriodaphnia sp., Semi-static system, Fresh water, Experimental value, Locomotor effect)
EC50 - Crustacea [2]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
EC50 96h - Algae [1]	242 mg/l Source: ECOTOX

Sodium cholate (361-09-1)	
LC50 - Fish [1]	45356.434 mg/l Source: Ecological Structure Activity Relationships
EC50 - Other aquatic organisms [1]	35.8713 mg/l Test organisms (species):
EC50 72h - Algae [1]	169.7059 mg/l Test organisms (species):
EC50 96h - Algae [1]	22734.682 mg/l Source: Ecological Structure Activity Relationships

Sodium deoxycholate (302-95-4)	
LC50 - Fish [1]	1592.185 mg/l Source: ECOSAR
EC50 96h - Algae [1]	968.709 mg/l Source: ECOSAR

12.2. Persistence and degradability

Hektoen Enteric (HE) Agar	
Persistence and degradability	Not rapidly degradable

Sucrose (57-50-1)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.69 g O_2/g substance
ThOD	1.12 g O_2/g substance
BOD (% of ThOD)	0.61 (5 day(s), Literature study)

Sodium chloride (7647-14-5)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

Sodium thiosulfate, anhydrous (7772-98-7)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

D-Salicin (138-52-3)	
Persistence and degradability	Biodegradability in water: no data available.

Ferric ammonium citrate (1185-57-5)	
Persistence and degradability	Readily biodegradable in water.

Sodium carbonate (497-19-8)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

Sodium cholate (361-09-1)	
Persistence and degradability	Not readily biodegradable in water.

Sodium deoxycholate (302-95-4)	
Persistence and degradability	Biodegradability in water: no data available.

12.3. Bioaccumulative potential

Sucrose (57-50-1)	
Partition coefficient n-octanol/water (Log Pow)	-3.7 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.

Sodium chloride (7647-14-5)	
Bioaccumulative potential	Not bioaccumulative.

Sodium thiosulfate, anhydrous (7772-98-7)	
Partition coefficient n-octanol/water (Log Pow)	-4.35 Source: International Chemical Safety Cards
Bioaccumulative potential	No bioaccumulation data available.

D-Salicin (138-52-3)	
Bioaccumulative potential	No bioaccumulation data available.

Ferric ammonium citrate (1185-57-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.737 (Calculated, 25 °C)
Bioaccumulative potential	Not bioaccumulative.

Sodium carbonate (497-19-8)	
Partition coefficient n-octanol/water (Log Pow)	-6.19 Source: Quantitative Structure Activity Relation
Bioaccumulative potential	Not bioaccumulative.

Sodium cholate (361-09-1)	
Partition coefficient n-octanol/water (Log Pow)	-0.29 (Calculated, KOWWIN)
Bioaccumulative potential	Not bioaccumulative.

Sodium deoxycholate (302-95-4)	
Partition coefficient n-octanol/water (Log Pow)	1.24 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

12.4. Mobility in soil

Sucrose (57-50-1)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.

Sodium chloride (7647-14-5)	
Surface tension	73.03 mN/m (23 °C, 14.5 g/l)
Ecology - soil	No (test)data on mobility of the substance available.

Ferric ammonium citrate (1185-57-5)	
Ecology - soil	No (test)data on mobility of the substance available.

Sodium carbonate (497-19-8)	
Surface tension	No data available in the literature
Ecology - soil	Low potential for adsorption in soil.

Sodium cholate (361-09-1)	
Mobility in soil	1140 Source: Quantitative Structure Activity Relation
Ecology - soil	Highly mobile in soil.

Sodium deoxycholate (302-95-4)	
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Sucrose (57-50-1), Sodium chloride (7647-14-5), Ferric ammonium citrate (1185-57-5), Sodium carbonate (497-19-8), Sodium cholate (361-09-1)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Sucrose (57-50-1), Sodium chloride (7647-14-5), Ferric ammonium citrate (1185-57-5), Sodium carbonate (497-19-8), Sodium cholate (361-09-1)

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not regulated	Not regulated	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not regulated	Not regulated	Not applicable	Not applicable

ADR	IMDG	IATA	ADN	RID
14.3. Transport hazard class(es)				
Not applicable	Not regulated	Not regulated	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not regulated	Not regulated	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not regulated	Not regulated	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ACGIH	American Conference of Government Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
EWC	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development

Abbreviations and acronyms:	
OEL	Occupational Exposure Limit
OSHA	Occupational Safety Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	Unique Formula Identifier

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.