



Veratox® HS Quantitative Aflatoxin High Sensitivity Test

Kit Product

Kit identification

Trade name : Veratox® HS Quantitative Aflatoxin High Sensitivity Test
Product code : 8031
Part Number(s) : 8031|8031B| 700002480|700002481

Details of the supplier of the Kit safety information sheet

Manufacturer

Neogen Corporation
620 Leshner Place
Lansing, Michigan 48912
United States of America
T 800.234.5333
sds@neogen.com - <https://www.neogen.com/>

General information

Restrictions on use : Do not use kit components from one kit with any other kit.
General description : This is a test kit that is comprised of several individual components, listed below, each of which may have its own Safety Data Sheet (SDS). Articles, and otherwise immobilized and inaccessible chemicals, do not have a Safety Data Sheet in this packet.

Kit contents

Name	GHS classification
Aflatoxin Multi-Level Controls	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation:dust,mist), H331 Eye Irrit. 2, H319 Repr. 1B, H360 STOT SE 1, H370 STOT RE 1, H372
Aflatoxin-HRP Conjugate	Not classified
K-Blue® Advanced Plus TMB Substrate	Not classified
Red Stop Solution	Not classified





Transport information

In accordance with TDG / DOT / IMDG / IATA

TDG	DOT	IMDG	IATA
UN Number			
UN3316	UN3316	3316	3316

Veratox® HS Quantitative Aflatoxin High Sensitivity Test

Kit Safety Information Sheet (SIS)

TDG	DOT	IMDG	IATA
UN Proper Shipping Name			
CHEMICAL KIT	Chemical kit	CHEMICAL KIT	Chemical kit
Transport document description			
UN3316 CHEMICAL KIT, 9, II	UN3316 Chemical kit, 9	UN 3316 CHEMICAL KIT, 9	UN 3316 Chemical kit, 9
Transport hazard class(es)			
9	9	9	9
			
Packing group, if applicable			
II	Not applicable	Not applicable	Not applicable
Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available			

Special precautions for user

TDG

UN-No. (TDG)

: UN3316

TDG Special Provisions

: 65 - (1) A chemical kit or first aid kit must be included in the packing group that is the most stringent packing group assigned to any one of the dangerous goods in the kit, and the kit must not contain

(a) dangerous goods that are not allowed to be transported as limited quantities or that are forbidden for transport in Schedule 1 or Schedule 3;

(b) dangerous goods that react dangerously with each other; or

(c) a total quantity of dangerous goods that is greater than 1 L or 1 kg.

(2) A chemical kit or first aid kit containing dangerous goods in inner packagings that do not exceed the quantity limits for limited quantities applicable to individual substances as specified in column 6(a) of Schedule 1 may be transported in accordance with section 1.17 of Part 1 (Coming into force, Repeal, Interpretation, General Provisions and Special Cases), 141 - (1) Any dangerous goods may be transported under any of these shipping names if

(a) the dangerous goods are contained in a chemical kit, first aid kit or polyester resin kit; and

(b) the quantities do not exceed the limits that apply to the dangerous goods as determined in accordance with column 6(b) of Schedule 1 and the table to subsection 1.17.1(2).

(2) Despite paragraph (1)(b), in the case of dangerous goods that are included in Class 5.2, Organic Peroxides, the quantity limits must be determined using the alphanumeric code E2.

Explosive Limit and Limited Quantity Index

: See SP65

Excepted quantities (TDG)

: See SP141

Passenger Carrying Road Vehicle or Passenger

: 10 kg

Carrying Railway Vehicle Index

Emergency Response Guide (ERG) Number

: 171

DOT

UN-No. (DOT)

: UN3316

Veratox® HS Quantitative Aflatoxin High Sensitivity Test

Kit Safety Information Sheet (SIS)

DOT Special Provisions (49 CFR 172.102)	: 15 - This entry applies to Chemical kits and First aid kits containing one or more compatible items of hazardous materials in boxes, cases, etc. that are used for medical, analytical, diagnostic or testing purposes. For transportation by aircraft, materials forbidden for transportation by passenger aircraft or cargo aircraft may not be included in the kits. Chemical kits and first aid kits are excepted from the specification packaging requirements of this subchapter when packaged in combination packagings. Chemical kits and first aid kits are also excepted from the labeling and placarding requirements of this subchapter, except when offered for transportation or transported by air. Chemical and first aid kits may be transported in accordance with the consumer commodity and ORM exceptions in 173.156, provided they meet all required conditions. Kits that are carried on board transport vehicles for first aid or operating purposes are not subject to the requirements of this subchapter.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 161
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 161
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 10 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 10 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

IMDG

Special provisions (IMDG)	: 251, 340
Limited quantities (IMDG)	: SP251
Excepted quantities (IMDG)	: SP340
Packing instructions (IMDG)	: P901
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-P - SPILLAGE SCHEDULE Papa - SUBSTANCES DANGEROUS WHEN WET (COLLECTABLE ARTICLES)
Stowage category (IMDG)	: A

IATA

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y960
PCA limited quantity max net quantity (IATA)	: 1kg
PCA packing instructions (IATA)	: 960
PCA max net quantity (IATA)	: 10kg
CAO packing instructions (IATA)	: 960
CAO max net quantity (IATA)	: 10kg
Special provisions (IATA)	: A44, A163
ERG code (IATA)	: 9L

Transport in bulk according to Annex II of MARPOL 73/78⁹ and the IBC Code¹⁰

Not applicable

SECTION 1 Identification

1.1. GHS Product identifier

Product form : Mixture
Trade name : Aflatoxin Multi-Level Controls
Type of product : Food Safety -- [Food Safety]

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Laboratory chemicals, Scientific research and development
Recommended use : Laboratory chemicals, Scientific research and development
Restrictions on use : Do not use kit components from one kit with any other kit.

1.4. Supplier's details

Manufacturer

Neogen Corporation
620 Leshler Place
Lansing, Michigan 48912
United States of America
T 800.234.5333
sds@neogen.com - <https://www.neogen.com/>

1.5. Emergency phone number

Emergency number : 24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

SECTION 2 Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Flammable liquids, Category 2	H225	Highly flammable liquid and vapour.
Acute toxicity (oral), Category 4	H302	Harmful if swallowed.
Acute toxicity (inhalation:dust,mist), Category 3	H331	Toxic if inhaled.
Serious eye damage/eye irritation, Category 2	H319	Causes serious eye irritation.
Reproductive toxicity, Category 1B	H360	May damage fertility or the unborn child.
Specific target organ toxicity, Single exposure, Category 1	H370	Causes damage to organs.
Specific target organ toxicity, Repeated exposure, Category 1	H372	Causes damage to organs through prolonged or repeated exposure.

Full text of H-statements: see section 16

2.2. GHS label elements, including precautionary statements

GHS CA labelling

Hazard pictograms (GHS CA) :



Signal word (GHS CA) : Danger

Aflatoxin Multi-Level Controls

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Hazard statements (GHS CA)	: H225 - Highly flammable liquid and vapour H302 - Harmful if swallowed H319 - Causes serious eye irritation H331 - Toxic if inhaled H360 - May damage fertility or the unborn child H370 - Causes damage to organs. H372 - Causes damage to organs through prolonged or repeated exposure.
Precautionary statements (GHS CA)	: P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground and bond container and receiving equipment. P241 - Use explosion-proof equipment. P242 - Use non-sparking tools. P243 - Take action to prevent static discharges. P260 - Do not breathe dust, fume, gas, mist, vapours, spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or a doctor if you feel unwell. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P311 - IF exposed or concerned: Call a POISON CENTER or a doctor. P308+P313 - IF exposed or concerned: Get medical advice or attention. P311 - Call a POISON CENTER or a doctor. P314 - Get medical advice or attention if you feel unwell. P321 - Specific treatment (see supplemental first aid instruction on this label). P330 - Rinse mouth. P337+P313 - If eye irritation persists: Get medical advice or attention. P370+P378 - In case of fire: Use appropriate media to extinguish. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up. P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

Aflatoxin Multi-Level Controls

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
Methanol	Methylalcohol 420A reagent #5 / acetone alcohol / A13-00409 / alcohol C1 / alcohol, methyl / carbinol / caswell No 552 / coat- B1400 / colonial spirit / colonial spirits / columbian spirit / columbian spirits / EPA pesticide chemical code 053801 / eureka products criosine disinfectant / eureka products, criosine / freers elm arrester / green wood spirits / holzin / HYDRANAL- standard- methanol / ideal concentrated wood preservative / manhattan spirits / methanol / methanol chromasol / methyl alcohol / methyl hydrate / methyl hydroxide / methylen / methylol / monohydroxymet hane / pyroligneous spirit / pyroxylic spirit / RCRA waste number U154 / standard wood spirits / surflo-B17 / wilbur-ellis smut- guard / wood alcohol / wood naphtha / wood spirit / X-cide 402 industrial bactericide	CAS-No.: 67-56-1	≥ 50 – < 75	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:gas), H331 Acute Tox. 3 (Inhalation:dust,mist), H331 Eye Irrit. 2, H319 Repr. 1B, H360 STOT SE 1, H370 STOT RE 1, H372

Aflatoxin Multi-Level Controls

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Full text of hazard classes and H-statements : see section 16

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a doctor.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.
First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.
Self protection of the first-aider	: First-aiders should pay attention to their own protection and use the recommended personal protective equipment (see section 8).

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: Toxic if inhaled.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed.
Chronic symptoms	: May damage fertility or the unborn child.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5 Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Special protective actions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
Environmental precautions	: Avoid release to the environment. Notify authorities if product enters sewers or public waters.

Aflatoxin Multi-Level Controls

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

6.2. Methods and materials for containment and cleaning up

- For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
- Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
- Other information : Dispose of materials or solid residues at an authorized site.
- For further information refer to section 13.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes.
- Hygiene measures : Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ground/bond container and receiving equipment.
- Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
- Storage temperature : 2 – 8 °C
- Packaging materials : Always store product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Methanol (67-56-1)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	Methanol (Methyl alcohol)
OEL TWA	262 mg/m ³
	200 ppm
OEL STEL	328 mg/m ³
	250 ppm
Notations and remarks	Substance may be readily absorbed through intact skin.
Regulatory reference	Alberta Regulation 191/2021
Canada (Quebec) - Occupational Exposure Limits	
Local name	Methyl alcohol (Methanol)
VECD (OEL STEV)	328 mg/m ³
	250 ppm
VEMP (OEL TWAEV)	262 mg/m ³
	200 ppm

Aflatoxin Multi-Level Controls

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Methanol (67-56-1)	
Notations and remarks	Pc
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
Canada (British Columbia) - Occupational Exposure Limits	
Local name	Methanol
OEL TWA	200 ppm
OEL STEL	250 ppm
Notations and remarks	Skin (the substance that contribute significantly to the overall exposure by the skin route)
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
Canada (Manitoba) - Occupational Exposure Limits	
Local name	Methanol
OEL TWA	262 mg/m ³ 200 ppm
OEL STEL	328 mg/m ³ 250 ppm
Notations and remarks	TLV® Basis: Headache; eye dam; dizziness; nausea. Notations: Skin; BEI
Regulatory reference	ACGIH 2025
Canada (New Brunswick) - Occupational Exposure Limits	
Local name	Methanol
OEL TWA	200 ppm
OEL STEL	250 ppm
Notations and remarks	Headache; eye dam; dizziness; nausea
Canada (Newfoundland and Labrador) - Occupational Exposure Limits	
Local name	Methanol
OEL TWA	262 mg/m ³ 200 ppm
OEL STEL	328 mg/m ³ 250 ppm
Notations and remarks	TLV® Basis: Headache; eye dam; dizziness; nausea. Notations: Skin; BEI
Regulatory reference	ACGIH 2025
Canada (Nova Scotia) - Occupational Exposure Limits	
Local name	Methanol
OEL TWA	262 mg/m ³ 200 ppm
OEL STEL	328 mg/m ³ 250 ppm
Notations and remarks	TLV® Basis: Headache; eye dam; dizziness; nausea. Notations: Skin; BEI
Regulatory reference	ACGIH 2025

Aflatoxin Multi-Level Controls

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Methanol (67-56-1)	
Canada (Nunavut) - Occupational Exposure Limits	
Local name	Methyl alcohol (methanol)
OEL TWA	200 ppm
OEL STEL	250 ppm
Notations and remarks	Skin
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
Canada (Northwest Territories) - Occupational Exposure Limits	
Local name	Methyl alcohol (methanol)
OEL TWA	200 ppm
OEL STEL	250 ppm
Notations and remarks	Skin
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)
Canada (Ontario) - Occupational Exposure Limits	
Local name	Methanol
OEL TWAEV	200 ppm 250 ppm
Notations and remarks	Skin
Regulatory reference	Occupational Health and Safety Act, R.S.O. 1990, c. O.1 - R.R.O. 1990, Reg. 833: Control of exposure to biological or chemical agents
Canada (Prince Edward Island) - Occupational Exposure Limits	
Local name	Methanol
OEL TWA	262 mg/m ³ 200 ppm
OEL STEL	328 mg/m ³ 250 ppm
Notations and remarks	TLV® Basis: Headache; eye dam; dizziness; nausea. Notations: Skin; BEI
Regulatory reference	ACGIH 2025
Canada (Saskatchewan) - Occupational Exposure Limits	
Local name	Methyl alcohol (methanol)
OEL TWA	200 ppm
OEL STEL	250 ppm
Notations and remarks	Skin
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

Aflatoxin Multi-Level Controls

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Solution.
Colour	: Clear Colourless
Odour	: Alcoholic Strong
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Explosive limits	: No data available
Particle characteristics	: No data available

Aflatoxin Multi-Level Controls

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

Reactivity	: Highly flammable liquid and vapour.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

SECTION 11 Toxicological information

11.1. Likely routes of exposure

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Inhalation:dust,mist: Toxic if inhaled.

Aflatoxin Multi-Level Controls	
ATE CA (oral)	1695.714 mg/kg bodyweight
ATE CA (dust,mist)	0.714 mg/l/4h
Methanol (67-56-1)	
LD50 oral rat	1187 – 2769 mg/kg bodyweight (BASF test, Rat, Male / female, Experimental value, 15-35 % aqueous solution, Oral, 7 day(s))
LD50 oral	1400 mg/kg
LD50 dermal rabbit	17100 mg/kg (Rabbit, Experimental value, Dermal)
LD50 dermal	15800 mg/kg
LC50 Inhalation - Rat	128.2 mg/l air (BASF test, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE CA (oral)	1187 mg/kg bodyweight
ATE CA (Dermal)	15800 mg/kg bodyweight
ATE CA (Gases)	700 ppmv/4h
ATE CA (vapours)	3 mg/l/4h
ATE CA (dust,mist)	0.5 mg/l/4h

Skin corrosion/irritation : Not classified

Methanol (67-56-1)	
pH	No data available in the literature

Serious eye damage/irritation : Causes serious eye irritation.

Methanol (67-56-1)	
pH	No data available in the literature

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Aflatoxin Multi-Level Controls

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Carcinogenicity : Not classified
Reproductive toxicity : May damage fertility or the unborn child.

Methanol (67-56-1)

LOAEL (animal/male, F0/P)	2340 mg/kg bodyweight Monkey, Male, 3 days, daily dose
---------------------------	--

STOT-single exposure : Causes damage to organs.

Methanol (67-56-1)

STOT-single exposure	Causes damage to organs.
----------------------	--------------------------

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Methanol (67-56-1)

STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
------------------------	---

Aspiration hazard : Not classified

Methanol (67-56-1)

Viscosity, kinematic	0.68 – 0.747 mm ² /s
----------------------	---------------------------------

Symptoms/effects after inhalation : Toxic if inhaled.
Symptoms/effects after skin contact : None under normal conditions.
Symptoms/effects after eye contact : Eye irritation.
Symptoms/effects after ingestion : Harmful if swallowed.
Chronic symptoms : May damage fertility or the unborn child.

SECTION 12 Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Not classified

Methanol (67-56-1)

LC50 - Fish [1]	15400 mg/l (EPA 660/3 - 75/009, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Lethal)
-----------------	--

EC50 - Crustacea [1]	18260 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 96 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, Locomotor effect)
----------------------	--

EC50 96h - Algae [1]	22000 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)
----------------------	---

NOEC chronic fish	446.7 mg/l Test organisms (species): Pimephales promelas Duration: '28 d'
-------------------	---

NOEC (chronic)	208 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
----------------	---

12.2. Persistence and degradability

Aflatoxin Multi-Level Controls

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Methanol (67-56-1)

Persistence and degradability	Readily biodegradable in the soil, Readily biodegradable in water.
-------------------------------	--

Biochemical oxygen demand (BOD)	0.6 – 1.1 g O ₂ /g substance
---------------------------------	---

Aflatoxin Multi-Level Controls

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Methanol (67-56-1)	
Chemical oxygen demand (COD)	1.4 g O ₂ /g substance
ThOD	1.5 g O ₂ /g substance

12.3. Bioaccumulative potential

Methanol (67-56-1)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
BCF - Fish [1]	1 – 4.5 (72 h, Cyprinus carpio, Static system, Fresh water, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	-0.77 (Experimental value)

12.4. Mobility in soil

Methanol (67-56-1)	
Mobility in soil	2.75 Source: HSDB
Surface tension	No data available in the literature
Ecology - soil	Highly mobile in soil.
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	-0.89 – -0.21 (log Koc, Calculated value)

12.5. Other adverse effects

Ozone : Not classified
Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Disposal must be done according to official regulations.
Additional information : Flammable vapours may accumulate in the container. Do not re-use empty containers.
Ecological waste information : The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.

SECTION 14 Transport information





In accordance with TDG / DOT / IMDG / IATA

TDG	DOT	IMDG	IATA
14.1. UN Number			
UN1230	UN1230	1230	1230
14.2. UN Proper Shipping Name			
METHANOL	Methanol	METHANOL	Methanol
Transport document description			
UN1230 METHANOL, 3 (6.1), II	UN1230 Methanol, 3 (6.1), II	UN 1230 METHANOL, 3 (6.1), II (12°C c.c.)	UN 1230 Methanol, 3 (6.1), II

Aflatoxin Multi-Level Controls

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

TDG	DOT	IMDG	IATA
14.3. Transport hazard class(es)			
3 (6.1)	3 (6.1)	3 (6.1)	3 (6.1)
			
14.4. Packing group, if applicable			
II	II	II	II
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available			

14.6. Special precautions for user

TDG

UN-No. (TDG)	: UN1230
TDG Special Provisions	: 43 - Despite section 2.1 of Part 2 (Classification), these dangerous goods are assigned to this classification based on human experience.
Explosive Limit and Limited Quantity Index	: 1 L
Excepted quantities (TDG)	: E2
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 1 L
Emergency Response Guide (ERG) Number	: 131

DOT

UN-No. (DOT)	: UN1230
DOT Special Provisions (49 CFR 172.102)	: IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3) TP2 - a. The maximum degree of filling must not exceed the degree of filling determined by the following: (image) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius. b. For liquids transported under ambient conditions may be calculated using the formula: (image) Where: d15 and d50 are the densities (in units of mass per unit volume) of the liquid at 15 C (59 F) and 50 C (122 F), respectively.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 1 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"

Aflatoxin Multi-Level Controls

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

IMDG	
Special provisions (IMDG)	: 279
Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage)	: S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Flash point (IMDG)	: 12°C c.c.
Properties and observations (IMDG)	: Colourless, volatile liquid. Flashpoint: 12°C c.c. Explosive limits: 6% to 36.5%. Miscible with water. Toxic if swallowed; may cause blindness. Avoid skin contact.
MFAG-No	: 131

IATA	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 352
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A113
ERG code (IATA)	: 3L

14.7. Transport in bulk according to Annex II of MARPOL 73/78⁹ and the IBC Code¹⁰

Not applicable

SECTION 15 Regulatory information

Methanol (67-56-1)

Listed on the Canadian DSL (Domestic Substances List)

Methanol (67-56-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16 Other Information

Issue date	: 06-27-2025
Revision date	: 06-04-2026
Supersedes	: 09-19-2025

Full text of hazard classes and H-statements:

H225	Highly flammable liquid and vapour
H302	Harmful if swallowed
H319	Causes serious eye irritation

Aflatoxin Multi-Level Controls

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Full text of hazard classes and H-statements:	
H331	Toxic if inhaled
H360	May damage fertility or the unborn child
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



Aflatoxin-HRP Conjugate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)
Issue date: 06-27-2025 Revision date: 06-04-2026 Supersedes: 09-19-2025 Version: 4.0

SECTION 1 Identification

1.1. GHS Product identifier

Product form : Mixture
Trade name : Aflatoxin-HRP Conjugate
Type of product : Food Safety -- [Food Safety]

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Laboratory chemicals, Scientific research and development
Recommended use : Laboratory chemicals, Scientific research and development
Restrictions on use : Do not use kit components from one kit with any other kit.

1.4. Supplier's details

Manufacturer

Neogen Corporation
620 Leshler Place
Lansing, Michigan 48912
United States of America
T 800.234.5333
sds@neogen.com - <https://www.neogen.com/>

1.5. Emergency phone number

Emergency number : 24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

SECTION 2 Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Not classified

2.2. GHS label elements, including precautionary statements

GHS CA labelling

No labelling applicable

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

Aflatoxin-HRP Conjugate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

3.2. Mixtures

Aflatoxin-HRP Conjugate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
------	-----------------------------	--------------------	---	-------------------------

Aflatoxin-HRP Conjugate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Polyvinyl alcohol	Poly(vinyl alcohol) ; PVA AKWA TEARS / alcotex 88/05 / alcotex 88/10 / alcotex B72 / alkotex / alkotex 88/10 / alvyl / alvylol / aracet APV / celvol polyvinyl alcohol, homopolymer / cipoviol W72 / covol / covol 971 / darex / elvanol / elvanol 52-22 / elvanol 522-22 / elvanol 70-05 / elvanol 71-30 / elvanol 73125G / elvanol 90-50 / EP 160 / ethenol, homopolymer / galvatol 1-60 / gelvatol (=ethenol, polymer) / gelvatol 1-30 / gelvatol 1-90 / gelvatol 20-30 / gelvatol 2090 / gelvatol 3-91 / GH 20 / GL 02 / GL 03 / GLO 5 / GM 14 / gohsenol / gohsenol AH 22 / gohsenol GH / gohsenol GH 20 / gohsenol GH17 / gohsenol GH23 / gohsenol GL03 / gohsenol GL05 / gohsenol GL08 / gohsenol GM14 / gohsenol GM14I / gohsenol GM94 / gohsenol KH17 / gohsenol KP08 / gohsenol NH05 / gohsenol NH17 / gohsenol NH18 / gohsenol NH20 / gohsenol NH26 / gohsenol NK114 / gohsenol NL05 / GOHSENOL NM 114 / gohsenol	CAS-No.: 9002-89-5	≥ 1 – < 5	Aquatic Acute 2, H401 Aquatic Chronic 2, H411
-------------------	--	--------------------	-----------	--

Aflatoxin-HRP Conjugate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

	NM14 / ivalon / kuralon VP / Kuraray Poval 10- 98 / Kuraray Poval 11-98 / Kuraray Poval 15- 99 / Kuraray Poval 20-98 / Kuraray Poval 28- 98 / Kuraray Poval 28-99 / Kuraray Poval 28- 99 LA / Kuraray Poval 29-99 / Kuraray Poval 30- 98 / Kuraray Poval 3-98 / Kuraray Poval 4- 98 / Kuraray Poval 4-98 LA / Kuraray Poval 56- 98 / Kuraray Poval 56-98 LA / Kuraray Poval 5- 98 / Kuraray Poval 60-98 / Kuraray Poval 6- 98 / kurare poval 120 / kurare poval 1700 / kurare PVA 205 / kurate poval 120 / lemol / lemol 12-88 / lemol 16-98 / lemol 24-98 / lemol 30-98 / lemol 51-98 / lemol 5-88 / lemol 5-98 / lemol 60-98 / lemol 75-98 / lemol GF-60 / LIQUIFILM / M13/20 / moviol / MOWIOL / mowiol N 30-88 / mowiol N 50-98 / mowiol N 70-98 / NH18 / NM11 / NM14 / PDR / poly(1- hydroxyethylene) / polydesis / polysizer 173 / polyvinol / polyvinyl alcohol 100000 / polyvinyl alcohol 15000 / polyvinyl alcohol			
--	---	--	--	--

Aflatoxin-HRP Conjugate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

	<p>16000 / polyvinyl alcohol 18/11 / polyvinyl alcohol 22000 / polyvinyl alcohol 49000 / polyvinyl alcohol 72000 / polyvinyl alcohol 88000 / polyvinyl alcohol 95000 / polyvinyl alcohol standard 122400 / polyvinyl alcohol standard 137100 / polyvinyl alcohol standard 170500 / polyvinyl alcohol standard 200000 / polyvinyl alcohol standard 35000 / polyvinyl alcohol standard 55000 / polyvinyl alcohol standard 7200 / polyvinyl alcohol standard 82000 / polyvinyl alcohol, resin / polyvinylalcohol 72000 / polyviol / polyviol M13/140 / polyviol MO5/140 / polyviol V 03/300 / polyviol W25/140 / polyviol W40/140 / poval / Poval 10-98, Kuraray / poval 117 / Poval 11-98, Kuraray / poval 120 / Poval 15-99, Kuraray / poval 1700 / poval 203 / poval 205 / Poval 20-98, Kuraray / poval 217 / Poval 28-98, Kuraray / Poval 28-99 LA, Kuraray / Poval 28-99, Kuraray / Poval 29-99, Kuraray / Poval 30-98, Kuraray / Poval 3-98, Kuraray / Poval 4-98 LA, Kuraray / Poval 4-98, Kuraray /</p>			
--	--	--	--	--

Aflatoxin-HRP Conjugate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

	<p>Poval 56-98 LA, Kuraray / Poval 56-98, Kuraray / Poval 5-98, Kuraray / Poval 60-98, Kuraray / Poval 6-98, Kuraray / poval C17 / PVA (=polyvinyl alcohol) / PVA 008 / PVA 72000 / PVS4 / resistoflex / rhodoviol / rhodoviol 16/200 / rhodoviol 4/125 / rhodoviol 4-125P / rhodoviol R16/20 / selvol 125S polyvinyl alcohol, homopolymer / selvol 165 polyvinyl alcohol, homopolymer / selvol polyvinyl alcohol, homopolymer / selvol 103 polyvinyl alcohol, homopolymer / selvol 107 polyvinyl alcohol, homopolymer / selvol 125 polyvinyl alcohol, homopolymer / selvol 125NS polyvinyl alcohol, homopolymer / selvol 165SF polyvinyl alcohol, homopolymer / selvol 305 polyvinyl alcohol, homopolymer / selvol 310 polyvinyl alcohol, homopolymer / selvol 325 polyvinyl alcohol, homopolymer / selvol 325LA polyvinyl alcohol, homopolymer / selvol 350 polyvinyl alcohol, homopolymer /</p>			
--	--	--	--	--

Aflatoxin-HRP Conjugate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
	selvol 825 polyvinyl alcohol, homopolymer / selvol E103 polyvinyl alcohol, homopolymer / selvol E107 polyvinyl alcohol, homopolymer / selvol E305 polyvinyl alcohol, homopolymer / selvol E310 polyvinyl alcohol, homopolymer / selvol E325 polyvinyl alcohol, homopolymer / selvol E325LA polyvinyl alcohol, homopolymer / SNO TEARS / solva / solvar / sumitex H10 / vibatex S / VINACOL DT / vinacol MH / vinalak / VINAROL / vinarol DT / vinarol ST / vinarole / vinavilal / vinavilol 2-98 / vinnarol / vinol / vinol 125 / vinol 205 / vinol 351 / vinol 523 / vinol unysize / vinyl alcohol,polymer / vinylon film 2000			

Full text of hazard classes and H-statements : see section 16

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
First-aid measures general	: If you feel unwell, seek medical advice.

Aflatoxin-HRP Conjugate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Self protection of the first-aider : First-aiders should pay attention to their own protection and use the recommended personal protective equipment (see section 8).

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation : None under normal conditions.
Symptoms/effects after skin contact : None under normal conditions.
Symptoms/effects after eye contact : None under normal conditions.
Symptoms/effects after ingestion : None under normal conditions.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5 Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.
Explosion hazard : No direct explosion hazard.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective actions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
Environmental precautions : Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.
For further information refer to section 13.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Aflatoxin-HRP Conjugate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Keep cool. Protect from sunlight.
Storage temperature	: 2 – 8 °C
Packaging materials	: Always store product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Solution.
Colour	: Clear Amber
Odour	: Odourless Slight
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available

Aflatoxin-HRP Conjugate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Explosive limits	: No data available
Particle characteristics	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

SECTION 11 Toxicological information

11.1. Likely routes of exposure

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Aflatoxin-HRP Conjugate	
Unknown acute toxicity (GHS CA)	51% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 51% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 51% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))
Polyvinyl alcohol (9002-89-5)	
LD50 oral rat	> 5000 mg/kg (Rat, Experimental value, Oral)
LD50 dermal rat	> 2000 mg/kg (Rat, Dermal)
LC50 Inhalation - Rat	> 24 mg/l (1 h, Rat, Experimental value, Inhalation (dust))
Skin corrosion/irritation	: Not classified
Polyvinyl alcohol (9002-89-5)	
pH	5 – 7 (4.0 %)
Serious eye damage/irritation	: Not classified

Aflatoxin-HRP Conjugate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Polyvinyl alcohol (9002-89-5)	
pH	5 – 7 (4.0 %)
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Polyvinyl alcohol (9002-89-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Polyvinyl alcohol (9002-89-5)	
Viscosity, kinematic	No data available in the literature
Symptoms/effects after inhalation	: None under normal conditions.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: None under normal conditions.

SECTION 12 Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified.
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.

Polyvinyl alcohol (9002-89-5)	
LC50 - Fish [1]	40 mg/l (96 h, Pimephales promelas, Experimental value)
EC50 - Crustacea [1]	8.3 mg/l (48 h, Daphnia sp., Experimental value)

12.2. Persistence and degradability

Aflatoxin-HRP Conjugate	
Persistence and degradability	Not rapidly degradable
Polyvinyl alcohol (9002-89-5)	
Persistence and degradability	Readily biodegradable in water.
Chemical oxygen demand (COD)	0.16 g O ₂ /g substance

12.3. Bioaccumulative potential

Polyvinyl alcohol (9002-89-5)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
BCF - Fish [1]	< 7.5 (6 week(s), Cyprinus carpio, Literature study)
Partition coefficient n-octanol/water (Log Pow)	-5.3 (Estimated value, KOWWIN)

Aflatoxin-HRP Conjugate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

12.4. Mobility in soil

Polyvinyl alcohol (9002-89-5)

Ecology - soil	Adsorbs into the soil.
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	5.948 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No

SECTION 13 Disposal considerations

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.
Ecological waste information	: The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.

SECTION 14 Transport information

In accordance with TDG / DOT / IMDG / IATA

TDG	DOT	IMDG	IATA
14.1. UN Number			
Not regulated for transport			
14.2. UN Proper Shipping Name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group, if applicable			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

14.6. Special precautions for user

TDG
Not regulated

DOT
Not regulated

IMDG
Not regulated

Aflatoxin-HRP Conjugate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78⁹ and the IBC Code¹⁰

Not applicable

SECTION 15 Regulatory information

Polyvinyl alcohol (9002-89-5)

Listed on the Canadian DSL (Domestic Substances List)

Canada DSL & NDSL Flags

Significant New Activity (SNAc) provisions of the Act apply

Polyvinyl alcohol (9002-89-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16 Other Information

Issue date : 06-27-2025
Revision date : 06-04-2026
Supersedes : 09-19-2025

Full text of hazard classes and H-statements:

H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



K-Blue® Advanced Plus TMB Substrate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Issue date: 06-27-2025 Revision date: 05-20-2026 Supersedes: 05-05-2026 Version: 4.0

SECTION 1 Identification

1.1. GHS Product identifier

Product form : Mixture
Trade name : K-Blue® Advanced Plus TMB Substrate
Type of product : Life Sciences -- [Life Sciences]
Product code : 379210

1.2. Other means of identification

Part Number(s) : 379210|379171||379175|379176|379177|379257|379xxx|700006518|700006523

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Laboratory chemicals,Scientific research and development
Recommended use : Scientific research and development,Laboratory chemicals

1.4. Supplier's details

Neogen Corporation
620 Leshar Place
Lansing, Michigan 48912
United States of America
T 800.234.5333
sds@neogen.com - <https://www.neogen.com/>

1.5. Emergency phone number

Emergency number : 24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

SECTION 2 Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Not classified

2.2. GHS label elements, including precautionary statements

GHS CA labelling

No labelling applicable

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

K-Blue® Advanced Plus TMB Substrate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
Dimethyl sulfoxide	Sulfinylbismethane ; Dimethyl sulfoxide A 10846 / deltan / demasorb / demavet / demeso / demsodrox / dermasorb / dimethyl sulfoxide / dimexide / dipirartril, tropico / DMS-70 / DMS-90 / DMSO (= dimethyl sulfoxide) / dolicur / doligur / domoso / dromisol / durasorb / gamasol 90 / hyadur / infiltrina / M 176 / methane, sulfinylbis- / methyl sulfoxide / methylsulfinylmethane / NSC-763 / rimso-5 / rimso-50 / somipront / SQ 9453 / sulfinyl bis(methane) / syntexan / topsym	CAS-No.: 67-68-5	≥ 5 – < 10	Flam. Liq. 4, H227 Aquatic Acute 3, H402

Full text of hazard classes and H-statements : see section 16

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
First-aid measures general	: If you feel unwell, seek medical advice.
Self protection of the first-aiders	: First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: None under normal conditions.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: None under normal conditions.

K-Blue® Advanced Plus TMB Substrate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5 Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.
Explosion hazard : No direct explosion hazard.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective actions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
Environmental precautions : Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.
For further information refer to section 13.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Keep cool. Protect from sunlight.
Packaging materials : Always store product in container of same material as original container.

K-Blue® Advanced Plus TMB Substrate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: Clear
Odour	: Odourless
Odour threshold	: No data available
pH	: $\geq 3.1 - \leq 3.4$
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable

K-Blue® Advanced Plus TMB Substrate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Explosive limits	: No data available
Particle characteristics	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

SECTION 11 Toxicological information

11.1. Likely routes of exposure

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Dimethyl sulfoxide (67-68-5)	
LD50 oral rat	28300 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	14500 mg/kg
LD50 dermal rat	40000 mg/kg bodyweight (Rat, Male / female, Experimental value, Dermal, 14 day(s))
LD50 dermal	40000 mg/kg
LC50 Inhalation - Rat	> 5.33 mg/l Source: ECHA
LC50 Inhalation - Rat (Dust/Mist)	5.33 mg/l/4h
ATE CA (oral)	14500 mg/kg bodyweight
ATE CA (Dermal)	40000 mg/kg bodyweight
ATE CA (dust,mist)	5.33 mg/l/4h

Skin corrosion/irritation	: Not classified. pH: $\geq 3.1 - \leq 3.4$
---------------------------	--

Dimethyl sulfoxide (67-68-5)	
pH	No data available in the literature

Serious eye damage/irritation	: Not classified pH: $\geq 3.1 - \leq 3.4$
-------------------------------	---

K-Blue® Advanced Plus TMB Substrate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Dimethyl sulfoxide (67-68-5)	
pH	No data available in the literature
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Dimethyl sulfoxide (67-68-5)	
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	2.783 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Guideline: EPA OPPTS 870.3465 (90-Day Inhalation Toxicity)
NOAEL (oral, rat, 90 days)	≥ 1000 mg/kg bodyweight Animal: rat, Guideline: other:
Aspiration hazard	: Not classified

Dimethyl sulfoxide (67-68-5)	
Viscosity, kinematic	1.95 mm ² /s (20 °C, Calculated)
Symptoms/effects after inhalation	: None under normal conditions.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: None under normal conditions.

SECTION 12 Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified.
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.

Dimethyl sulfoxide (67-68-5)	
LC50 - Fish [1]	> 25 g/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	25 g/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
ErC50 algae	17 g/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)

12.2. Persistence and degradability

K-Blue® Advanced Plus TMB Substrate	
Persistence and degradability	Not rapidly degradable

Dimethyl sulfoxide (67-68-5)	
Persistence and degradability	Not readily biodegradable in water.

K-Blue® Advanced Plus TMB Substrate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

12.3. Bioaccumulative potential

Dimethyl sulfoxide (67-68-5)	
Bioaccumulative potential	Not bioaccumulative.
Partition coefficient n-octanol/water (Log Pow)	-1.4 (Experimental value, 20 °C)

12.4. Mobility in soil

Dimethyl sulfoxide (67-68-5)	
Surface tension	43.5 mN/m (20 °C, 100 vol %)
Ecology - soil	Highly mobile in soil.
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.64 (log Koc, SRC PCKOCWIN v1.66, Calculated value)

12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No

SECTION 13 Disposal considerations

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.
Ecological waste information	: The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.

SECTION 14 Transport information

In accordance with TDG / DOT / IMDG / IATA

TDG	DOT	IMDG	IATA
14.1. UN Number			
Not regulated for transport			
14.2. UN Proper Shipping Name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group, if applicable			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

K-Blue® Advanced Plus TMB Substrate

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

14.6. Special precautions for user

TDG

Not regulated

DOT

Not regulated

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78⁹ and the IBC Code¹⁰

Not applicable

SECTION 15 Regulatory information

Dimethyl sulfoxide (67-68-5)

Listed on the Canadian DSL (Domestic Substances List)

K-Blue® Advanced Plus TMB Substrate

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Dimethyl sulfoxide (67-68-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16 Other Information

Issue date : 06-27-2025
Revision date : 05-20-2026
Supersedes : 05-05-2026

Full text of hazard classes and H-statements:

H227	Combustible liquid
H402	Harmful to aquatic life

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



Red Stop Solution

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Issue date: 06-27-2025 Revision date: 05-20-2026 Supersedes: 05-05-2026 Version: 4.0

SECTION 1 Identification

1.1. GHS Product identifier

Product form : Mixture
Trade name : Red Stop Solution
Type of product : Life Sciences -- [Life Sciences]
Product code : 301210

1.2. Other means of identification

Part Number(s) : 301210|301471|301473|301474|301475|301476|700006516

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Laboratory chemicals, Scientific research and development
Recommended use : Laboratory chemicals, Scientific research and development

1.4. Supplier's details

Manufacturer

Neogen Corporation
620 Leshar Place
Lansing, Michigan 48912
United States of America
T 800.234.5333
sds@neogen.com - <https://www.neogen.com/>

1.5. Emergency phone number

Emergency number : 24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

SECTION 2 Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Not classified

2.2. GHS label elements, including precautionary statements

GHS CA labelling

No labelling applicable

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

Red Stop Solution

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of schedule 1, item 3 of the Hazardous Products Regulations.

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
First-aid measures general	: If you feel unwell, seek medical advice.
Self protection of the first-aiders	: First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: None under normal conditions.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5 Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Special protective actions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
Environmental precautions	: Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up	: Take up liquid spill into absorbent material.

Red Stop Solution

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 13.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Keep cool. Protect from sunlight.
Packaging materials : Always store product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Red Stop Solution

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: Red
Odour	: Odourless
Odour threshold	: No data available
pH	: 8.7
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Explosive limits	: No data available
Particle characteristics	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

SECTION 11 Toxicological information

11.1. Likely routes of exposure

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified pH: 8.7
Serious eye damage/irritation	: Not classified pH: 8.7
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Red Stop Solution

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after inhalation	: None under normal conditions.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: None under normal conditions.

SECTION 12 Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified.
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.

12.2. Persistence and degradability

Red Stop Solution

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No

SECTION 13 Disposal considerations

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.
Ecological waste information	: The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.

SECTION 14 Transport information

In accordance with TDG / DOT / IMDG / IATA

Red Stop Solution

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

TDG	DOT	IMDG	IATA
14.1. UN Number			
Not regulated for transport			
14.2. UN Proper Shipping Name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group, if applicable			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

14.6. Special precautions for user

TDG

Not regulated

DOT

Not regulated

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78⁹ and the IBC Code¹⁰

Not applicable

SECTION 15 Regulatory information

Red Stop Solution

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

SECTION 16 Other Information

Issue date : 06-27-2025
Revision date : 05-20-2026
Supersedes : 05-05-2026

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.