

BEEF AND DAIRY CATTLE AND HORSES

Prozap Insectrin Dust Can be used in dust bags, shaker can, and in mechanical dust applicators.

Horn Flies, Lice, Face Flies:

Place contents of this package in any commercially available dust bag, suspend bag in areas frequented by cattle or in gateways or lanes through which the animals must pass daily for water, feed, or minerals. Bags may also be placed in loafing sheds or in front of mineral feeders. For dairy cows, bags may be suspended in the exit through which the cows leave the milking barn. The bags should hang 4 to 6 inches below the back line of the cattle. For reduction of *Face Flies*, bags must be located so animals will be forced to use them daily, and hung at a height so that the face is dusted.

Horn Flies, Lice:

Direct Application: Apply 2 oz. of dust per animal by shaker can or dust glove over the head, neck, shoulders, back, and legs.

SWINE

Lice:

Direct Application: Apply only 1 oz. per head as a uniform coat to the head, shoulder and back by use of a shaker can or suitable mechanical dust applicator. Do not apply more often than once every 10 days. In severe infestation, both animals and the bedding may be treated. Do not ship animals for slaughter within 5 days of treatment.

POULTRY

To control Northern Fowl Mites, Lice:

Apply at a rate of 1 lb. per 100 birds. Ensure thorough treatment of vent area.

To control Northern Fowl Mites and Lice in Poultry Houses:

Apply to floors, roosts, and interior surfaces at a rate of 1 lb. per 40 sq. ft. Do not apply directly to eggs or nest litter. Do not contaminate feed or drinking water.

PETS

USE ONLY ON DOGS OR CATS:

Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing, or medicated animals.

To control Fleas, Ticks, Lice:

Use **Prozap Insectrin Dust** only outside or in well-ventilated areas. Wearing household latex or rubber gloves, dust entire animal, avoiding pet's eyes, nose, mouth, and genital areas. Rub or brush pet's hair to work dust down to the skin, paying close attention to legs and feet. Use ½ oz. on pets 20 pounds and under, and 1 oz. on pets over 20 pounds. Reapply every 2 weeks. **Prozap Insectrin Dust** should not be applied by children. Do not use on puppies or kittens under 12 weeks of age. Dust pet bedding and doghouse using a shaker can or other dust applicator.

ANTS

To control Ants, Carpenter Ants:

Treat doors, around window frames, ant trails and hills, cracks and crevices, and other areas of entry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry, and secure area. Store in original sealed container away from food or feed.

CONTAINER DISPOSAL:

If empty: Do not reuse this container. Place in trash or offer for recycling, if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DISCLAIMER

To the extent permitted by applicable law, Seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling, or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil, or property arising out of misuse, improper handling, or improper storage of this material.

For non-emergency (e.g., current product information),
Call: 1-800-621-8829

Manufactured for:

Chem-Tech, Ltd.TM
1006 Business Hwy 5
Pleasantville, IA 50225 U.S.A.

Chem-Tech, Ltd.TM is a wholly-owned subsidiary of Neogen[®] Corporation
Prozap[®] is Registered Trademark of Neogen[®] Corporation
Insectrin[®] is a Registered Trademark of Neogen[®] Corporation L6362-0219

Item No. 1499530



PROZAP[®]

Insectrin[®] Dust

PERMETHRIN

⊕ **Easy-To-Use**

⊕ **For lice and fly control on horses, cattle,
and swine**

⊕ **Controls Northern Fowl Mites on Poultry**

Active Ingredient:

Permethrin*.....0.25%

Other Ingredients:.....99.75%

Total.....100.00%

* (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloro-
orethenyl)-2,2-dimethylcyclopropanecarboxylate
(Cis/Trans ratio: Min 35% (+/-) cis and max. 65% (+/-) trans.)

EPA Reg. No. 47000-149

EPA Est. No. 47000-IA-01

EPA Est. No. 89287-KS-2

EPA Est. No. 69208-MO-3

(First letter of batch number indicates establishment)

**KEEP OUT OF REACH OF
CHILDREN
CAUTION**

See back panel and inside of leaflet for First
Aid and additional Precautionary Statements.



Net Contents:
2 lbs. (907 g)

FIRST AID

**If on Skin or on
Clothing:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for further treatment advice.

If in Eyes:

- Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
- Remove contact lenses, if present, after the first 15 minutes, then continue rinsing eye.
- Call a poison control center for further treatment advice.

Have product container or label with you when calling a poison control center, doctor, or going in for treatment.

**For 24-hour emergency information on this product, call
1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas)**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION:

HUMANS: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

ANIMALS: Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash this pesticide off the treatment area.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

Personal Protective Equipment (PPE):

Loaders, applicators, and handlers must wear:

- Long-sleeved shirt and long pants,
- Shoes and socks,
- Chemical-resistant gloves made of any waterproof material, and
- NIOSH-approved respirator with: dust/mist filter with MSHA/NIOSH approval number prefix TC-21C or any N, R, P, or HE filter.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Application with aerial or motorized ground equipment is prohibited.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions, use restrictions and precautions.

FOR PET USE: USE ONLY ON CATS AND DOGS

USE RESTRICTIONS

- Do not breathe dust.
- Do not make applications in the rain.
- Do not water the treated area to the point of run-off. Use of hand-held power duster equipment is prohibited.
- Do not enter or allow others to enter until the dust has settled.
- All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses: 1) Treatment to soil or vegetation around structures; 2) Applications to lawn, turf, and listed vegetation; 3) Applications to building foundations, up to a maximum height of 3 feet.
- Do not water the treated area to the point of run-off.

