



PROZAP[®]

StandGuard[®]

Pour-On Insecticide
with active Gamma-cyhalothrin

- ⊕ *For control of horn fly and lice on beef cattle and calves*
- ⊕ *Season-long control of lice with a single application*
- ⊕ *Treats 48 head less than 600 lbs.*
- ⊕ *Treats 32 head greater than 600 lbs.*

Active Ingredients:

Gamma-cyhalothrin	
CAS# 76703-62-3.....	0.50%
Other Ingredients:99.50%
Total	100.00%

EPA Reg. No. 47000-190 EPA Est. No. 47000-IA-01

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

*See back panel for First Aid and
additional Precautionary Statements*



BEEF CATTLE

Net Contents:
16 fl. oz (473 ml)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Remove contaminated clothing and wash before re-use. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear rubber or non-permeable protective gloves when applying this product. Data indicate this product to be a contact allergenic. Do not apply this product to the face of cattle.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water, or areas where surface water is present, or to intertidal areas below the mean water mark. Do not contaminate water when disposing of equipment wash waters. Apply the product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or an open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READY TO USE. No dilution necessary. Do not apply to lactating or dry dairy cows. Do not apply this product to the face of beef cattle and calves.

Apply to:	Target Insect	Dosage
Beef cattle	Horn flies, lice	Apply product along the backbone at the rate of: More than 600 lbs. 15 mLs (½ fl. oz) Less than 600 lbs. 10 mLs (⅓ fl. oz)

For horn flies, repeat treatment as needed, however do not apply more than once every two weeks and do not apply more than four times within any 6-month period.

SPECIAL NOTE: Prozap StandGuard Pour-On Insecticide is not recommended for veal calves. Prozap StandGuard Pour-On Insecticide is not effective in controlling cattle grubs. Therefore, this product can be used on cattle at any time of the year without fear of host-parasite reactions commonly associated with grub treatments. Prozap StandGuard Pour-On Insecticide should be used in an integrated pest management system which may involve repeat treatments and the use of other pest control practices. Continual exposure of horn flies to a single class of insecticide (eg. pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of horn flies developing resistance, it is important to rotate, on a seasonal basis, the class of insecticide used and/or the method of horn fly control. For advice concerning current control practices with relation to specific local conditions, consult resources in resistance management programs, your Cooperative Agricultural Extension Agent or your Neogen Representative at 1-800-477-8201.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal
Notice: Shake well before use. Avoid Freezing.

Pesticide Storage:	Store in original container, tightly close in a secure place. Keep out of the reach of children and domestic animals. In case of leak or spill, contain material and dispose as waste.
Container Disposal:	Non refillable container. Do not reuse or refill this container. Offer for recycling if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or mix tank drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. Triple rinse empty container. Then dispose of empty bag/container in a sanitary landfill, or, if allowed by state and local authorities, by burning, if burned, stay out of smoke.

LIMITED WARRANTY

To the extent permitted by applicable law, Neogen Corporation makes no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent permitted by applicable law, Neogen Corporation shall not be liable for (1) any consequential, incidental, or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

For non-emergency (e.g., current product information), Call: 1-800-621-8829

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Remove contaminated clothing and wash before re-use. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear rubber or non-permeable protective gloves when applying this product. Data indicate this product to be a contact allergenic. Do not apply this product to the face of cattle.

FIRST AID

If on Skin or on Clothing:	<ul style="list-style-type: none">Take off contaminated clothing.Rinse skin immediately with plenty of water for 15-20 minutes.Call a poison control center or doctor for further treatment advice.
If in Eyes:	<ul style="list-style-type: none">Hold eye open and rinse slowly and gently with water for 15-20 minutes.Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.Call a poison control center or doctor for further treatment advice.
If Swallowed:	<ul style="list-style-type: none">Call a poison control center or doctor immediately for treatment advice or transport the patient to the nearest hospital.Have person sip a glass of water if able to swallow.Do not induce vomiting unless told to do so by the poison control center or doctor.Do not give anything by mouth to an unconscious person.

Have product container or label with you when calling a poison control center, doctor, or going in for treatment. For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas)

Chem-Tech, Ltd.TM
is a wholly-owned
subsidiary of Neogen[®]
Corporation.
Prozap[®] and
StandGuard[®] are
registered trademarks
of Neogen[®] Corporation
L7806-0622



Manufactured by:
Chem-Tech, Ltd.TM
1006 Business Hwy 5
Pleasantville, IA 50225 U.S.A.

Item No. 1907850



Prozap® StandGuard®

Pour-On Insecticide

with active Gamma-cyhalothrin

Active Ingredients:

Gamma-cyhalothrin
CAS# 76703-62-3.....0.50%

Other Ingredients:.....9.50%

Total:.....100.00%

EPA Reg. No. 47000-190

EPA Est. No. 47000-IA-01

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Remove contaminated clothing and wash before re-use. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear rubber or non-permeable protective gloves when applying this product. Data indicate this product to be a contact allergenic. Do not apply this product to the face of cattle.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal
Notice: Shake well before use. Avoid Freezing.

Pesticide Storage: Store in original container, tightly close in a secure place. Keep out of the reach of children and domestic animals. In case of leak or spill, contain material and dispose as waste.

Container Disposal: Non refillable container. Do not reuse or refill this container. Offer for recycling if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or mix tank drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. Triple rinse empty container. Then dispose of empty bag/container in a sanitary landfill, or, if allowed by state and local authorities, by burning, if burned, stay out of smoke.

L7806-0622

**Net Contents:
16 fl. oz (473 ml)**

PEEL BACK HERE AND RESEAL AFTER OPENING