Soleris® Yeast & Mold Supplement with Chlortetracycline

Safety Data Sheet

according to the WHS Regulations
Issue date: 22/08/2025 Revision date: 13/10/2025 Supersedes: 22/08/2025 Version: 3.0

SECTION 1: Product identifier

1.1. GHS Product identifier

Product form : Mixture
Trade name : Soleris® Yeast & Mold Supplement with Chlortetracycline
Product code : YI-110C

1.2. Other means of identification

Part Number(s) : 700003809|YI-110C

1.3. Recommended use of the chemical and restrictions on use

No additional information available

1.4. Details of manufacturer or importer

Manufacturer
Neogen Corporation
620 Lesher Place
Lansing Michigan 48912
United States of America
T 800.234.5333
sds@neogen.com - https://www.neogen.com/

Importer
Neogen Australasia Pty Ltd
14 Hume Drive
Bundamba Queensland 4304
Australia
T 07 3736 2134
naa@neogen.com - https://www.neogen.com/

1.5. Emergency phone number

Emergency number : 24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

Country/Area	Organisation/Company	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145 Westmead	13 11 26	

SECTION 2: Hazard identification

2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Corrosive to metals, Category 1	H290
Acute toxicity (oral), Category 4	H302
Acute toxicity (dermal), Category 4	H312
Skin corrosion/irritation, Category 1	H314
Serious eye damage/eye irritation, Category 1	H318
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	H335

2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS AU) :

Corrosion | Exclamation mark

Signal word (GHS AU) : Danger

Contains : Chlorotetracycline, hydrochloride (≥ 50 – < 75 %); L-(+)-tartaric acid (≥ 1 – < 5 %); Sodium hydroxide (≥ 10 – < 15 %)

Hazard statements (GHS AU) :
H290 - May be corrosive to metals
H302+H312 - Harmful if swallowed or in contact with skin
H314 - Causes severe skin burns and eye damage
H335 - May cause respiratory irritation

Precautionary statements (GHS AU) :
P234 - Keep only in original container.
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER or doctor.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P330 - Rinse mouth.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P363 - Wash contaminated clothing before reuse.
P390 - Absorb spillage to prevent material damage.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Unknown acute toxicity (GHS AU) : 80.84% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)
100% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition and information on ingredients

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Chlorotetracycline, hydrochloride	64-72-2	≥ 50 – < 75	Acute Tox. 5 (Oral), H303 Skin Corr./Irrit. Not classified Eye Irrit. 2A, H319 STOT SE 3, H335

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Sodium hydroxide	1310-73-2	≥ 10 – < 15	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1, H314 Eye Dam. 1, H318
L-(+)-tartaric acid	87-69-4	≥ 1 – < 5	Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Skin Corr./Irrit. Not classified Eye Dam. 1, H318 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Other substances (not contributing to the classification of this product)	-	5 – 39	-

SECTION 4: First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

Self protection of the first-aider : First aid workers will be equipped with suitable personal protective equipment.

4.2. Symptoms caused by exposure

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Harmful in contact with skin. Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Harmful if swallowed. Burns.

4.3. Medical attention and special treatment

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard.

General measures : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting	:	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Hazchem Code	:	2X

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	:	Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment	:	Wear recommended personal protective equipment.
Emergency procedures	:	Ventilate spillage area. Avoid contact with skin, eyes and clothing. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment	:	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	:	Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

For containment	:	Using a clean shovel, put the material in a dry container and cover without compressing it.
Methods for cleaning up	:	Mechanically recover the product.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	:	Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapours/spray.
Hygiene measures	:	Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	:	Keep in a cool, well-ventilated place away from heat.
Storage conditions	:	Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store locked up. Store in a well-ventilated place. Keep container tightly closed.
Incompatible materials	:	Metals.
Storage temperature	:	2 – 8 °C
Packaging materials	:	Store always product in container of same material as original container.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

Sodium hydroxide (1310-73-2)	
Australia - Occupational Exposure Limits	
Local name	Sodium hydroxide
OES C	2 mg/m³
Regulatory reference	Workplace exposure standards for airborne contaminants (2024)

8.2. Monitoring methods

No additional information available

8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment : Wear recommended personal protective equipment.

Hand protection : Protective gloves

Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s)

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

Physical state	:	Solid
Appearance	:	Yellow solid.
Colour	:	Light yellow
Odour	:	Odourless
Odour threshold	:	No data available
pH	:	8 – 9
pH solution	:	No data available
Relative evaporation rate (butylacetate=1)	:	No data available
Melting point / Freezing point	:	Freezing point: Not applicable
Boiling point	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	Not applicable
Flammability	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility	:	Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Viscosity, kinematic	:	Not applicable
Explosive properties	:	No data available
Explosive limits	:	Not applicable
Minimum ignition energy	:	No data available
Fat solubility	:	No data available

SECTION 10: Stability and reactivity

Reactivity	:	The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reactions known under normal conditions of use.
Conditions to avoid	:	None under recommended storage and handling conditions (see section 7).
Incompatible materials	:	metals.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity (oral)	:	Harmful if swallowed.
Acute toxicity (dermal)	:	Harmful in contact with skin.
Acute toxicity (inhalation)	:	Not classified

Soleris® Yeast & Mold Supplement with Chlortetracycline	
ATE AU (oral)	1455.29 mg/kg bodyweight
ATE AU (dermal)	1527.879 mg/kg bodyweight

L-(+)-tartaric acid (87-69-4)	
LD50 oral rat	2000 – 5000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, 14 day(s), Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))

Sodium hydroxide (1310-73-2)	
LD50 oral	325 mg/kg
LD50 dermal rabbit	1350 mg/kg

Unknown acute toxicity (GHS AU) : 80.84% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)
100% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

Skin corrosion/irritation : Causes severe skin burns.
pH: 8 – 9

Serious eye damage/irritation : Causes serious eye damage.
pH: 8 – 9

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

Chlorotetracycline, hydrochloride (64-72-2)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified

L-(+)-tartaric acid (87-69-4)	
NOAEL (subchronic, oral, animal/male, 90 days)	≈ 2460 mg/kg bodyweight Animal: , Animal sex: male
NOAEL (subchronic, oral, animal/female, 90 days)	≈ 3200 mg/kg bodyweight Animal: , Animal sex: female

Aspiration hazard : Not classified

Soleris® Yeast & Mold Supplement with Chlortetracycline	
Viscosity, kinematic	Not applicable

Chlorotetracycline, hydrochloride (64-72-2)	
Viscosity, kinematic	Not applicable (solid)

L-(+)-tartaric acid (87-69-4)	
Viscosity, kinematic	Not applicable (solid)

Sodium hydroxide (1310-73-2)	
Viscosity, kinematic	No data available in the literature

SECTION 12: Ecological information

12.1. Ecotoxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Hazardous to the aquatic environment, short–term (acute) : Not classified

Hazardous to the aquatic environment, long–term (chronic) : Not classified

Chlorotetracycline, hydrochloride (64-72-2)	
Partition coefficient n-octanol/water (Log Pow)	-3.6 (Estimated value)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	-1.567 – 1.51 (log Koc, Estimated value)

L-(+)-tartaric acid (87-69-4)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, Nominal concentration)
LC50 - Fish [2]	> 100 mg/l Test organisms (species):
EC50 - Crustacea [1]	93.313 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
NOEC chronic fish	43.141 g/l Test organisms (species): Duration: '30 d'
Partition coefficient n-octanol/water (Log Pow)	-1.91 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LD50 oral rat	2000 – 5000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, 14 day(s), Rat, Female, Experimental value, Oral, 14 day(s))

Sodium hydroxide (1310-73-2)	
LC50 - Fish [1]	189 mg/l (48 h, Leuciscus idus, Fresh water, Experimental value)
EC50 - Crustacea [1]	40 mg/l (48 h, Ceriodaphnia sp., Experimental value, Locomotor effect)
Partition coefficient n-octanol/water (Log Pow)	-3.88 Source: SRC
LD50 dermal rabbit	1350 mg/kg

12.2. Persistence and degradability

Soleris® Yeast & Mold Supplement with Chlortetracycline	
Persistence and degradability	Not rapidly degradable

Chlorotetracycline, hydrochloride (64-72-2)	
Persistence and degradability	Biodegradability in soil: no data available, Not readily biodegradable in water.

L-(+)-tartaric acid (87-69-4)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.35 g O_2/g substance
Chemical oxygen demand (COD)	0.42 g O_2/g substance
ThOD	0.53 g O_2/g substance

Sodium hydroxide (1310-73-2)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

12.3. Bioaccumulative potential

Chlorotetracycline, hydrochloride (64-72-2)	
Partition coefficient n-octanol/water (Log Pow)	-3.6 (Estimated value)

Chlorotetracycline, hydrochloride (64-72-2)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	-1.567 – 1.51 (log Koc, Estimated value)
Bioaccumulative potential	Not bioaccumulative.

L-(+)-tartaric acid (87-69-4)	
Partition coefficient n-octanol/water (Log Pow)	-1.91 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Bioaccumulative potential	Not bioaccumulative.

Sodium hydroxide (1310-73-2)	
Partition coefficient n-octanol/water (Log Pow)	-3.88 Source: SRC
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

Chlorotetracycline, hydrochloride (64-72-2)	
Surface tension	No data available in the literature
Ecology - soil	Highly mobile in soil.
Partition coefficient n-octanol/water (Log Pow)	-3.6 (Estimated value)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	-1.567 – 1.51 (log Koc, Estimated value)

L-(+)-tartaric acid (87-69-4)	
Surface tension	No data available in the literature
Ecology - soil	Highly mobile in soil.
Partition coefficient n-octanol/water (Log Pow)	-1.91 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

Sodium hydroxide (1310-73-2)	
Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available.
Partition coefficient n-octanol/water (Log Pow)	-3.88 Source: SRC

12.5. Other adverse effects

Ozone : Not classified

Other adverse effects : No additional information available

Soleris® Yeast & Mold Supplement with Chlortetracycline	
Fluorinated greenhouse gases	False

Chlorotetracycline, hydrochloride (64-72-2)	
Fluorinated greenhouse gases	False

L-(+)-tartaric acid (87-69-4)	
Fluorinated greenhouse gases	False

Sodium hydroxide (1310-73-2)	
Fluorinated greenhouse gases	False

SECTION 13: Disposal considerations

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations.
Additional information : Do not re-use empty containers.

SECTION 14: Transport information

In accordance with ADG / IMDG / IATA

ADG	IMDG	IATA
14.1. UN number		
1759	1759	1759
14.2. UN Proper Shipping Name		
CORROSIVE SOLID, N.O.S. (Sodium hydroxide)	CORROSIVE SOLID, N.O.S. (Sodium hydroxide)	Corrosive solid, n.o.s. (Sodium hydroxide)
Transport document description		
Not applicable	UN 1759 CORROSIVE SOLID, N.O.S. (Sodium hydroxide), 8, III	UN 1759 Corrosive solid, n.o.s. (Sodium hydroxide), 8, III
14.3. Transport hazard class(es)		
8	8	8
		
14.4. Packing group		
III - Substances presenting low danger	III	III
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No

14.6. Special precautions for user

Specific storage requirement : No data available
Shock sensitivity : No data available

14.7. Additional information

Other information : No supplementary information available

Transport by road and rail

UN-No. (ADG) : 1759
Special provision (ADG) : 223, 274
Limited quantities (ADG) : 5kg
Excepted quantities (ADG) : E1
Packing instructions (ADG) : P002, IBC08, LP02
Special packing provisions (ADG) : B3
Portable tank and bulk container instructions (ADG) : T1

Portable tank and bulk container special provisions (ADG)	:	TP33

Transport by sea

UN-No. (IMDG)	:	1759
Special provisions (IMDG)	:	223, 274
Limited quantities (IMDG)	:	5 kg
Excepted quantities (IMDG)	:	E1
Packing instructions (IMDG)	:	P002, LP02
IBC packing instructions (IMDG)	:	IBC08
IBC special provisions (IMDG)	:	B3
Tank instructions (IMDG)	:	T1
Tank special provisions (IMDG)	:	TP33
EmS-No. (Fire)	:	F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	:	S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES
Stowage category (IMDG)	:	A
Properties and observations (IMDG)	:	Causes burns to skin, eyes and mucous membranes.

Air transport

UN-No. (IATA)	:	1759
PCA Excepted quantities (IATA)	:	E1
PCA Limited quantities (IATA)	:	Y845
PCA limited quantity max net quantity (IATA)	:	5kg
PCA packing instructions (IATA)	:	860
PCA max net quantity (IATA)	:	25kg
CAO packing instructions (IATA)	:	864
CAO max net quantity (IATA)	:	100kg
Special provisions (IATA)	:	A3, A803
ERG code (IATA)	:	8L

14.8. Hazchem or Emergency Action Code

Hazchem Code	:	2X

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations

Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS Inventory) status	:	Contains substance(s) listed on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

No additional information available

Australian Pesticides and Veterinary Medicines Authority (APVMA)

No additional information available

15.2. International agreements

No additional information available

SECTION 16: Other information

Revision date	:	13/10/2025

Classification	
Met. Corr. 1	H290
Acute Tox. 4 (Oral)	H302
Acute Tox. 4 (Dermal)	H312
Skin Corr. 1	H314

Classification	
Eye Dam. 1	H318
STOT SE 3	H335

Full text of H-statements	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Acute Tox. 5 (Dermal)	Acute toxicity (dermal), Category 5
Acute Tox. 5 (Oral)	Acute toxicity (oral), Category 5
Aquatic Acute 3	Hazardous to the aquatic environment – Acute Hazard, Category 3
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr./Irrit. Not classified	Skin corrosion/irritation Not classified
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals
H302	Harmful if swallowed
H303	May be harmful if swallowed
H312	Harmful in contact with skin
H313	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), Australia

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.