



Propionibacterium Acnes Immunostimulant



EqStim[®]

Product Numbers: 08890, 08891



Presentation

EqStim	Product Number	Case Count
5 mL vial	08890	6 vials/case
50 mL vial	08891	48 vials/case

Indications

A USDA-approved immunostimulant for adjunctive treatment of equine respiratory disease complex (ERDC).

Do not use in conjunction with glucocorticoids or other immune suppressors. Steroid therapy should be withdrawn at least seven days before initiating this immunostimulant therapy.

Dosage and Administration

EqStim must be administered by the intravenous (IV) route. Shake well to obtain uniform suspension.

Foals: 1 mL

Older Horses: 1 mL per 250 lbs of body weight

Repeat dosages at day three (or day four) and at day seven, and weekly thereafter as needed.

Caution

May cause a rise in temperature, tremors, temporary loss of appetite, or sluggishness a few hours after injection.

Anaphylactoid reactions may occur. In the event of anaphylactoid reaction, administer epinephrine.

Warning

The effects of this immunostimulant have not been studied on pregnant animals. Do not use when pregnancy is known or suspected.

For animal use only. Keep out of reach of children. Not for human use.

Storage

Store at a temperature between 2° – 25°C (35° – 77°F) until first used, then store at 2° – 8°C (35° – 46°F) until expiration. DO NOT FREEZE.

Ingredients

Each mL contains:

0.4 mg/mL non-viable propionibacterium acnes suspended in 12.5% ethanol in saline

To learn more, call 800.525.2022 or 859.254.1221, or visit neogen.com.

