



LESS Plus Medium

Safety Data Sheet

according to the WHS Regulations
Issue date: 3/10/2025 Version: 1.0

SECTION 1: Product identifier

1.1. GHS Product identifier

Product form : Mixture
Trade name : LESS Plus Medium
Product code : NCM0202|NCM3206

1.2. Other means of identification

Part Number(s) : NCM0202|700003485|700003486|700003487|700003488|700007650|700007651|NCM3206|700004860

1.3. Recommended use of the chemical and restrictions on use

No additional information available

1.4. Details of manufacturer or importer

Supplier

Neogen Corporation
620 Leshler Place
Lansing Michigan 48912
United States of America
T 800.234.5333
sds@neogen.com - <https://www.neogen.com/>

Importer

Neogen Australasia Pty Ltd
14 Hume Drive
Bundamba Queensland 4304
Australia
T 07 3736 2134
naa@neogen.com - <https://www.neogen.com/>

1.5. Emergency phone number

Emergency number : 24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

Country/Area	Organisation/Company	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145 Westmead	13 11 26	

SECTION 2: Hazard identification

2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Acute toxicity (oral), Category 4	H302
Acute toxicity (dermal), Category 4	H312
Acute toxicity (inhalation:dust,mist) Category 4	H332
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2A	H319
Skin sensitisation, Category 1	H317
Reproductive toxicity, Category 1A	H360
Reproductive toxicity, Additional category, Effects on or via lactation	H362
Specific target organ toxicity – Single exposure, Category 2	H371
Specific target organ toxicity – Repeated exposure, Category 2	H373

LESS Plus Medium

Safety Data Sheet

according to the WHS Regulations

2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS AU)



Signal word (GHS AU)

: Danger

Contains

: 3-Morpholinopropanesulfonic acid ($\geq 10 - < 15 \%$); Lithium chloride ($\geq 10 - < 15 \%$); Sodium carbonate ($\geq 1 - < 5 \%$); Sodium pyruvate ($\geq 1 - < 5 \%$)

Hazard statements (GHS AU)

: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H360 - May damage fertility or the unborn child
H362 - May cause harm to breast-fed children
H371 - May cause damage to organs
H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary statements (GHS AU)

: P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P263 - Avoid contact during pregnancy and while nursing.
P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 - Call a POISON CENTER or doctor if you feel unwell.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P330 - Rinse mouth.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Unknown acute toxicity (GHS AU)

: 35.21% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)
76.33% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)
97.23% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

2.3. Other hazards which do not result in classification

No additional information available

LESS Plus Medium

Safety Data Sheet

according to the WHS Regulations

SECTION 3: Composition and information on ingredients

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
3-Morpholinopropanesulfonic acid	1132-61-2	≥ 10 – < 15	Acute Tox. 5 (Oral), H303 Skin Corr./Irrit. Not classified Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT SE 3, H335
Lithium chloride	7447-41-8	≥ 10 – < 15	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Repr. 1A, H360 Lact., H362 STOT SE 2, H371 STOT RE 2, H373
Sodium pyruvate	113-24-6	≥ 1 – < 5	Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Skin Sens. 1B, H317
Other substances (not contributing to the classification of this product)	-	65 – 79	-

SECTION 4: First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.
Self protection of the first-aiders	: First aid workers will be equipped with suitable personal protective equipment.

4.2. Symptoms caused by exposure

Symptoms/effects after inhalation	: Harmful if inhaled.
Symptoms/effects after skin contact	: Harmful in contact with skin. Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed.
Chronic symptoms	: May damage fertility or the unborn child.

4.3. Medical attention and special treatment

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

LESS Plus Medium

Safety Data Sheet

according to the WHS Regulations

5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
General measures	: Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
------------------	---

6.1.1. For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Do not breathe dust/fume/gas/mist/vapours/spray. Only qualified personnel equipped with suitable protective equipment may intervene.

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and materials for containment and cleaning up

For containment	: Using a clean shovel, put the material in a dry container and cover without compressing it.
Methods for cleaning up	: Mechanically recover the product. Notify authorities if product enters sewers or public waters.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Obtain special instructions before use. Avoid contact during pregnancy/while nursing. Do not breathe dust/fume/gas/mist/vapours/spray. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Store locked up.
Storage temperature	: 2 – 30 °C
Packaging materials	: Store always product in container of same material as original container.

LESS Plus Medium

Safety Data Sheet

according to the WHS Regulations

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

No additional information available

8.2. Monitoring methods

No additional information available

8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment : Wear recommended personal protective equipment.
Hand protection : Protective gloves
Eye protection : Safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s)



Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

Physical state : Solid
Appearance : Powder.
Colour : Beige
Odour : Characteristic
Odour threshold : No data available
pH : 7 – 7.4
pH solution : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point / Freezing point : Freezing point: Not applicable
Boiling point : No data available
Flash point : Not applicable
Auto-ignition temperature : Not applicable
Flammability : No data available
Vapour pressure : No data available
Relative density : No data available
Density : No data available
Solubility : Soluble in water.
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : Not applicable
Explosive properties : No data available
Explosive limits : Not applicable
Minimum ignition energy : No data available
Fat solubility : No data available

SECTION 10: Stability and reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.
Conditions to avoid : None under recommended storage and handling conditions (see section 7).
Incompatible materials : No additional information available

LESS Plus Medium

Safety Data Sheet

according to the WHS Regulations

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Harmful in contact with skin.
Acute toxicity (inhalation) : Inhalation:dust,mist: Harmful if inhaled.

LESS Plus Medium	
ATE AU (oral)	1752.697 mg/kg bodyweight
ATE AU (dermal)	1897.178 mg/kg bodyweight
ATE AU (dust,mist)	1.465 mg/l/4h

3-Morpholinopropanesulfonic acid (1132-61-2)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Male / female, Experimental value, Oral)

Lithium chloride (7447-41-8)	
LD50 oral rat	526 mg/kg (Rat, Male, Experimental value, Oral)
LD50 oral	526 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LD50 dermal rabbit	1488 mg/kg Source: Corporate Solution From Thomson Micromedex
LC50 Inhalation - Rat	> 5.57 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol))

Sodium pyruvate (113-24-6)	
LD50 oral	3533 mg/kg bodyweight (Mouse, Experimental value, Oral)
LD50 dermal rat	> 3000 mg/kg bodyweight (Rat, Male, Experimental value, Intraperitoneal)

Unknown acute toxicity (GHS AU) : 35.21% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)
76.33% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)
97.23% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

Skin corrosion/irritation : Causes skin irritation.
pH: 7 – 7.4

Serious eye damage/irritation : Causes serious eye irritation.
pH: 7 – 7.4

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : May damage fertility or the unborn child. May cause harm to breast-fed children.

STOT-single exposure : May cause damage to organs.

3-Morpholinopropanesulfonic acid (1132-61-2)	
STOT-single exposure	May cause respiratory irritation.

Lithium chloride (7447-41-8)	
STOT-single exposure	May cause damage to organs.

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

3-Morpholinopropanesulfonic acid (1132-61-2)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:

LESS Plus Medium

Safety Data Sheet

according to the WHS Regulations

Lithium chloride (7447-41-8)	
NOAEL (oral, rat, 90 days)	84.8 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

LESS Plus Medium	
Viscosity, kinematic	Not applicable

Lithium chloride (7447-41-8)	
Viscosity, kinematic	Not applicable (solid)

Sodium pyruvate (113-24-6)	
Viscosity, kinematic	Not applicable (solid)

SECTION 12: Ecological information

12.1. Ecotoxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

3-Morpholinopropanesulfonic acid (1132-61-2)	
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna
Partition coefficient n-octanol/water (Log Pow)	-2.58 (Estimated value, KOWWIN)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Male / female, Experimental value, Oral)

Lithium chloride (7447-41-8)	
LC50 - Fish [1]	158 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	249 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	> 400 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
LOEC (chronic)	2.53 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	1.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	17.35 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '34 d'
NOEC chronic algae	25 mg/l
Partition coefficient n-octanol/water (Log Pow)	-0.46 (Estimated value, KOWWIN, 20 °C)
LD50 dermal rabbit	1488 mg/kg Source: Corporate Solution From Thomson Micromedex
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))

LESS Plus Medium

Safety Data Sheet

according to the WHS Regulations

Lithium chloride (7447-41-8)	
LD50 oral rat	526 mg/kg (Rat, Male, Experimental value, Oral)
Sodium pyruvate (113-24-6)	
LC50 - Fish [1]	> 100 mg/l (96 h, Pisces, QSAR, Nominal concentration)
EC50 - Crustacea [1]	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)
ErC50 algae	> 3 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
NOEC (chronic)	3.95 mg/l Test organisms (species): Duration: '28 d'
Partition coefficient n-octanol/water (Log Pow)	-3.8 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
LD50 dermal rat	> 3000 mg/kg bodyweight (Rat, Male, Experimental value, Intraperitoneal)

12.2. Persistence and degradability

LESS Plus Medium	
Persistence and degradability	Not rapidly degradable
3-Morpholinopropanesulfonic acid (1132-61-2)	
Persistence and degradability	Not readily biodegradable in water.
Lithium chloride (7447-41-8)	
Persistence and degradability	Biodegradability in soil: not applicable, Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Sodium pyruvate (113-24-6)	
Persistence and degradability	Readily biodegradable in water.

12.3. Bioaccumulative potential

3-Morpholinopropanesulfonic acid (1132-61-2)	
Partition coefficient n-octanol/water (Log Pow)	-2.58 (Estimated value, KOWWIN)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Bioaccumulative potential	Not bioaccumulative.
Lithium chloride (7447-41-8)	
Partition coefficient n-octanol/water (Log Pow)	-0.46 (Estimated value, KOWWIN, 20 °C)
Bioaccumulative potential	Not bioaccumulative.
Sodium pyruvate (113-24-6)	
Partition coefficient n-octanol/water (Log Pow)	-3.8 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

3-Morpholinopropanesulfonic acid (1132-61-2)	
Ecology - soil	Highly mobile in soil.
Partition coefficient n-octanol/water (Log Pow)	-2.58 (Estimated value, KOWWIN)

LESS Plus Medium

Safety Data Sheet

according to the WHS Regulations

3-Morpholinopropanesulfonic acid (1132-61-2)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Lithium chloride (7447-41-8)	
Surface tension	No data available (test not performed)
Ecology - soil	Low potential for adsorption in soil. May be harmful to plant growth, blooming and fruit formation.
Partition coefficient n-octanol/water (Log Pow)	-0.46 (Estimated value, KOWWIN, 20 °C)
Sodium pyruvate (113-24-6)	
Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available.
Partition coefficient n-octanol/water (Log Pow)	-3.8 (Practical experience/observation, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available

LESS Plus Medium	
Fluorinated greenhouse gases	False
3-Morpholinopropanesulfonic acid (1132-61-2)	
Fluorinated greenhouse gases	False
Lithium chloride (7447-41-8)	
Fluorinated greenhouse gases	False
Sodium pyruvate (113-24-6)	
Fluorinated greenhouse gases	False

SECTION 13: Disposal considerations

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations.
Additional information : Do not re-use empty containers.

SECTION 14: Transport information

In accordance with ADG / IMDG / IATA

ADG	IMDG	IATA
14.1. UN number		
Not applicable	Not regulated	Not regulated
14.2. UN Proper Shipping Name		
Not applicable	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not applicable	Not regulated	Not regulated

LESS Plus Medium

Safety Data Sheet

according to the WHS Regulations

ADG	IMDG	IATA
14.4. Packing group		
Not applicable	Not regulated	Not regulated
14.5. Environmental hazards		
Not applicable	Not regulated	Not regulated

14.6. Special precautions for user

Specific storage requirement : No data available
Shock sensitivity : No data available

14.7. Additional information

Other information : No supplementary information available

Transport by road and rail

Not applicable

Transport by sea

Not regulated

Air transport

Not regulated

14.8. Hazchem or Emergency Action Code

Hazchem Code : Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations

Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS Inventory) status : Contains substance(s) listed on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

No additional information available

Australian Pesticides and Veterinary Medicines Authority (APVMA)

No additional information available

15.2. International agreements

No additional information available

SECTION 16: Other information

Classification	
Acute Tox. 4 (Oral)	H302
Acute Tox. 4 (Dermal)	H312
Acute Tox. 4 (Inhalation:dust,mist)	H332
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
Skin Sens. 1	H317
Repr. 1A	H360
Lact.	H362

LESS Plus Medium

Safety Data Sheet

according to the WHS Regulations

Classification	
STOT SE 2	H371
STOT RE 2	H373

Full text of H-statements	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Acute Tox. 5 (Dermal)	Acute toxicity (dermal), Category 5
Acute Tox. 5 (Oral)	Acute toxicity (oral), Category 5
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Lact.	Reproductive toxicity, Additional category, Effects on or via lactation
Repr. 1A	Reproductive toxicity, Category 1A
Skin Corr./Irrit. Not classified	Skin corrosion/irritation Not classified
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed
H303	May be harmful if swallowed
H312	Harmful in contact with skin
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H360	May damage fertility or the unborn child
H362	May cause harm to breast-fed children
H371	May cause damage to organs
H373	May cause damage to organs through prolonged or repeated exposure

Safety Data Sheet (SDS), Australia

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.