

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Trade name : Acid Stop Solution
Product code : 21336

1.2. Other means of identification

Part Number(s) : 21336|27044|27045|27046|301576|301577

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Laboratory chemicals, Scientific research and development
Restrictions on use : Do not use kit components from one kit with any other kit.

1.4. Supplier's details

Supplier

Neogen Corporation
620 Leshar Place
Lansing, Michigan 48912
United States of America
T 800.234.5333
sds@neogen.com - <https://www.neogen.com/>

Manufacturer

Neogen Corporation
944 Nandino
Lexington, Kentucky 40511
U.S.A.
T 859-254-1221
[NEOGEN.com](https://www.neogen.com/)

1.5. Emergency phone number

Emergency number : 24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

| | | |
|---|------|--------------------------------|
| Skin corrosion/irritation, Category 2 | H315 | Causes skin irritation. |
| Serious eye damage/eye irritation, Category 2 | H319 | Causes serious eye irritation. |
| Carcinogenicity, Category 1A | H350 | May cause cancer. |

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger
Hazard statements (GHS US) : H315 - Causes skin irritation
H319 - Causes serious eye irritation
H350 - May cause cancer.
Precautionary statements (GHS US) : P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P264 - Wash hands, forearms and face thoroughly after handling.

Acid Stop Solution

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

P280 - Wear protective gloves.
P302+P352 - If on skin: Wash with plenty of water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - If exposed or concerned: Get medical advice/attention.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P332+P313 - If skin irritation occurs: Get medical advice or attention.
P337+P313 - If eye irritation persists: Get medical advice or attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P405 - Store locked up.
P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

2.78% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS US classification |
|---------------|--------------------|-------|---------------------------------------|
| Sulfuric acid | CAS-No.: 7664-93-9 | 1 – 5 | Skin Corr. 1A, H314 Carc. 1A, H350 |

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.
Personal protection for first-aid responders. : First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation : None under normal conditions.
Symptoms/effects after skin contact : Irritation.
Symptoms/effects after eye contact : Eye irritation.
Symptoms/effects after ingestion : None under normal conditions.

Acid Stop Solution

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.
Explosion hazard : No direct explosion hazard.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

Environmental precautions : Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.2. Methods and materials for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 13.

Acid Stop Solution

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 7 Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes.
- Hygiene measures : Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including incompatibilities

- Technical measures : Keep in a cool, well-ventilated place away from heat.
- Storage conditions : Store locked up.
- Packaging materials : Store always product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

| Sulfuric acid (7664-93-9) | |
|--|--|
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Sulfuric acid |
| ACGIH® TLV® TWA | 0.2 mg/m ³ (T - Thoracic particulate matter) |
| Remark (ACGIH) | TLV® Basis: Mucostasis; Pulm func. Notations: A2 (Suspected Human Carcinogen) |
| Regulatory reference | ACGIH 2025 |
| USA - OSHA - Occupational Exposure Limits | |
| Local name | Sulfuric acid |
| OSHA PEL TWA | 1 mg/m ³ |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1 |
| USA - Cal/OSHA - Occupational Exposure Limits | |
| Local name | Sulfuric acid |
| Cal/OSHA PEL (OEL TWA) | 0.1 mg/m ³ |
| Cal/OSHA STEL | 3 mg/m ³ |
| Regulatory reference | California Division of Occupational Safety and Health (Cal/OSHA) - Permissible Exposure Limit for Chemical Contaminants (Table AC-1) |
| USA - NIOSH - Occupational Exposure Limits | |
| Local name | Sulfuric acid |
| NIOSH REL 10h TWA | 1 mg/m ³ |
| Regulatory reference (US-NIOSH) | OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG)) |

Acid Stop Solution

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

| |
|--|
| Hand protection: |
| Protective gloves |
| Eye protection: |
| Safety glasses |
| Skin and body protection: |
| Wear suitable protective clothing |
| Respiratory protection: |
| [In case of inadequate ventilation] wear respiratory protection. |

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid.
Color : Clear
Odor : Odorless
Odor threshold : No data available
pH : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Flammability (solid, gas) : Not applicable.
Vapor pressure : No data available
Relative vapor density at 20°C : No data available
Relative density : No data available
Solubility : Soluble in water.
Partition coefficient n-octanol/water (Log Pow) : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity, kinematic : No data available
Explosion limits : No data available
Particle characteristics : No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

Acid Stop Solution

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| Acid Stop Solution | |
|-----------------------------------|---|
| Unknown acute toxicity (GHS US) | 2.78% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) |
| Sulfuric acid (7664-93-9) | |
| LD50 oral rat | 2140 mg/kg body weight (Rat, Experimental value, Oral, 14 day(s)) |
| LD50 oral | 2140 mg/kg |
| LC50 Inhalation - Rat | 0.375 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) |
| LC50 Inhalation - Rat (Dust/Mist) | 0.375 mg/l/4h |
| LC50 Inhalation - Rat (Vapors) | 0.375 mg/l/4h |
| ATE US (oral) | 2140 mg/kg body weight |
| ATE US (vapors) | 0.375 mg/l/4h |
| ATE US (dust, mist) | 0.375 mg/l/4h |
| Skin corrosion/irritation | : Causes skin irritation. |
| Sulfuric acid (7664-93-9) | |
| pH | 0.3 Source: HSDB |

Serious eye damage/irritation : Causes serious eye irritation.

| Sulfuric acid (7664-93-9) | |
|---------------------------|------------------|
| pH | 0.3 Source: HSDB |

Acid Stop Solution

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

| | |
|-----------------------------------|---------------------|
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : May cause cancer. |

| Sulfuric acid (7664-93-9) | |
|--|----------------------------|
| IARC group | 1 - Carcinogenic to humans |
| National Toxicity Program (NTP) Status | Known Human Carcinogens |

| | |
|------------------------|------------------|
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |

| Sulfuric acid (7664-93-9) | |
|-------------------------------------|---------------------------------|
| Viscosity, kinematic | 12.228 mm ² /s |
| Symptoms/effects after inhalation | : None under normal conditions. |
| Symptoms/effects after skin contact | : Irritation. |
| Symptoms/effects after eye contact | : Eye irritation. |
| Symptoms/effects after ingestion | : None under normal conditions. |

SECTION 12 Ecological information

12.1. Ecotoxicity

| | |
|---|--|
| Ecology - general | : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified |

| Sulfuric acid (7664-93-9) | |
|---------------------------|--|
| LC50 - Fish [1] | 16 – 28 mg/l (96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Lethal) |
| ErC50 algae | > 100 mg/l |
| NOEC (chronic) | 0.15 mg/l Test organisms (species): other: |
| NOEC chronic fish | 0.025 mg/l |
| NOEC chronic crustacea | 0.15 mg/l |

12.2. Persistence and degradability

| Acid Stop Solution | |
|-------------------------------|-----------------------------------|
| Persistence and degradability | Not rapidly degradable |
| Sulfuric acid (7664-93-9) | |
| Persistence and degradability | Biodegradability: not applicable. |
| BOD (% of ThOD) | Not applicable |

Acid Stop Solution

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

12.3. Bioaccumulative potential

| Sulfuric acid (7664-93-9) | |
|---|------------------------|
| Partition coefficient n-octanol/water (Log Pow) | -2.2 (Estimated value) |
| Bioaccumulative potential | Not bioaccumulative. |

12.4. Mobility in soil

| Sulfuric acid (7664-93-9) | |
|---------------------------|---|
| Ecology - soil | No (test)data on mobility of the substance available. |

12.5. Other adverse effects

| | |
|------------------------------|------------------|
| Ozone | : Not classified |
| Fluorinated greenhouse gases | : No |

SECTION 13 Disposal considerations

| | |
|--|---|
| Regional waste regulation | : Disposal must be done according to official regulations. |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Sewage disposal recommendations | : Disposal must be done according to official regulations. |
| Product/Packaging disposal recommendations | : Disposal must be done according to official regulations. |
| Additional information | : Do not re-use empty containers. |

SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

| DOT | TDG | IMDG | IATA |
|---|---------------|---------------|---------------|
| 14.1. UN number | | | |
| Not regulated for transport | | | |
| 14.2. Proper Shipping Name | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard class(es) | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4. Packing group | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| 14.5. Environmental hazards | | | |
| Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available | | | |

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT
Not regulated

Acid Stop Solution

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

TDG

Not regulated

IMDG

Not regulated

IATA

Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are exempt or present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

| | | |
|---------------|-------------------|--------|
| Sulfuric acid | CAS-No. 7664-93-9 | 1 – 5% |
|---------------|-------------------|--------|

Sulfuric acid (7664-93-9)

| | |
|--|---------|
| CERCLA RQ | 1000 lb |
| RQ (Reportable quantity, section 304 of EPA's List of Lists) | 1000 lb |
| SARA Section 302 Threshold Planning Quantity (TPQ) | 1000 lb |

15.2. International regulations

No additional information available

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Revision date : 6/25/2025

Issue date : 2/3/2025

| Full text of hazard classes and H-statements | |
|--|---|
| H314 | Causes severe skin burns and eye damage |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H350 | May cause cancer. |

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.