

SECTION 1: Identification

1.1. Product identifier

Trade name : Buffered Listeria Enrichment Broth
Name : Buffered Listeria Enrichment Broth
Product code NCM0051

1.2. Other means of identification

Part Number(s) : 700003101|NCM0051A|700003102|NCM0051B|700003103|NCM0051C|NCM0051|400000768

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Laboratory chemicals, Scientific research and development

1.4. Supplier's details

Manufacturer

Neogen Corporation
620 Leshar Place Lansing 48912 Michigan United States of America
T 800.234.5333
sds@neogen.com - <https://www.neogen.com/>

1.5. Emergency telephone number

Emergency number : 24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Acute toxicity (oral), Category 4 H302

2.2. Label elements

Hazard pictograms (GHS PH) :



Signal word (GHS PH) : Warning
Hazard statements (GHS PH) : H302 - Harmful if swallowed
Precautionary statements (GHS PH) : P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P301+P317 - IF SWALLOWED: Get medical help.
P330 - Rinse mouth.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition / information on ingredients

3.1. Substances

Not applicable

Buffered Listeria Enrichment Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

3.2. Mixtures

| Name | Product identifier | % | GHS PH classification |
|--|---------------------|---------------|---|
| Peptones, casein | CAS-No.: 91079-40-2 | ≥ 25 – < 50 | Not classified |
| Disodium phosphate | CAS-No.: 7558-79-4 | ≥ 15 – < 25 | Not classified |
| Yeast extract | CAS-No.: 8013-01-2 | ≥ 10 – < 15 | Not classified |
| Sodium chloride | CAS-No.: 7647-14-5 | ≥ 10 – < 15 | Not classified |
| Peptones, soybean | CAS-No.: 91079-46-8 | ≥ 5 – < 10 | Not classified |
| Potassium phosphate dibasic anhydrous | CAS-No.: 7758-11-4 | ≥ 5 – < 10 | Not classified |
| Dextrose, anhydrous | CAS-No.: 50-99-7 | ≥ 5 – < 10 | Not classified |
| Potassium phosphate monobasic, anhydrous | CAS-No.: 7778-77-0 | ≥ 1 – < 5 | Not classified |
| Cycloheximide | CAS-No.: 66-81-9 | ≥ 0.1 – < 0.5 | Acute Tox. 1 (Oral), H300 Muta. 2, H341 Repr. 1B, H360D Aquatic Chronic 2, H411 |
| Nalidixic acid | CAS-No.: 389-08-2 | < 0.1 | Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Muta. 2, H341 |
| Acriflavine hydrochloride | CAS-No.: 8063-24-9 | < 0.1 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

SECTION 4: First-aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : Call a poison center or a doctor if you feel unwell. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Rinse mouth. Call a poison center or a doctor if you feel unwell. |
| Self protection of the first-aider | : First-aiders should pay attention to their own protection and use the recommended personal protective equipment (see section 8). |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects after inhalation | : None under normal conditions. Dust of the product, if present, may cause respiratory irritation after excessive inhalation exposure. |
| Symptoms/effects after skin contact | : None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing. |
| Symptoms/effects after eye contact | : None under normal conditions. Dust from this product may cause eye irritation. |
| Symptoms/effects after ingestion | : Harmful if swallowed. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|-----------------------------------|--------------------------|
| Other medical advice or treatment | : Treat symptomatically. |
|-----------------------------------|--------------------------|

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

| | |
|--------------------------------|------------------------------------|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

Buffered Listeria Enrichment Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

5.2. Special hazards arising from the substance or mixture

| | |
|------------------|---|
| Fire hazard | : No fire hazard. |
| Explosion hazard | : No direct explosion hazard. |
| Reactivity | : The product is non-reactive under normal conditions of use, storage and transport. |
| General measures | : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage. |

5.3. Special protective actions for fire-fighters

| | |
|--------------------------------|---|
| Firefighting instructions | : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|------------------|---|
| General measures | : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage. |
|------------------|---|

6.1.1. For non-emergency personnel

| | |
|----------------------|---|
| Protective equipment | : Wear recommended personal protective equipment. |
| Emergency procedures | : Ventilate spillage area. |

6.1.2. For emergency responders

| | |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Evacuate unnecessary personnel. |

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|---|
| For containment | : Using a clean shovel, put the material in a dry container and cover without compressing it. |
| Methods for cleaning up | : Mechanically recover the product. |

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-------------------------------|---|
| Precautions for safe handling | : Ensure good ventilation of the work station. Wear personal protective equipment. |
| Hygiene measures | : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

7.2. Conditions for safe storage, including any incompatibilities

| | |
|---------------------|---|
| Technical measures | : Keep in a cool, well-ventilated place away from heat. |
| Storage conditions | : Keep cool. Protect from sunlight. |
| Storage temperature | : 2 – 30 °C |
| Packaging materials | : Always store product in container of same material as original container. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

Exposure limit values for the other components

No additional information available

Buffered Listeria Enrichment Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------|
| Physical state | : Solid |
| Appearance | : Powder. |
| Colour | : Beige, Off-white |
| Odour | : Characteristic |
| Odour threshold | : No data available |
| pH | : 7.1 – 7.5 |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : Not applicable |
| Boiling point | : No data available |
| Flash point | : Not applicable |
| Auto-ignition temperature | : Not applicable |
| Decomposition temperature | : No data available |
| Flammability | : Non flammable |
| Vapour pressure | : No data available |
| Relative vapour density at 20°C | : No data available |
| Relative density | : No data available |
| Solubility | : Soluble in water. |
| Partition coefficient n-octanol/water (Log Kow) | : No data available |

Buffered Listeria Enrichment Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

| | |
|-----------------------------|---------------------|
| Viscosity, kinematic | : Not applicable |
| Explosive limits | : Not applicable |
| Lower explosive limit (LEL) | : No data available |
| Upper explosive limit (UEL) | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

| | |
|------------------------------------|---|
| Reactivity | : The product is non-reactive under normal conditions of use, storage and transport |
| Chemical stability | : Stable under normal conditions |
| Possibility of hazardous reactions | : No dangerous reactions known under normal conditions of use |
| Conditions to avoid | : None under recommended storage and handling conditions (see section 7) |
| Incompatible materials | : No additional information available |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced |

SECTION 11: Toxicological information

11.1. Acute toxicity

| | |
|-----------------------------|-------------------------|
| Acute toxicity (oral) | : Harmful if swallowed. |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

| Buffered Listeria Enrichment Broth | |
|---|---|
| ATE PH (oral) | 1881.468 mg/kg bodyweight |
| Peptones, casein (91079-40-2) | |
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method) |
| Disodium phosphate (7558-79-4) | |
| LD50 oral rat | > 2000 mg/kg bodyweight (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rat | > 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) |
| LC50 Inhalation - Rat | > 0.83 mg/l air Animal: rat, Guideline: EPA OPP 81-3 (Acute inhalation toxicity), Guideline: other., Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation)), Guideline: other: |
| Sodium chloride (7647-14-5) | |
| LD50 oral rat | > 3980 mg/kg bodyweight (Rat, Experimental value, 20 % aqueous solution, Oral) |
| LD50 dermal rabbit | > 10000 mg/kg (Rabbit, Experimental value, Dermal) |
| LC50 Inhalation - Rat | > 42 mg/l air (1 h, Rat, Male, Experimental value, 20 % aqueous solution, Inhalation (aerosol)) |
| LC50 Inhalation - Rat (Dust/Mist) | > 10.5 mg/l Source: Corporate Solution From Thomson Micromedex |
| Potassium phosphate dibasic anhydrous (7758-11-4) | |
| LD50 oral rat | > 2000 mg/kg bodyweight (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rat | > 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) |

Buffered Listeria Enrichment Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

| Dextrose, anhydrous (50-99-7) | |
|---|---|
| LD50 oral rat | 25800 mg/kg (Rat, Literature study, Oral) |
| Potassium phosphate monobasic, anhydrous (7778-77-0) | |
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure) |
| LD50 dermal rat | > 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) |
| LD50 dermal rabbit | > 4640 mg/kg Source: National Library of Medicine |
| LC50 Inhalation - Rat | > 0.83 mg/l air (EPA OPP 81-3: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust), 14 day(s)) |
| Cycloheximide (66-81-9) | |
| LD50 oral rat | 2 mg/kg (Rat, Literature study, Oral) |
| LD50 oral | 2 mg/kg |
| Nalidixic acid (389-08-2) | |
| LD50 oral rat | 1160 mg/kg (Rat, Oral) |
| Acriflavine hydrochloride (8063-24-9) | |
| LD50 oral rat | 1048 mg/kg (Rat, Oral) |
| Skin corrosion/irritation | : Not classified. pH: 7.1 – 7.5 |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT - single exposure | : Not classified |
| Acriflavine hydrochloride (8063-24-9) | |
| STOT - single exposure | May cause respiratory irritation. |
| STOT - repeated exposure | : Not classified |
| Peptones, casein (91079-40-2) | |
| NOAEL (oral, rat, 90 days) | > 1000 mg/kg bodyweight Animal: rat, Guideline: other: |
| Disodium phosphate (7558-79-4) | |
| NOAEL (oral, rat, 90 days) | 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
| Potassium phosphate dibasic anhydrous (7758-11-4) | |
| NOAEL (oral, rat, 90 days) | 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
| Potassium phosphate monobasic, anhydrous (7778-77-0) | |
| NOAEL (oral, rat, 90 days) | 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
| Aspiration hazard | : Not classified |
| Buffered Listeria Enrichment Broth | |
| Viscosity, kinematic | Not applicable |

Buffered Listeria Enrichment Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

SECTION 12: Ecological information

12.1. Ecotoxicity

| | |
|---|---|
| Ecology - general | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute) | : Not classified. |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified. |

| Disodium phosphate (7558-79-4) | |
|---|---|
| LC50 - Fish [1] | > 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP) |
| EC50 - Crustacea [1] | > 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) |
| EC50 72h - Algae [1] | > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 96h - Algae [1] | 564000000 mg/l Source: Ecological Structure Activity Relationships |
| ErC50 algae | > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP) |
| Partition coefficient n-octanol/water (Log Pow) | -5.8 Source: International Chemical Safety Cards |

| Yeast extract (8013-01-2) | |
|----------------------------------|--|
| EC50 - Crustacea [1] | > 100 mg/l Test organisms (species): Daphnia magna |

| Sodium chloride (7647-14-5) | |
|------------------------------------|---|
| LC50 - Fish [1] | 5840 mg/l (ASTM, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Lethal) |
| LOEC (chronic) | 441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d' |
| NOEC (chronic) | 314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d' |

| Potassium phosphate dibasic anhydrous (7758-11-4) | |
|--|--|
| LC50 - Fish [1] | > 900 mg/l (48 h, Leuciscus idus, Static system) |
| LC50 - Fish [2] | > 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Read-across, Nominal concentration) |
| EC50 - Crustacea [1] | > 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Read-across, Nominal concentration) |
| EC50 72h - Algae [1] | > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| ErC50 algae | > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Read-across, Nominal concentration) |

| Dextrose, anhydrous (50-99-7) | |
|---|---|
| LC50 - Fish [1] | 11300000 mg/l Source: Ecological Structure Activity Relationships |
| EC50 96h - Algae [1] | 3880000 mg/l Source: Ecological Structure Activity Relationships |
| Partition coefficient n-octanol/water (Log Pow) | -3.24 (Experimental value) |

| Potassium phosphate monobasic, anhydrous (7778-77-0) | |
|---|---|
| LC50 - Fish [1] | > 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, Nominal concentration) |
| EC50 - Crustacea [1] | > 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) |

Buffered Listeria Enrichment Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

| Potassium phosphate monobasic, anhydrous (7778-77-0) | |
|---|--|
| EC50 72h - Algae [1] | > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| EC50 96h - Algae [1] | 12700000 mg/l Source: Ecological Structure Activity Relationships |
| ErC50 algae | > 100 mg/l (EU Method C.3, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration) |
| Cycloheximide (66-81-9) | |
| LC50 - Fish [1] | 1.6 mg/l (48 h, Oryzias latipes, Literature study) |
| EC50 72h - Algae [1] | 2.215 mg/l |
| BCF - Other aquatic organisms [1] | 3.2 l/kg (BCFBAF v3.01, Estimated value, Fresh weight) |
| Partition coefficient n-octanol/water (Log Pow) | 0.55 (Experimental value) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Nalidixic acid (389-08-2) | |
| LC50 - Fish [1] | 722.335 mg/l Source: Ecological Structure Activity Relationships |
| EC50 96h - Algae [1] | 910.539 mg/l Source: Ecological Structure Activity Relationships |
| Partition coefficient n-octanol/water (Log Pow) | 1.41 |
| Acriflavine hydrochloride (8063-24-9) | |
| LC50 - Fish [1] | 1 – 10 mg/l (48 h, Leuciscus idus) |
| EC50 - Crustacea [1] | 0.51 mg/l (48 h, Daphnia magna) |
| 12.2. Persistence and degradability | |
| Buffered Listeria Enrichment Broth | |
| Persistence and degradability | Not rapidly degradable |
| Peptones, casein (91079-40-2) | |
| Persistence and degradability | Not rapidly degradable |
| Disodium phosphate (7558-79-4) | |
| Persistence and degradability | Biodegradability: not applicable. |
| Chemical oxygen demand (COD) | Not applicable |
| ThOD | Not applicable |
| BOD (% of ThOD) | Not applicable |
| Yeast extract (8013-01-2) | |
| Persistence and degradability | Not rapidly degradable |
| Sodium chloride (7647-14-5) | |
| Persistence and degradability | Biodegradability: not applicable. |
| Chemical oxygen demand (COD) | Not applicable (inorganic) |
| ThOD | Not applicable (inorganic) |
| Peptones, soybean (91079-46-8) | |
| Persistence and degradability | Not rapidly degradable |
| Potassium phosphate dibasic anhydrous (7758-11-4) | |
| Persistence and degradability | Biodegradability: not applicable. |

Buffered Listeria Enrichment Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

| Potassium phosphate dibasic anhydrous (7758-11-4) | |
|---|--|
| Chemical oxygen demand (COD) | Not applicable (inorganic) |
| ThOD | Not applicable (inorganic) |
| Dextrose, anhydrous (50-99-7) | |
| Persistence and degradability | Readily biodegradable in water. |
| ThOD | 1.07 g O ₂ /g substance |
| Potassium phosphate monobasic, anhydrous (7778-77-0) | |
| Persistence and degradability | Biodegradability: not applicable. |
| Chemical oxygen demand (COD) | Not applicable (inorganic) |
| ThOD | Not applicable (inorganic) |
| Cycloheximide (66-81-9) | |
| Persistence and degradability | Not readily biodegradable in water. |
| Nalidixic acid (389-08-2) | |
| Persistence and degradability | Biodegradability in water: no data available. |
| Acriflavine hydrochloride (8063-24-9) | |
| Persistence and degradability | Biodegradable in water. |
| 12.3. Bioaccumulative potential | |
| Buffered Listeria Enrichment Broth | |
| Bioaccumulative potential | No additional information available |
| Disodium phosphate (7558-79-4) | |
| Partition coefficient n-octanol/water (Log Pow) | -5.8 Source: International Chemical Safety Cards |
| Bioaccumulative potential | Not bioaccumulative. |
| Sodium chloride (7647-14-5) | |
| Bioaccumulative potential | Not bioaccumulative. |
| Potassium phosphate dibasic anhydrous (7758-11-4) | |
| Bioaccumulative potential | Not bioaccumulative. |
| Dextrose, anhydrous (50-99-7) | |
| Partition coefficient n-octanol/water (Log Pow) | -3.24 (Experimental value) |
| Bioaccumulative potential | Not bioaccumulative. |
| Potassium phosphate monobasic, anhydrous (7778-77-0) | |
| Bioaccumulative potential | Not bioaccumulative. |
| Cycloheximide (66-81-9) | |
| BCF - Other aquatic organisms [1] | 3.2 l/kg (BCFBAF v3.01, Estimated value, Fresh weight) |
| Partition coefficient n-octanol/water (Log Pow) | 0.55 (Experimental value) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |
| Nalidixic acid (389-08-2) | |
| Partition coefficient n-octanol/water (Log Pow) | 1.41 |

Buffered Listeria Enrichment Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

| Nalidixic acid (389-08-2) | |
|---|---|
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |
| 12.4. Mobility in soil | |
| Buffered Listeria Enrichment Broth | |
| Mobility in soil | No additional information available |
| Disodium phosphate (7558-79-4) | |
| Partition coefficient n-octanol/water (Log Pow) | -5.8 Source: International Chemical Safety Cards |
| Ecology - soil | No (test)data on mobility of the substance available. |
| Sodium chloride (7647-14-5) | |
| Surface tension | 73.03 mN/m (23 °C, 14.5 g/l) |
| Ecology - soil | No (test)data on mobility of the substance available. |
| Potassium phosphate dibasic anhydrous (7758-11-4) | |
| Surface tension | No data available in the literature |
| Ecology - soil | No (test)data on mobility of the substance available. |
| Dextrose, anhydrous (50-99-7) | |
| Partition coefficient n-octanol/water (Log Pow) | -3.24 (Experimental value) |
| Potassium phosphate monobasic, anhydrous (7778-77-0) | |
| Surface tension | No data available in the literature |
| Ecology - soil | No (test)data on mobility of the substance available. |
| Cycloheximide (66-81-9) | |
| Surface tension | No data available in the literature |
| Partition coefficient n-octanol/water (Log Pow) | 0.55 (Experimental value) |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Ecology - soil | Highly mobile in soil. |
| Nalidixic acid (389-08-2) | |
| Partition coefficient n-octanol/water (Log Pow) | 1.41 |

12.5. Other adverse affects

| | |
|-----------------------|---------------------------------------|
| Ozone | : Not classified |
| Other adverse effects | : No additional information available |

SECTION 13: Disposal consideration

| | |
|--|---|
| Ecological waste information | : The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself. |
| Sewage disposal recommendations | : Disposal must be done according to official regulations. |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Product/Packaging disposal recommendations | : Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations. |
| Additional information | : Do not re-use empty containers. |

Buffered Listeria Enrichment Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

SECTION 14: Transport information

In accordance with IMDG / IATA / UN RTDG

| IMDG | IATA | UNRTDG |
|---|---------------|---------------|
| 14.1. UN number | | |
| Not regulated for transport | | |
| 14.2. Proper Shipping Name | | |
| Not regulated | Not regulated | Not regulated |
| 14.3. Transport hazard class(es) | | |
| Not regulated | Not regulated | Not regulated |
| 14.4. Packing group | | |
| Not regulated | Not regulated | Not regulated |
| 14.5. Environmental hazards | | |
| Not regulated | Not regulated | Not regulated |
| No supplementary information available | | |

14.6. Special precautions for user

UN RTDG

Not regulated

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of Marpol 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

| Priority Chemical List (PCL) and Chemical Control Orders (CCO) | | |
|---|----------------|--|
| Initial List of Single Substances and Compounds Covered under Chemical Control Order (CCO) and Priority Chemical List (PCL) DENR Administrative Order 2015-09 | Not applicable | |
| Priority Chemical List DENR Administrative Order 2005-27 | Not applicable | |
| Chemical Control Orders | Not applicable | |
| Chemical Control Order for Ozone Depleting Substances | Not applicable | |

Buffered Listeria Enrichment Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

| Others | | |
|---|-----------------------------------|---|
| Philippines Inventory of Chemicals and Chemical Substances (PICCS) | Applicable | PEPTONE BACTERIOLOGICAL OXOID (91079-40-2) Di-Sodium Hydrogen Phosphate (7558-79-4) EXTRACT, YEAST (8013-01-2) SODIUM CHLORIDE (7647-14-5) DIPOTASSIUM HYDROGEN PHOSPHATE (7758-11-4) D-Glucose (50-99-7) MONOPOTASSIUM PHOSPHATE (7778-77-0) 2,6-Piperidinedione, 4-[(2R)-2-[(1S,3S,5S)-3,5-dimethyl-2-oxocyclohexyl]-2-hydroxyethyl]- (66-81-9) 1,8-Naphthyridine-3-carboxylic acid, 1-ethyl-1,4-dihydro-7-methyl-4-oxo- (389-08-2) |
| Controlled Chemical for Manufacture of Explosives or Explosives Ingredients (Decree No. 1866) | Not applicable | |
| Comprehensive Dangerous Drugs Act of 2002 | Not applicable | |
| Fertilizers and Pesticides Regulation (Decree No. 1144) | Not applicable | |
| Food Additives Regulation | Enzymes permitted for use in food | Disodium phosphate (7558-79-4) Sodium chloride (7647-14-5) Potassium phosphate, dibasic (7758-11-4) Potassium phosphate, monobasic (7778-77-0) |
| Management of Hazardous Waste (Republic Act No. 6969) | Not applicable | |
| Philippines Clean Air Act | Not applicable | |
| High Volume Chemicals List | Applicable | Disodium phosphate (7558-79-4) Sodium chloride (7647-14-5) Dipotassium phosphate Anhyd. (7758-11-4) |

15.2. International regulations

No additional information available

SECTION 16: Other information

Version : 2.0
Issue date : 22/09/2025
Revision date : 03/06/2026
Supersedes : 22/09/2025

Safety Data Sheet (SDS), Philippines

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.