Ideal® Livestock Markers - Blue/ Fluorescent Pink/Green/Orange/Red/Yellow

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
Issue date: 12/23/2025 Version: 1.0

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Trade name : Ideal® Livestock Markers - Blue/ Fluorescent Pink/Green/Orange/Red/Yellow
Product code : 7594

1.2. Other means of identification

Part Number(s) : 7594|LMBL-E|LMGRN-E|LMFLPK-E|LMORG-E|LMRED-E|LMYEL-E|7593|7591

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : For animal use only

1.4. Supplier's details

Supplier
Neogen Corporation
620 Lesher Place
Lansing, Michigan 48912
United States of America
T 800.234.5333
sds@neogen.com - https://www.neogen.com/

Manufactured for
Neogen Corporation
944 Nandino
Lexington, Kentucky 40511
U.S.A.
T 859-254-1221
NEOGEN.com

1.5. Emergency phone number

Emergency number : 24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Not classified

2.2. Label elements

GHS US labeling

No labeling applicable

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

63.4% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)
74.4% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)
53.8% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Kaolin	CAS-No.: 1332-58-7	15 – 25	Acute Tox. 4 (Inhalation:dust,mist), H332
Polyethylene	CAS-No.: 9002-88-4	10 – 15	Not classified
linseed oil	CAS-No.: 8001-26-1	10 – 15	Not classified
Castor oil	CAS-No.: 8001-79-4	10 – 15	Not classified
Calcium carbonate	CAS-No.: 471-34-1	10 – 15	Acute Tox. 4 (Inhalation:dust,mist), H332
Paraffin wax [hydrocarbon, food grade]	CAS-No.: 8002-74-2	5 – 10	Not classified
Petrolatum, (amber) non-carcinogenic	CAS-No.: 8009-03-8	5 – 10	Not classified
Beeswax	CAS-No.: 8012-89-3	5 – 10	Not classified
Ceresin	CAS-No.: 8001-75-0	1 – 5	Not classified
Propylparaben	CAS-No.: 94-13-3	0.1 – 0.5	Not classified
butyl 4-hydroxybenzoate	CAS-No.: 94-26-8	0.1 – 0.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary.

First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Rinse skin with water/shower.

First-aid measures after eye contact : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

First-aid measures after ingestion : Rinse mouth out with water. If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation : May cause headache, nausea and irritation of respiratory tract.

Symptoms/effects after skin contact : Slight irritation.

Symptoms/effects after eye contact : May cause slight irritation.

Symptoms/effects after ingestion : Nausea.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Carbon dioxide. Water spray. Dry powder.

5.2. Specific hazards arising from the chemical

Explosion hazard : Heating may cause an explosion.
Hazardous decomposition products in case of fire : Carbon dioxide. SULPHUR DIOXIDE. Nitrogen oxides (NOx) (as NO2).

5.3. Special protective equipment and precautions for fire-fighters

Precautionary measures fire : Keep cool. Protect from sunlight.
Firefighting instructions : Use water spray or fog for cooling exposed containers.
Protection during firefighting : Self-contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Cool down the containers exposed to heat with a water spray.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : See section 8 of the SDS for more information on personal protective equipment. No flames, no sparks. Eliminate all sources of ignition.

For emergency responders

Protective equipment : Wear recommended personal protective equipment. Use self-contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel.

Environmental precautions : Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Cover spill with non combustible material, e.g.: sand, earth, vermiculite.
Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Notify authorities if product enters sewers or public waters.

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Use personal protective equipment as required.
Local and general ventilation : Work in a well-ventilated area.
Hygiene measures : Wear personal protective equipment.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Floors should be impervious, resistant to liquids and easy to clean.
Storage area : Store away from heat.

Incompatible products	:	Oxidizing agent.
Incompatible materials	:	Oxidising agents.
Heat-ignition	:	KEEP SUBSTANCE AWAY FROM: heat sources.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Paraffin wax [hydrocarbon, food grade] (8002-74-2)	
USA - ACGIH® - Threshold Limit Values	
Local name	Paraffin wax fume
ACGIH® TLV® TWA	2 mg/m³
Remark (ACGIH®)	TLV® Basis: Resp tract irr; Nausea
Regulatory reference	ACGIH 2025
USA - Cal/OSHA - Occupational Exposure Limits	
Local name	Paraffin wax fume
Cal/OSHA PEL (OEL TWA)	2 mg/m³
Regulatory reference	California Division of Occupational Safety and Health (Cal/OSHA) - Permissible Exposure Limit for Chemical Contaminants (Table AC-1)

Kaolin (1332-58-7)	
USA - ACGIH® - Threshold Limit Values	
Local name	Kaolin
ACGIH® TLV® TWA	2 mg/m³ (E - The value is for particulate matter containing no asbestos and < 1 % crystalline silica, R - Respirable particulate matter)
Remark (ACGIH®)	TLV® Basis: Pneumoconiosis. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2025
USA - OSHA - Occupational Exposure Limits	
Local name	Kaolin
OSHA PEL TWA	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - Cal/OSHA - Occupational Exposure Limits	
Local name	Kaolin; (containing no asbestos and <1% crystaline silica)
Cal/OSHA PEL (OEL TWA)	2 mg/m³ (Respirable dust)
Regulatory reference	California Division of Occupational Safety and Health (Cal/OSHA) - Permissible Exposure Limit for Chemical Contaminants (Table AC-1)
USA - NIOSH - Occupational Exposure Limits	
Local name	Kaolin
NIOSH REL 10h TWA	10 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))

Calcium carbonate (471-34-1)	
USA - Cal/OSHA - Occupational Exposure Limits	
Local name	Calcium carbonate
Cal/OSHA PEL (OEL TWA)	10 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)
Regulatory reference	California Division of Occupational Safety and Health (Cal/OSHA) - Permissible Exposure Limit for Chemical Contaminants (Table AC-1)

8.2. Appropriate engineering controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure good ventilation of the work station.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Take off contaminated clothing and wash before reuse.

Hand protection:
Wear protective gloves

Eye protection:
Wear eye protection. Wear a face shield

Personal protective equipment symbol(s):

Other information:

Do not eat, drink or smoke during use.

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	:	Liquid
Color	:	Various colors
Odor	:	There may be no odor warning properties, odor is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odor: Characteristic odour Mild odour Odourless
Odor threshold	:	No data available
pH	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Flammability (solid, gas)	:	No data available
Vapor pressure	:	No data available
Relative vapor density at 20°C	:	No data available
Relative density	:	No data available
Solubility	:	Insoluble.
Partition coefficient n-octanol/water (Log Pow)	:	No data available

Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity, kinematic	:	No data available
Explosion limits	:	No data available
Particle characteristics	:	No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

On combustion forms: Carbon dioxide (CO2). SULPHUR DIOXIDE. carbon monoxide.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Oxidising agents.

10.6. Hazardous decomposition products

No additional information available

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	:	Not classified
Acute toxicity (dermal)	:	Not classified
Acute toxicity (inhalation)	:	Not classified

Ideal® Livestock Markers - Blue/ Fluorescent Pink/Green/Orange/Red/Yellow	
Unknown acute toxicity (GHS US)	63.4% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 74.4% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 53.8% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

Petrolatum, (amber) non-carcinogenic (8009-03-8)	
LD50 oral rat	> 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	3600 mg/kg Source: International Uniform ChemicaL Information Database
ATE US (dermal)	3600 mg/kg body weight

Paraffin wax [hydrocarbon, food grade] (8002-74-2)	
LD50 oral rat	> 5000 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 7 day(s))
LD50 oral	5000 mg/kg
LD50 dermal rat	> 2000 mg/kg (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Read-across, Dermal, 14 day(s))
LD50 dermal rabbit	> 3600 mg/kg Source: NITE
LD50 dermal	3600 mg/kg
ATE US (oral)	5000 mg/kg body weight
ATE US (dermal)	3600 mg/kg body weight

Polyethylene (9002-88-4)	
LD50 oral rat	> 8000 mg/kg Source: RTECS
LC50 Inhalation - Rat (Dust/Mist)	75.5 mg/l Source: RTECS

Kaolin (1332-58-7)	
LD50 oral rat	> 5000 mg/kg Source: HSDB
LD50 dermal rat	> 5000 mg/kg Source: HSDB
LC50 Inhalation - Rat (Dust/Mist)	≥ 5 mg/l
ATE US (dust, mist)	1.5 mg/l/4h

Calcium carbonate (471-34-1)	
LD50 oral rat	> 2000 mg/kg (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 3 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (aerosol), 15 day(s))
LC50 Inhalation - Rat (Dust/Mist)	> 3 mg/l Source: ECHA
ATE US (dust, mist)	1.5 mg/l/4h

linseed oil (8001-26-1)	
LD50 oral rat	15000 mg/kg (Rat, Oral)
ATE US (oral)	15000 mg/kg body weight

butyl 4-hydroxybenzoate (94-26-8)	
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)

Skin corrosion/irritation : Not classified

Paraffin wax [hydrocarbon, food grade] (8002-74-2)	
pH	Not applicable (non-soluble in water)

Kaolin (1332-58-7)	
pH	4.5 Source: hsdb

Calcium carbonate (471-34-1)	
pH	8 – 9 (10 %, 20 °C)

Serious eye damage/irritation : Not classified

Paraffin wax [hydrocarbon, food grade] (8002-74-2)	
pH	Not applicable (non-soluble in water)

Kaolin (1332-58-7)	
pH	4.5 Source: hsdb

Calcium carbonate (471-34-1)	
pH	8 – 9 (10 %, 20 °C)

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Polyethylene (9002-88-4)	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Petrolatum, (amber) non-carcinogenic (8009-03-8)	
LOAEL (dermal,rat/rabbit,90 days)	200 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
NOAEL (dermal,rat/rabbit,90 days)	≥ 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

Paraffin wax [hydrocarbon, food grade] (8002-74-2)	
NOAEL (dermal,rat/rabbit,90 days)	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

Calcium carbonate (471-34-1)	
NOAEL (oral,rat,90 days)	1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEC (inhalation,rat,dust/mist/fume,90 days)	≥ 0.212 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)

Aspiration hazard : Not classified

Castor oil (8001-79-4)	
Viscosity, kinematic	625 – 1145.833 mm²/s

Paraffin wax [hydrocarbon, food grade] (8002-74-2)	
Viscosity, kinematic	3 – 30 mm²/s (100 °C, ASTM D445: Capillary viscometer)

Calcium carbonate (471-34-1)	
Viscosity, kinematic	Not applicable (solid)

Symptoms/effects after inhalation : May cause headache, nausea and irritation of respiratory tract.

Symptoms/effects after skin contact : Slight irritation.
Symptoms/effects after eye contact : May cause slight irritation.
Symptoms/effects after ingestion : Nausea.

SECTION 12 Ecological information

12.1. Ecotoxicity

Hazardous to the aquatic environment, short–term (acute) : Not classified
Hazardous to the aquatic environment, long–term (chronic) : Not classified

Castor oil (8001-79-4)	
LC50 - Fish [1]	> 1000 ppm (96 h, Pisces, Literature study)

Petrolatum, (amber) non-carcinogenic (8009-03-8)	
LC50 - Fish [1]	0.00000009 mg/l Source: Quantitative Structure Activity Relation
EC50 96h - Algae [1]	0.00000022 mg/l Source: Quantitative Structure Activity Relation

Calcium carbonate (471-34-1)	
LC50 - Fish [1]	> 100 % (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	> 100 % (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
EC50 72h - Algae [1]	> 14 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [1]	22000 mg/l Source: Ecological Structure Activity Relationships
ErC50 algae	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)

butyl 4-hydroxybenzoate (94-26-8)	
LC50 - Fish [1]	3.547 mg/l Source: Ecological Structure Activity Relationships
EC50 - Crustacea [1]	9.2 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
EC50 96h - Algae [1]	4.824 mg/l Source: Ecological Structure Activity Relationships
ErC50 algae	9.5 mg/l (OECD 201: Alga, Growth Inhibition Test, 96 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)

12.2. Persistence and degradability

Ideal® Livestock Markers - Blue/ Fluorescent Pink/Green/Orange/Red/Yellow	
Persistence and degradability	Not rapidly degradable

Castor oil (8001-79-4)	
Persistence and degradability	Readily biodegradable in water.

Petrolatum, (amber) non-carcinogenic (8009-03-8)	
Persistence and degradability	Not rapidly degradable

Paraffin wax [hydrocarbon, food grade] (8002-74-2)	
Persistence and degradability	Not readily biodegradable in water.

Polyethylene (9002-88-4)	
Persistence and degradability	Not rapidly degradable

Kaolin (1332-58-7)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

Calcium carbonate (471-34-1)	
Persistence and degradability	Biodegradability in soil: not applicable, Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

Propylparaben (94-13-3)	
Persistence and degradability	Not rapidly degradable

linseed oil (8001-26-1)	
Persistence and degradability	Biodegradability in water: no data available.

Ceresin (8001-75-0)	
Persistence and degradability	Not rapidly degradable

Beeswax (8012-89-3)	
Persistence and degradability	Not rapidly degradable

butyl 4-hydroxybenzoate (94-26-8)	
Persistence and degradability	Readily biodegradable in water.

12.3. Bioaccumulative potential

Castor oil (8001-79-4)	
Bioaccumulative potential	No bioaccumulation data available.

Petrolatum, (amber) non-carcinogenic (8009-03-8)	
Partition coefficient n-octanol/water (Log Pow)	6 Source: International Chemical Safety Cards

Paraffin wax [hydrocarbon, food grade] (8002-74-2)	
BCF - Other aquatic organisms [1]	95 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	> 6 (Calculated)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

Kaolin (1332-58-7)	
Bioaccumulative potential	No bioaccumulation data available.

Calcium carbonate (471-34-1)	
Bioaccumulative potential	Not bioaccumulative.

linseed oil (8001-26-1)	
Bioaccumulative potential	Not bioaccumulative.

butyl 4-hydroxybenzoate (94-26-8)	
Partition coefficient n-octanol/water (Log Pow)	3.57 (Practical experience/observation)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

12.4. Mobility in soil

Castor oil (8001-79-4)	
Surface tension	39 mN/m
Ecology - soil	No (test)data on mobility of the substance available.

Paraffin wax [hydrocarbon, food grade] (8002-74-2)	
Surface tension	31 mN/m (54 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	5.8 – 8.8 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Adsorbs into the soil.

Kaolin (1332-58-7)	
Ecology - soil	No (test)data on mobility of the substance available.

Calcium carbonate (471-34-1)	
Mobility in soil	4.971 Source: Quantitative Structure Activity Relation
Surface tension	No data available (test not performed)
Ecology - soil	Low potential for adsorption in soil.

linseed oil (8001-26-1)	
Ecology - soil	No (test)data on mobility of the substance available.

butyl 4-hydroxybenzoate (94-26-8)	
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14 Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
Not regulated for transport			
14.2. Proper Shipping Name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT
Not regulated

TDG
Not regulated

IMDG
Not regulated

IATA
Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are exempt or present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Polyethylene	CAS-No. 9002-88-4	10 – 15%
Kaolin	CAS-No. 1332-58-7	15 – 25%
Propylparaben	CAS-No. 94-13-3	0.1 – 0.5%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

No additional information available

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
Issue date : 12/23/2025

Full text of hazard classes and H-statements	
H315	Causes skin irritation
H318	Causes serious eye damage
H332	Harmful if inhaled
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.