



AccuPoint® Advanced Samplers

Kit Product

Kit identification

Trade name : AccuPoint® Advanced Samplers
Product code : 9905
Part Number(s) : 9905|9906|9907|700002879|700002881|700002883|700002880|9905S

Details of the supplier of the Kit safety information sheet

Manufacturer

Neogen Corporation
620 Leshar Place Lansing 48912 Michigan United States of America
T 800.234.5333
sds@neogen.com - <https://www.neogen.com/>

General information

Restrictions on use : Do not use kit components from one kit with any other kit.
General description : This is a test kit that is comprised of several individual components, listed below, each of which may have its own Safety Data Sheet (SDS). Articles, and otherwise immobilized and inaccessible chemicals, do not have a Safety Data Sheet in this packet.

Kit contents

Name	GHS classification
AccuPoint® Advanced Enzyme Solution	Not classified
AccuPoint® Advanced Extraction Solution	Not classified

Transport information

In accordance with IMDG / IATA / UN RTDG

IMDG	IATA	UNRTDG
UN number		
Not regulated for transport		
Proper Shipping Name		
Not regulated	Not regulated	Not regulated
Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
Packing group		
Not regulated	Not regulated	Not regulated
Environmental hazards		
Not regulated	Not regulated	Not regulated

AccuPoint® Advanced Samplers

Kit Safety Information Sheet (SIS)

IMDG	IATA	UNRTDG
No supplementary information available		

Special precautions for user

UN RTDG

Not regulated

IMDG

Not regulated

IATA

Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable



AccuPoint® Advanced Enzyme Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual
Issue date: 22/07/2025 Revision date: 29/06/2026 Supersedes: 18/06/2026 Version: 4.0



AccuPoint® Advanced Enzyme Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual
Issue date: 22/07/2025 Revision date: 29/06/2026 Supersedes: 18/06/2026 Version: 4.0

SECTION 1: Identification

1.1. Product identifier

Trade name : AccuPoint® Advanced Enzyme Solution
Name : AccuPoint Advanced Enzyme Solution
Product code : 36700

1.2. Other means of identification

Part Number(s) : 36700|400000275

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Scientific research and development, Laboratory chemicals
Restrictions on use : Do not use kit components from one kit with any other kit.

1.4. Details of the supplier of the safety data sheet

Manufacturer

Neogen Corporation
620 Leshar Place Lansing 48912 Michigan United States of America
T 800.234.5333
sds@neogen.com - <https://www.neogen.com/>

1.5. Emergency telephone number

Emergency number : 24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified

2.2. Label elements

No additional information available

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS PH classification
Water	CAS-No.: 7732-18-5	≥ 75	Not classified
Tricine	CAS-No.: 5704-04-1	≥ 0.5 – < 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

AccuPoint® Advanced Enzyme Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Name	Product identifier	%	GHS PH classification
Sodium hydroxide pellets	CAS-No.: 1310-73-2	≥ 0.1 – < 0.5	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1, H314 Eye Dam. 1, H318
Stabilizer	-	≥ 0.1 – < 0.5	Not classified
Sodium azide	CAS-No.: 26628-22-8	< 0.1	Acute Tox. 2 (Oral), H300 Acute Tox. 1 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Inhalation:dust,mist), H330 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Polyethylene octylphenyl ether	CAS-No.: 9002-93-1	< 0.1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Stabilizer	-	< 0.1	Not classified
d-Luciferin	CAS-No.: 2591-17-5	< 0.1	Not classified
Buffer salts	-	< 0.1	Not classified
Chelating agent	-	< 0.1	Acute Tox. 4 (Inhalation), H332 STOT RE 2, H373

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
Personal protection for first-aid responders.	: First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal conditions.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.

AccuPoint® Advanced Enzyme Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.
Absorb spillage to prevent material-damage.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.
Absorb spillage to prevent material-damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up : Take up liquid spill into absorbent material.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Keep cool. Protect from sunlight.
Storage temperature : 2 – 8 °C
Packaging materials : Always store product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium hydroxide pellets (1310-73-2)	
Philippines - Occupational Exposure Limits	
Local name	Sodium Hydroxide
OEL TWA	2 mg/m ³
Regulatory reference	Occupational Safety And Health Standards Philippines

AccuPoint® Advanced Enzyme Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Exposure limit values of other components

No additional information available

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Aqueous solution.
Color	: Green, Yellow
Odor	: Odorless
Odor threshold	: No data available
pH	: 7.75 (≥ 0)
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability	: Non flammable
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available

AccuPoint® Advanced Enzyme Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Relative density	: No data available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available
Lower explosive limit (LEL)	: No data available
Upper explosive limit (UEL)	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport
Chemical stability	: Stable under normal conditions
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use
Conditions to avoid	: None under recommended storage and handling conditions (see section 7)
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

11.1. Acute toxicity

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Water (7732-18-5)	
LD50 oral rat	90000 mg/kg
Tricine (5704-04-1)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
Sodium hydroxide pellets (1310-73-2)	
LD50 oral	325 mg/kg
LD50 dermal rabbit	1350 mg/kg
Polyethylene octylphenyl ether (9002-93-1)	
LD50 oral rat	1800 mg/kg (Rat, Literature study, Oral)
LD50 dermal rabbit	8000 mg/kg (Rabbit, Literature study, Dermal)
Buffer salts	
LD50 oral rat	> 4000 mg/kg (Rat, Oral)
Chelating agent	
LD50 oral rat	2800 mg/kg body weight (BASF test, Rat, Male / female, Experimental value, Anhydrous form, Oral)
Sodium azide (26628-22-8)	
LD50 oral rat	27 mg/kg body weight (Rat, Experimental value, Oral)
LD50 oral	45 mg/kg
LD50 dermal rabbit	19 – 48 mg/kg body weight (Rabbit, Inconclusive, insufficient data, Dermal)
LD50 dermal	20 mg/kg

AccuPoint® Advanced Enzyme Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Sodium azide (26628-22-8)	
LC50 Inhalation - Rat	0.05 – 0.52 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust), 14 day(s))
LC50 Inhalation - Rat (Dust/Mist)	0.054 – 0.52 mg/l/4h

Skin corrosion/irritation	: Not classified pH: 7.75 (≥ 0)
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified

Tricine (5704-04-1)	
Specific target organ toxicity – single exposure	May cause respiratory irritation.

Specific target organ toxicity – repeated exposure : Not classified

Chelating agent	
Specific target organ toxicity – repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Sodium azide (26628-22-8)	
NOAEL (oral,rat,28 days)	10 mg/kg bw/day
Specific target organ toxicity – repeated exposure	Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified.
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.

Water (7732-18-5)	
Partition coefficient n-octanol/water (Log Pow)	-1.38

Tricine (5704-04-1)	
LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	> 100 mg/l
EC50 96h - Algae [1]	145000 mg/l (ECOSAR, Algae, QSAR)
EC50 96h - Algae [2]	≈ 92560.04 mg/l Test organisms (species): other:
Partition coefficient n-octanol/water (Log Pow)	-2.87 (QSAR, KOWWIN, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

Sodium hydroxide pellets (1310-73-2)	
LC50 - Fish [1]	189 mg/l (48 h, Leuciscus idus, Fresh water, Experimental value)
EC50 - Crustacea [1]	40 mg/l (48 h, Ceriodaphnia sp., Experimental value, Locomotor effect)
Partition coefficient n-octanol/water (Log Pow)	-3.88 Source: SRC

AccuPoint® Advanced Enzyme Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Polyethylene octylphenyl ether (9002-93-1)	
LC50 - Fish [1]	8.9 mg/l (96 h, Pimephales promelas, Literature study)
EC50 - Crustacea [1]	26 mg/l (48 h, Daphnia magna, Literature study)
Partition coefficient n-octanol/water (Log Pow)	4.86 (Estimated value, KOWWIN)
d-Luciferin (2591-17-5)	
BCF - Fish [1]	3.162 l/kg (BCFBAF v3.01, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	2.72 (Estimated value, KOWWIN)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.827 – 3.378 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Buffer salts	
LC50 - Fish [1]	15500 mg/l (96 h, Gambusia affinis, Anhydrous form)
EC50 - Crustacea [1]	1700 mg/l (24 h, Daphnia magna, Anhydrous form)
EC50 72h - Algae [1]	2700 mg/l (Scenedesmus subspicatus, Anhydrous form)
Chelating agent	
LC50 - Fish [1]	705 mg/l (US EPA, 96 h, Lepomis macrochirus, Static system, Fresh water, Read-across, Anhydrous form)
EC50 - Crustacea [1]	140 mg/l (DIN 38412-11, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Anhydrous form)
ErC50 algae	> 100 mg/l (EU Method C.3, 72 h, Scenedesmus subspicatus, Static system, Fresh water, Read-across, Anhydrous form)
BCF - Fish [1]	1.8 (Other, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Read-across, Anhydrous form)
Partition coefficient n-octanol/water (Log Pow)	-4.3 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Sodium azide (26628-22-8)	
LC50 - Fish [1]	2.75 – 3.28 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	4.2 mg/l
EC50 - Other aquatic organisms [1]	5 mg/l Test organisms (species): Gammarus fasciatus
EC50 96h - Algae [1]	0.35 mg/l (Equivalent or similar to OECD 201, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Cell numbers)
ErC50 algae	0.348 mg/l
Partition coefficient n-octanol/water (Log Pow)	0.16 Source: NIOSH
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.63 (log Koc, Calculated value)

12.2. Persistence and degradability

AccuPoint® Advanced Enzyme Solution	
Persistence and degradability	Not rapidly degradable
Water (7732-18-5)	
Persistence and degradability	Not rapidly degradable
Tricine (5704-04-1)	
Persistence and degradability	Readily biodegradable in water.

AccuPoint® Advanced Enzyme Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Sodium hydroxide pellets (1310-73-2)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Stabilizer	
Persistence and degradability	Not rapidly degradable
Polyethylene octylphenyl ether (9002-93-1)	
Persistence and degradability	Not readily biodegradable in water.
Chemical oxygen demand (COD)	2.19 mg/g
ThOD	2.16 g O ₂ /g substance
Stabilizer	
Persistence and degradability	Not rapidly degradable
d-Luciferin (2591-17-5)	
Persistence and degradability	Not readily biodegradable in water.
Buffer salts	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
Chelating agent	
Persistence and degradability	Not readily biodegradable in the soil, Not readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.01 g O ₂ /g substance
Sodium azide (26628-22-8)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
12.3. Bioaccumulative potential	
AccuPoint® Advanced Enzyme Solution	
Bioaccumulative potential	No additional information available
Water (7732-18-5)	
Partition coefficient n-octanol/water (Log Pow)	-1.38
Tricine (5704-04-1)	
Partition coefficient n-octanol/water (Log Pow)	-2.87 (QSAR, KOWWIN, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Bioaccumulative potential	Not bioaccumulative.
Sodium hydroxide pellets (1310-73-2)	
Partition coefficient n-octanol/water (Log Pow)	-3.88 Source: SRC
Bioaccumulative potential	Not bioaccumulative.

AccuPoint® Advanced Enzyme Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Polyethylene octylphenyl ether (9002-93-1)	
Partition coefficient n-octanol/water (Log Pow)	4.86 (Estimated value, KOWWIN)
Bioaccumulative potential	Potential for bioaccumulation ($4 \leq \text{Log Kow} \leq 5$).
d-Luciferin (2591-17-5)	
BCF - Fish [1]	3.162 l/kg (BCFBAF v3.01, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	2.72 (Estimated value, KOWWIN)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.827 – 3.378 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation ($\text{Log Kow} < 4$).
Buffer salts	
Bioaccumulative potential	No bioaccumulation data available.
Chelating agent	
BCF - Fish [1]	1.8 (Other, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Read-across, Anhydrous form)
Partition coefficient n-octanol/water (Log Pow)	-4.3 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Not bioaccumulative.
Sodium azide (26628-22-8)	
Partition coefficient n-octanol/water (Log Pow)	0.16 Source: NIOSH
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.63 (log Koc, Calculated value)
Bioaccumulative potential	Not bioaccumulative.
12.4. Mobility in soil	
AccuPoint® Advanced Enzyme Solution	
Mobility in soil	No additional information available
Water (7732-18-5)	
Partition coefficient n-octanol/water (Log Pow)	-1.38
Tricine (5704-04-1)	
Mobility in soil	-2.298 Source: Quantitative Structure Activity Relation
Partition coefficient n-octanol/water (Log Pow)	-2.87 (QSAR, KOWWIN, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.
Sodium hydroxide pellets (1310-73-2)	
Surface tension	No data available in the literature
Partition coefficient n-octanol/water (Log Pow)	-3.88 Source: SRC
Ecology - soil	No (test)data on mobility of the substance available.
Polyethylene octylphenyl ether (9002-93-1)	
Partition coefficient n-octanol/water (Log Pow)	4.86 (Estimated value, KOWWIN)
Ecology - soil	No (test)data on mobility of the substance available.

AccuPoint® Advanced Enzyme Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

d-Luciferin (2591-17-5)	
Partition coefficient n-octanol/water (Log Pow)	2.72 (Estimated value, KOWWIN)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.827 – 3.378 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for mobility in soil.
Chelating agent	
Mobility in soil	312.7 Source: EPISUITE
Partition coefficient n-octanol/water (Log Pow)	-4.3 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Ecology - soil	Low potential for adsorption in soil.
Sodium azide (26628-22-8)	
Surface tension	No data available (test not performed)
Partition coefficient n-octanol/water (Log Pow)	0.16 Source: NIOSH
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.63 (log Koc, Calculated value)
Ecology - soil	Low potential for adsorption in soil.

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal considerations

Ecological waste information	: The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

SECTION 14: Transport information

In accordance with IMDG / IATA / UN RTDG

IMDG	IATA	UNRTDG
14.1. UN number		
Not regulated for transport		
14.2. Proper Shipping Name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
No supplementary information available		

AccuPoint® Advanced Enzyme Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

14.6. Special precautions for user

UN RTDG

Not regulated

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

Priority Chemical List (PCL) and Chemical Control Orders (CCO)

Initial List of Single Substances and Compounds Covered under Chemical Control Order (CCO) and Priority Chemical List (PCL) DENR Administrative Order 2015-09	Not applicable	
Priority Chemical List DENR Administrative Order 2005-27	Not applicable	
Chemical Control Orders	Not applicable	
Chemical Control Order for Ozone Depleting Substances	Not applicable	

Others

Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Applicable	CRAON 17-502 (7732-18-5) ANHYDROUS (CAUSTIC SODA) (1310-73-2) Stabilizer ETHOXYLATED 4-TERT-OCTYLPHENOL (9002-93-1) Buffer salts Chelating agent SODIUM AZIDE (26628-22-8)
Controlled Chemical for Manufacture of Explosives or Explosives Ingredients Presidential Decree No.1866	Not applicable	
Comprehensive Dangerous Drugs Act of 2002	Not applicable	
Fertilizers and Pesticides Regulation (Decree No. 1144)	Not applicable	
Food Additives Regulation	Additives approved only for use as food processing	Sodium hydroxide pellets (1310-73-2)
	Additives permitted for use in food in general	Chelating agent
Management of Hazardous Waste (Republic Act No. 6969)	Not applicable	
Philippines Clean Air Act	Not applicable	
High Volume Chemicals List	Applicable	Sodium hydroxide (1310-73-2)

AccuPoint® Advanced Enzyme Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

15.2. International regulations

No additional information available

SECTION 16: Other information

Version	: 4.0
Issue date	: 22/07/2025
Revision date	: 29/06/2026
Supersedes	: 18/06/2026

Safety Data Sheet (SDS), Philippines

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



AccuPoint® Advanced Extraction Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual
Issue date: 22/07/2025 Revision date: 29/06/2026 Supersedes: 18/06/2026 Version: 4.0

SECTION 1: Identification

1.1. Product identifier

Trade name : AccuPoint® Advanced Extraction Solution
Name : AccuPoint Advanced Extraction Solution
Product code : 36540

1.2. Other means of identification

Part Number(s) : 36540|400000269

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Scientific research and development, Laboratory chemicals
Restrictions on use : Do not use kit components from one kit with any other kit.

1.4. Details of the supplier of the safety data sheet

Manufacturer

Neogen Corporation
620 Leshar Place Lansing 48912 Michigan United States of America
T 800.234.5333
sds@neogen.com - <https://www.neogen.com/>

1.5. Emergency telephone number

Emergency number : 24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified

2.2. Label elements

No additional information available

2.3. Other hazards

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS PH classification
Water	CAS-No.: 7732-18-5	≥ 75	Not classified
Tricine	CAS-No.: 5704-04-1	≥ 0.5 – < 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

AccuPoint® Advanced Extraction Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Name	Product identifier	%	GHS PH classification
Sodium hydroxide pellets	CAS-No.: 1310-73-2	0.02 – 0.075	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1, H314 Eye Dam. 1, H318
Tertiary-octylphenoxypoly(ethoxyethanol)	CAS-No.: 9036-19-5	0 – 0	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Buffer salts	-	< 0.1	Flam. Gas Not applicable Aerosol Not applicable Ox. Gas Not applicable Press. Gas Not applicable Flam. Liq. Not applicable Self-react. Not applicable Pyr. Liq. Not applicable Ox. Liq. Not applicable Ox. Sol. 3, H272 Org. Perox. Not applicable Met. Corr. Classification not possible Acute Tox. Classification not possible (Inhalation:vapour) Acute Tox. Classification not possible (Inhalation:dust,mist) Eye Irrit. 2, H319 STOT SE 1, H370
Polyethylene glycol	CAS-No.: 25322-68-3	0 – 0	Not classified
2-Methyl-5-chloro-3-isothiazolone	CAS-No.: 26172-55-4	< 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1, H314 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
Buffer salts	-	< 0.1	Not classified
2-Methyl-4-isothiazolin-3-one hydrochloride	CAS-No.: 26172-54-3	< 0.1	Acute Tox. 3 (Oral), H301 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
Personal protection for first-aid responders.	: First-aiders should consider self-protection and use the recommended personal protective equipment (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal conditions.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: None under normal conditions.

AccuPoint® Advanced Extraction Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.
Explosion hazard : No direct explosion hazard.
Reactivity : The product is non-reactive under normal conditions of use, storage and transport.
General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.
Absorb spillage to prevent material-damage.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.
Absorb spillage to prevent material-damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up : Take up liquid spill into absorbent material.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Keep cool. Protect from sunlight.

AccuPoint® Advanced Extraction Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Storage temperature : 2 – 8 °C
Packaging materials : Always store product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium hydroxide pellets (1310-73-2)

Philippines - Occupational Exposure Limits

Local name	Sodium Hydroxide
OEL TWA	2 mg/m ³
Regulatory reference	Occupational Safety And Health Standards Philippines

Exposure limit values of other components

No additional information available

8.2. Monitoring

No additional information available

8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Aqueous solution.

AccuPoint® Advanced Extraction Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Color	: Clear,Colorless
Odor	: Odorless
Odor threshold	: No data available
pH	: 7.7 – 7.8
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability	: Non flammable
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available
Lower explosive limit (LEL)	: No data available
Upper explosive limit (UEL)	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport
Chemical stability	: Stable under normal conditions
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use
Conditions to avoid	: None under recommended storage and handling conditions (see section 7)
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

11.1. Acute toxicity

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Tertiary-octylphenoxypoly(ethoxyethanol) (9036-19-5)	
LD50 oral rat	4190 mg/kg (Rat, Oral)
LD50 oral	1700 mg/kg
LD50 dermal rabbit	> 3000 mg/kg (Rabbit, Dermal)
Polyethylene glycol (25322-68-3)	
LD50 oral rat	30200 mg/kg (Rat, Literature study, Oral)
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	> 20000 mg/kg (Rabbit, Inconclusive, insufficient data, Dermal)
Water (7732-18-5)	
LD50 oral rat	90000 mg/kg

AccuPoint® Advanced Extraction Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Buffer salts	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 oral	5440 mg/kg
LD50 dermal rat	> 5000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
2-Methyl-5-chloro-3-isothiazolone (26172-55-4)	
LD50 oral rat	66 mg/kg Source: NCIS
LD50 dermal rat	141 mg/kg Source: NCIS
LC50 Inhalation - Rat (Dust/Mist)	0.33 mg/l Source: NCIS
Buffer salts	
LD50 oral rat	> 5000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 15 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 15 day(s))
2-Methyl-4-isothiazolin-3-one hydrochloride (26172-54-3)	
LD50 oral rat	≈ 175 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure)
Tricine (5704-04-1)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
Sodium hydroxide pellets (1310-73-2)	
LD50 oral	325 mg/kg
LD50 dermal rabbit	1350 mg/kg
Skin corrosion/irritation	: Not classified. pH: 7.7 – 7.8
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Polyethylene glycol (25322-68-3)	
NOAEL (animal/female, F0/P)	1690 mg/kg body weight Animal: rat, Animal sex: female, Guideline: other:
Specific target organ toxicity – single exposure	: Not classified
Buffer salts	
Specific target organ toxicity – single exposure	Causes damage to organs.
Tricine (5704-04-1)	
Specific target organ toxicity – single exposure	May cause respiratory irritation.
Specific target organ toxicity – repeated exposure	: Not classified
Polyethylene glycol (25322-68-3)	
LOAEL (oral,rat,90 days)	16000 mg/kg body weight Animal: rat, Guideline: other:
NOAEL (oral,rat,90 days)	8000 mg/kg body weight Animal: rat, Guideline: other:
NOAEC (inhalation,rat,dust/mist/fume,90 days)	1 mg/l air Animal: rat, Guideline: other:

AccuPoint® Advanced Extraction Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Buffer salts	
NOAEL (oral, rat, 90 days)	≥ 1500 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Buffer salts	
NOAEL (oral, rat, 90 days)	> 1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Ecotoxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified.

Hazardous to the aquatic environment, long-term (chronic) : Not classified.

Tertiary-octylphenoxypoly(ethoxyethanol) (9036-19-5)	
LC50 - Fish [1]	7.2 mg/l
EC50 96h - Algae [1]	0.21 mg/l
ErC50 algae	0.21 mg/l

Polyethylene glycol (25322-68-3)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Poecilia reticulata, Static system, Fresh water, Experimental value, Nominal concentration)
LC50 - Other aquatic organisms [1]	> 1000 mg/l (96 h)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	> 100 mg/l Test organisms (species): other:
NOEC (chronic)	17475.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	13671.59 mg/l Test organisms (species): other: Duration: '28 d'
BCF - Fish [1]	3.2 (Other, Pisces, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	-0.96 – -0.7 (Weight of evidence approach, Other, 30 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, Other, Calculated value)

Water (7732-18-5)	
Partition coefficient n-octanol/water (Log Pow)	-1.38

Buffer salts	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Read-across, Lethal)
LC50 - Fish [2]	1378 mg/l Test organisms (species):
EC50 - Crustacea [1]	490 mg/l (48 h, Daphnia magna, Fresh water, Read-across)
EC50 - Other aquatic organisms [1]	490 mg/l Test organisms (species):
EC50 96h - Algae [1]	15032.612 mg/l Source: ECOSAR

AccuPoint® Advanced Extraction Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

2-Methyl-5-chloro-3-isothiazolone (26172-55-4)	
LC50 - Fish [1]	0.19 mg/l Source: NCIS
EC50 - Crustacea [1]	0.18 mg/l Source: NCIS
EC50 96h - Algae [1]	0.062 mg/l Source: NCIS
Partition coefficient n-octanol/water (Log Pow)	0.401 Source: NCIS
Buffer salts	
LC50 - Fish [1]	541 mg/l (US EPA, 96 h, Pimephales promelas, Static system, Fresh water, Experimental value, Magnesium ion)
LC50 - Fish [2]	2119.3 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	140 mg/l Source: ECOTOX
EC50 72h - Algae [1]	2200 mg/l Source: ECOTOX
Partition coefficient n-octanol/water (Log Pow)	0.05 Source: Quantitative Structure Activity Relation
2-Methyl-4-isothiazolin-3-one hydrochloride (26172-54-3)	
EC50 - Crustacea [1]	2.33 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.289 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	8119.035 mg/l Source: ECOSAR
Tricine (5704-04-1)	
LC50 - Fish [1]	> 100 mg/l
EC50 - Crustacea [1]	> 100 mg/l
EC50 96h - Algae [1]	145000 mg/l (ECOSAR, Algae, QSAR)
EC50 96h - Algae [2]	≈ 92560.04 mg/l Test organisms (species): other:
Partition coefficient n-octanol/water (Log Pow)	-2.87 (QSAR, KOWWIN, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Sodium hydroxide pellets (1310-73-2)	
LC50 - Fish [1]	189 mg/l (48 h, Leuciscus idus, Fresh water, Experimental value)
EC50 - Crustacea [1]	40 mg/l (48 h, Ceriodaphnia sp., Experimental value, Locomotor effect)
Partition coefficient n-octanol/water (Log Pow)	-3.88 Source: SRC
12.2. Persistence and degradability	
AccuPoint® Advanced Extraction Solution	
Persistence and degradability	Not rapidly degradable
Tertiary-octylphenoxypoly(ethoxyethanol) (9036-19-5)	
Persistence and degradability	Biodegradability in water: no data available.
Polyethylene glycol (25322-68-3)	
Persistence and degradability	Readily biodegradable in water.
Water (7732-18-5)	
Persistence and degradability	Not rapidly degradable
Buffer salts	
Persistence and degradability	Biodegradability: not applicable.

AccuPoint® Advanced Extraction Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Buffer salts	
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
2-Methyl-5-chloro-3-isothiazolone (26172-55-4)	
Persistence and degradability	Not rapidly degradable
Buffer salts	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
2-Methyl-4-isothiazolin-3-one hydrochloride (26172-54-3)	
Persistence and degradability	Not rapidly degradable
Tricine (5704-04-1)	
Persistence and degradability	Readily biodegradable in water.
Sodium hydroxide pellets (1310-73-2)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
12.3. Bioaccumulative potential	
AccuPoint® Advanced Extraction Solution	
Bioaccumulative potential	No additional information available
Tertiary-octylphenoxypoly(ethoxyethanol) (9036-19-5)	
Bioaccumulative potential	No bioaccumulation data available.
Polyethylene glycol (25322-68-3)	
BCF - Fish [1]	3.2 (Other, Pisces, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	-0.96 – -0.7 (Weight of evidence approach, Other, 30 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, Other, Calculated value)
Bioaccumulative potential	Not bioaccumulative.
Water (7732-18-5)	
Partition coefficient n-octanol/water (Log Pow)	-1.38
Buffer salts	
Bioaccumulative potential	No bioaccumulation data available.
2-Methyl-5-chloro-3-isothiazolone (26172-55-4)	
Partition coefficient n-octanol/water (Log Pow)	0.401 Source: NCIS
Buffer salts	
Partition coefficient n-octanol/water (Log Pow)	0.05 Source: Quantitative Structure Activity Relation
Bioaccumulative potential	Not bioaccumulative.
Tricine (5704-04-1)	
Partition coefficient n-octanol/water (Log Pow)	-2.87 (QSAR, KOWWIN, 25 °C)

AccuPoint® Advanced Extraction Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Tricine (5704-04-1)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Bioaccumulative potential	Not bioaccumulative.
Sodium hydroxide pellets (1310-73-2)	
Partition coefficient n-octanol/water (Log Pow)	-3.88 Source: SRC
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

AccuPoint® Advanced Extraction Solution	
Mobility in soil	No additional information available
Polyethylene glycol (25322-68-3)	
Partition coefficient n-octanol/water (Log Pow)	-0.96 – -0.7 (Weight of evidence approach, Other, 30 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, Other, Calculated value)
Ecology - soil	Highly mobile in soil.
Water (7732-18-5)	
Partition coefficient n-octanol/water (Log Pow)	-1.38
Buffer salts	
Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available.
2-Methyl-5-chloro-3-isothiazolone (26172-55-4)	
Partition coefficient n-octanol/water (Log Pow)	0.401 Source: NCIS
Buffer salts	
Partition coefficient n-octanol/water (Log Pow)	0.05 Source: Quantitative Structure Activity Relation
Ecology - soil	No (test)data on mobility of the substance available.
Tricine (5704-04-1)	
Mobility in soil	-2.298 Source: Quantitative Structure Activity Relation
Partition coefficient n-octanol/water (Log Pow)	-2.87 (QSAR, KOWWIN, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.
Sodium hydroxide pellets (1310-73-2)	
Surface tension	No data available in the literature
Partition coefficient n-octanol/water (Log Pow)	-3.88 Source: SRC
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available

AccuPoint® Advanced Extraction Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

SECTION 13: Disposal considerations

Ecological waste information	: The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

SECTION 14: Transport information

In accordance with IMDG / IATA / UN RTDG

IMDG	IATA	UNRTDG
14.1. UN number		
Not regulated for transport		
14.2. Proper Shipping Name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
No supplementary information available		

14.6. Special precautions for user

UN RTDG

Not regulated

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

Priority Chemical List (PCL) and Chemical Control Orders (CCO)

Initial List of Single Substances and Compounds Covered under Chemical Control Order (CCO) and Priority Chemical List (PCL) DENR Administrative Order 2015-09	Not applicable	
Priority Chemical List DENR Administrative Order 2005-27	Not applicable	
Chemical Control Orders	Not applicable	

AccuPoint® Advanced Extraction Solution

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Priority Chemical List (PCL) and Chemical Control Orders (CCO)		
Chemical Control Order for Ozone Depleting Substances	Not applicable	

Others		
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Applicable	OCTYLPHENOXY POLYETHOXYETHANOL (9036-19-5) .alpha.-HYDRO-.omega.- HYDROXYPOLY(OXY-1,2-ETHANEDIYL) (25322-68-3) CRAON 17-502 (7732-18-5) Buffer salts 2-METHYL-5-CHLORO ISOTHIAZOLINONE (26172-55-4) 2-METHYL-3(2H)-ISOTHIAZOLONE HYDROCHLORIDE (26172-54-3) ANHYDROUS (CAUSTIC SODA) (1310-73-2)
Controlled Chemical for Manufacture of Explosives or Explosives Ingredients Presidential Decree No.1866	Not applicable	
Comprehensive Dangerous Drugs Act of 2002	Not applicable	
Fertilizers and Pesticides Regulation (Decree No. 1144)	Not applicable	
Food Additives Regulation	Additives approved only for limited number of food categories	POLYETHYLENE GLYCOL (25322-68-3)
	Additives approved only for use as food processing	Buffer salts Sodium hydroxide pellets (1310-73-2)
Management of Hazardous Waste (Republic Act No. 6969)	Not applicable	
Philippines Clean Air Act	Not applicable	
High Volume Chemicals List	Applicable	Sodium hydroxide (1310-73-2)

15.2. International regulations

No additional information available

SECTION 16: Other information

Version : 4.0
Issue date : 22/07/2025
Revision date : 29/06/2026
Supersedes : 18/06/2026

Safety Data Sheet (SDS), Philippines

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.