

SECTION 1 Identification

1.1. GHS Product identifier

Product form : Mixture
Trade name : Soleris® Supplement, Staphylococcus
Type of product : Food Safety -- [Food Safety]
Product code : SI-118B

1.2. Other means of identification

Part Number(s) : SI-118B|700003796

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Laboratory chemicals, Scientific research and development

1.4. Supplier's details

Manufacturer

Neogen Corporation
620 Leshar Place
Lansing, Michigan 48912
United States of America
T 800.234.5333
sds@neogen.com - <https://www.neogen.com/>

1.5. Emergency phone number

Emergency number : 24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

SECTION 2 Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Corrosive to metals, Category 1	H290	May be corrosive to metals.
Acute toxicity (oral), Category 4	H302	Harmful if swallowed.
Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 1	H318	Causes serious eye damage.
Skin sensitization, Category 1	H317	May cause an allergic skin reaction.
Germ cell mutagenicity, Category 2	H341	Suspected of causing genetic defects.

Full text of H statements : see section 16

2.2. GHS label elements, including precautionary statements

GHS CA labeling

Hazard pictograms (GHS CA) : 

Signal word (GHS CA) : Danger

Hazard statements (GHS CA) : H290 - May be corrosive to metals
H302 - Harmful if swallowed

Soleris® Supplement, Staphylococcus

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Precautionary statements (GHS CA)	: H315 - Causes skin irritation H317 - May cause an allergic skin reaction H318 - Causes serious eye damage H341 - Suspected of causing genetic defects. P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P234 - Keep only in original packaging. P261 - Avoid breathing dust, fume, gas, mist, vapors, spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or a doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - IF exposed or concerned: Get medical advice or attention. P310 - Immediately call a POISON CENTER or a doctor. P321 - Specific treatment (see supplemental first aid instruction on this label). P330 - Rinse mouth. P333+P313 - If skin irritation or rash occurs: Get medical advice or attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P390 - Absorb spillage to prevent material-damage. P405 - Store locked up. P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.
-----------------------------------	--

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
Colistin sulfate salt	belcomycin / colimycin sulfate / colistin, sulfate (salt) / colomycin / coly-mycin S / polymyxin E sulfate / polymyxin E sulfate (salt)	CAS-No.: 1264-72-8	≥ 15 – < 25	Acute Tox. 4 (Oral), H302

Soleris® Supplement, Staphylococcus

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Nalidixic acid	1-Ethyl-1,4-dihydro-7-methyl-4-oxo-1,8-naphthyridine-3-carboxylic acid ; Nalidixic acid 1,4-dihydro-1-ethyl-7-methyl-4-oxo-1,8-naphthyridine-3-carboxylic acid / 1,8-naphthyridine-3-carboxylic acid, 1-ethyl-1,4-dihydro-7-methyl-4-oxo- / 1-ethyl-1,4-dihydro-7-methyl-4-oxo-1,8-naphthyridine-3-carboxylic acid / 1-ethyl-7-methyl-1,4-dihydro-1,8-naphthyridin-4-one-3-carboxylic acid / 1-ethyl-7-methyl-1,8-naphthyridin-4-one-3-carboxylic acid / 1-ethyl-7-methyl-4-oxo-1,4-dihydro-1,8-naphthyridine-3-carboxylic acid / 3-carboxy-1-ethyl-7-methyl-1,8-naphthidin-4-one / betaxina / cybis / dixiben / eucisten / innoxalon / kusnarin / nalidic acid / nalidicron / nalidixan / nalidixic acid / nalidixin / nalidixinic acid / nalitucsan / nalix / nalurin / narigix / naxuril / NCI-C56199 / neggram / negram / nevigramon / nicelate / nogram / NSC-82174 / poleon / specifene / specifin / uralgin / uriben / uriclar /	CAS-No.: 389-08-2	≥ 15 – < 25	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Muta. 2, H341
----------------	--	-------------------	-------------	--

Soleris® Supplement, Staphylococcus

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
	urisal / urodixin / uroman / uroneg / uropan / WIN 18,320 / wintomylon			
Sodium hydroxide	Sodium hydroxide anhydrous caustic soda / B751 / caustic alkali / caustic flake / caustic flakes / caustic soda / caustic soda, bead / caustic soda, dry / caustic soda, flake / caustic soda, granular / caustic soda, lye / caustic soda, solid / caustic white / caustic, flaked / hydrate of soda / hydrate of sodium / hydroxide of soda / hydroxide of sodium / LEWIS red devil lye / lye (=sodium hydroxide) / soda lye / soda, caustic / soda, hydrate / sodium hydrate / sodium hydrate lye / sodium hydroxide / sodium hydroxide (Na(OH)) / sodium hydroxide, bead / sodium hydroxide, dry / sodium hydroxide, flake / sodium hydroxide, granular / sodium hydroxide, pellets / sodium hydroxide, solid / white caustic	CAS-No.: 1310-73-2	≥ 1 – < 5	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402 Aquatic Chronic 3, H412

Full text of hazard classes and H-statements : see section 16

Soleris® Supplement, Staphylococcus

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Call a poison center/doctor/physician if you feel unwell.
First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell.
Personal protection for first-aid responders.	: First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: None under normal conditions. Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Harmful if swallowed.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5 Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Special protective actions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
Environmental precautions	: Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

For containment	: Using a clean shovel, put the material in a dry container and cover without compressing it.
Methods for cleaning up	: Mechanically recover the product. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

Soleris® Supplement, Staphylococcus

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

For further information refer to section 13.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapors/spray.
- Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep in a cool, well-ventilated place away from heat.
- Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store locked up.
- Incompatible materials : Metals.
- Storage temperature : 2 – 8 °C
- Packaging materials : Store always product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Sodium hydroxide (1310-73-2)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	Sodium hydroxide
OEL C	2 mg/m ³
Notations and remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.
Regulatory reference	Alberta Regulation 191/2021
Canada (Quebec) - Occupational Exposure Limits	
Local name	Sodium hydroxide
Plafond (OEL C)	2 mg/m ³
Notations and remarks	RP
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
Canada (British Columbia) - Occupational Exposure Limits	
Local name	Sodium hydroxide
OEL C	2 mg/m ³
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
Canada (Manitoba) - Occupational Exposure Limits	
Local name	Sodium hydroxide
OEL C	2 mg/m ³
Notations and remarks	TLV® Basis: Eye, Skin & URT irr
Regulatory reference	ACGIH 2025

Soleris® Supplement, Staphylococcus

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Sodium hydroxide (1310-73-2)	
Canada (Newfoundland and Labrador) - Occupational Exposure Limits	
Local name	Sodium hydroxide
OEL C	2 mg/m ³
Notations and remarks	TLV® Basis: Eye, Skin & URT irr
Regulatory reference	ACGIH 2025
Canada (Nova Scotia) - Occupational Exposure Limits	
Local name	Sodium hydroxide
OEL C	2 mg/m ³
Notations and remarks	TLV® Basis: Eye, Skin & URT irr
Regulatory reference	ACGIH 2025
Canada (Nunavut) - Occupational Exposure Limits	
Local name	Sodium hydroxide
OEL C	2 mg/m ³
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
Canada (Northwest Territories) - Occupational Exposure Limits	
Local name	Sodium hydroxide
OEL C	2 mg/m ³
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)
Canada (Ontario) - Occupational Exposure Limits	
Local name	Sodium hydroxide
OEL C	2 mg/m ³
Regulatory reference	Occupational Health and Safety Act, R.S.O. 1990, c. O.1 - R.R.O. 1990, Reg. 833: Control of exposure to biological or chemical agents
Canada (Prince Edward Island) - Occupational Exposure Limits	
Local name	Sodium hydroxide
OEL C	2 mg/m ³
Notations and remarks	TLV® Basis: Eye, Skin & URT irr
Regulatory reference	ACGIH 2025
Canada (Saskatchewan) - Occupational Exposure Limits	
Local name	Sodium hydroxide
OEL C	2 mg/m ³
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

Soleris® Supplement, Staphylococcus

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Solid
Appearance	: tablet.
Color	: White
Odor	: Odorless
Odor threshold	: No data available
pH	: 8 – 8.1
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: Not applicable
Explosion limits	: Not applicable
Particle characteristics	: No data available

Soleris® Supplement, Staphylococcus

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: metals.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

SECTION 11 Toxicological information

11.1. Likely routes of exposure

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Soleris® Supplement, Staphylococcus	
ATE CA (oral)	1261.771 mg/kg body weight
Unknown acute toxicity (GHS CA)	45.1% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 49.88% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

Colistin sulfate salt (1264-72-8)	
ATE CA (oral)	500 mg/kg body weight

Nalidixic acid (389-08-2)	
LD50 oral rat	1160 mg/kg (Rat, Oral)
ATE CA (oral)	1160 mg/kg body weight

Sodium hydroxide (1310-73-2)	
LD50 oral	325 mg/kg
LD50 dermal rabbit	1350 mg/kg
ATE CA (oral)	325 mg/kg body weight
ATE CA (Dermal)	1350 mg/kg body weight

Skin corrosion/irritation	: Causes skin irritation. pH: 8 – 8.1
---------------------------	--

Sodium hydroxide (1310-73-2)	
pH	14 (5 %)

Serious eye damage/irritation	: Causes serious eye damage. pH: 8 – 8.1
-------------------------------	---

Sodium hydroxide (1310-73-2)	
pH	14 (5 %)

Respiratory or skin sensitization	: May cause an allergic skin reaction.
-----------------------------------	--

Soleris® Supplement, Staphylococcus

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

Soleris® Supplement, Staphylococcus

Viscosity, kinematic	Not applicable
----------------------	----------------

Nalidixic acid (389-08-2)

Viscosity, kinematic	Not applicable
----------------------	----------------

Sodium hydroxide (1310-73-2)

Viscosity, kinematic	No data available in the literature
----------------------	-------------------------------------

Symptoms/effects after inhalation	: None under normal conditions. Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Harmful if swallowed.

SECTION 12 Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified.
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.

Nalidixic acid (389-08-2)

LC50 - Fish [1]	722.335 mg/l Source: Ecological Structure Activity Relationships
EC50 96h - Algae [1]	910.539 mg/l Source: Ecological Structure Activity Relationships

Sodium hydroxide (1310-73-2)

LC50 - Fish [1]	189 mg/l (48 h, Leuciscus idus, Fresh water, Experimental value)
EC50 - Crustacea [1]	40 mg/l (48 h, Ceriodaphnia sp., Experimental value, Locomotor effect)

12.2. Persistence and degradability

Soleris® Supplement, Staphylococcus

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Colistin sulfate salt (1264-72-8)

Persistence and degradability	Biodegradability in water: no data available.
-------------------------------	---

Nalidixic acid (389-08-2)

Persistence and degradability	Biodegradability in water: no data available.
-------------------------------	---

Sodium hydroxide (1310-73-2)

Persistence and degradability	Biodegradability: not applicable.
-------------------------------	-----------------------------------

Soleris® Supplement, Staphylococcus

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Sodium hydroxide (1310-73-2)	
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

12.3. Bioaccumulative potential

Colistin sulfate salt (1264-72-8)	
Bioaccumulative potential	No bioaccumulation data available.

Nalidixic acid (389-08-2)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Partition coefficient n-octanol/water (Log Pow)	1.41

Sodium hydroxide (1310-73-2)	
Bioaccumulative potential	Not bioaccumulative.
Partition coefficient n-octanol/water (Log Pow)	-3.88 Source: SRC

12.4. Mobility in soil

Sodium hydroxide (1310-73-2)	
Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

Ozone : Not classified
Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations.
Additional information : Do not re-use empty containers.

SECTION 14 Transport information

In accordance with TDG / DOT / IMDG / IATA

TDG	DOT	IMDG	IATA
14.1. UN Number			
Not regulated for transport			
14.2. UN Proper Shipping Name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated

Soleris® Supplement, Staphylococcus

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

TDG	DOT	IMDG	IATA
14.4. Packing group, if applicable			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

14.6. Special precautions for user

TDG

Not regulated

DOT

Not regulated

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78⁹ and the IBC Code¹⁰

Not applicable

SECTION 15 Regulatory information

Colistin sulfate salt (1264-72-8)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

Nalidixic acid (389-08-2)

Listed on the Canadian DSL (Domestic Substances List)

Canada DSL & NDSL Flags

Significant New Activity (SNAc) provisions of the Act apply

Sodium hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List)

Colistin sulfate salt (1264-72-8)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Nalidixic acid (389-08-2)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Soleris® Supplement, Staphylococcus

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 16 Other Information

Issue date : 07-22-2025
Revision date : 08-25-2025
Supersedes : 07-22-2025

Full text of hazard classes and H-statements:

H290	May be corrosive to metals
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H341	Suspected of causing genetic defects.
H402	Harmful to aquatic life
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), Canada

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.