

RESTRICTED USE PESTICIDE

DUE TO HAZARD TO NON-TARGET SPECIES

For retail sale to and use only by Certified applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

FIFRA Section 24(c) Special Local Need Label

For Distribution and Use Only in the State of Oregon

Prozap[®] Zinc Phosphide Pellets

EPA Reg. No. 61282-49

EPA SLN No. OR-190019

For Control of Voles and Deer Mice in Hop Fields

This label valid until **December 31, 2029** or until otherwise amended, withdrawn, cancelled, or suspended.

Active Ingredient: Zinc Phosphide	2.0%
<u>Other Ingredients.....</u>	<u>98.0%</u>
Total.....	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

(In addition to those on parent product (EPA Reg. No. 61282-49))

ENVIRONMENTAL HAZARDS

This product is extremely toxic to birds, fish and other wildlife. Wildlife feeding on treated bait may be killed. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

To protect the Washington ground squirrel (*Uroditellus washingtoni*), use is prohibited in shrub-steppe and grassland habitat with deep loam and sandy loam soils of northern Gilliam, Morrow, and Umatilla Counties. In addition, use is prohibited on any lands that lie within 250 meters of occupied Washington ground squirrel sites. For information regarding these restrictions and to determine if the desired location of application lies within the scope of this restriction, please call the Oregon Department of Fish and Wildlife at 541-676-5230.

Users are advised that the Migratory Bird Treaty Act makes it unlawful to kill any migratory bird except as permitted by regulation. **Any bird deaths caused by application of this pesticide is a violation of both state and federal law.** In North America, all birds are considered migratory except for upland game birds (e.g. grouse, ptarmigans, prairie chickens, quail, ring-necked pheasant and wild turkey) and introduced bird species (e.g. European starling, house sparrow, and rock dove). Refer to label booklet for Endangered Species Considerations.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This Special Local Need (SLN) label, the package label, and the booklet for Prozap® Zinc Phosphide Pellets (EPA Reg. No. 61282-49) must be in the possession of the user at the time of application. All applicable directions, restrictions, and precautions on the package label, the booklet, and on this SLN label must be followed.

Use Restrictions: For control of voles (*Microtus* spp.), and deer mice (*Peromyscus* spp.) in hop fields only as specified below. Do not apply to any site, against any pest, or by any method of application not stated on this label.

Application Directions and Restrictions for Below-Ground Hand Baiting (Year-Round):

Below-ground hand baiting can be conducted all times of the year. Place a **teaspoon** quantity directly down holes leading to underground burrow systems.

- Apply at a rate of 6-10 pounds per acre.
- Do not disturb runway system.
- **For below-ground baiting, do not allow ANY pellets to be placed above ground during the application.**
- Do not allow bait to be exposed on bare ground.
- Do not apply if rain is forecasted within the next 24 hours.

Application Directions and Restrictions for Ground Broadcast Baiting (Post-Harvest and Dormant Season Only):

Broadcast evenly using commercial bait dispensing equipment. Concentrate baiting in areas with heaviest vegetative cover.

- Apply at a rate of 6-10 pounds per acre.
- Do not apply bait in piles or permit piles to be formed by equipment.
- Broadcast-apply bait only after fall harvest and before new spring growth, and when no rain or snow is forecasted for three consecutive days. **Do not broadcast-apply bait during the growing season.**

Additional Restrictions:

- Do not apply this product by air.
- Do not apply bait more than twice per year.
- Do not reapply bait within 30 days of the first application.

Additional Restrictions Continued:

- A maximum of 20 lb (0.4 lb active) of bait per acre may be applied annually by either below-ground hand baiting or ground broadcast application.
- Do not make applications if geese or other migratory birds have been observed in the field within the last fourteen (14) days.
- Keep out of any body of water. Do not apply where runoff is likely to occur.
- Do not apply bait in a manner that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Keep all other persons out of the treated area during application.

- Do not allow pets, livestock, or other non-target animals to be exposed to bait.
- Anyone who applies bait by ground equipment must wear a dust mask and barrier laminate gloves. Applicators must wear barrier laminate gloves with hand baiting.

IMPROVING EFFICACY

- Avoid applying zinc phosphide at rates less than allowed by this label. Voles may develop a learned aversion to zinc phosphide when exposed to sub-lethal rates.
- Only treat holes which appear to be actively used by voles. Do not treat holes that appear unoccupied (spider webs or debris in front of hole).
- Zinc phosphide bait deteriorates when exposed to rain, humidity and wet acidic soils. The longer the product is exposed to these conditions, the less effective it will be. Efficacy may be improved if applications are made after the soil pH is increased. Avoid treating before morning dew evaporates.

24(c) Registrant:
HACCO, Inc.
110 Hopkins Drive
Randolph, WI 53956

Bilingual Reference English/Spanish

Prozap® Zinc Phosphide Pellets

EPA Reg. No. 61282-49

SLN No. OR-190019

SPECIAL LOCAL NEEDS (24c) LABEL/NECESIDAD LOCAL ESPECIAL ETIQUETA (24c)

Active Ingredient/Ingrediente Activo: Zinc Phosphide2.0%

Other Ingredients/Otros Ingredientes:.....98.0%

Total.....100.0%

RESTRICTED USE PESTICIDE	PESTICIDA DE USO RESTRINGIDO
DUE TO HAZRD TO NON-TARGET SPECIES	DEBIDO AL PELIGRO PARA ESPECIES NO OBJETIVO
For retail sale to and use only by Certified applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.	Para la venta al por menor y uso únicamente por aplicadores certificados o personas que estén bajo su directa supervisión y únicamente para los usos detallados en el certificado de la Certificación del Aplicador.
KEEP OUT OF REACH OF CHILDREN	MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
SIGNAL WORD: CAUTION	PALABRA CLAVE: PRECAUCIÓN
PRECAUTIONARY STATEMENTS (In addition to those on parent product (EPA Reg. No. 61282-49) ENVIRONMENTAL HAZARDS This product is extremely toxic to birds, fish and other wildlife. Wildlife feeding on treated bait may be killed. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. To protect the Washington ground squirrel (<i>Spermophilus washingtoni</i>), use is prohibited in shrub-steppe and grassland habitat with deep loam and sandy-loam soils of northern Gilliam, Morrow, and Umatilla Counties. In addition, use is prohibited on any lands that lie within 250 meters of occupied Washington ground squirrel sites. For information regarding these restrictions and to determine if the desired location of application lies within the scope of this restriction, please call the Oregon Department of Fish and Wildlife at 541-676-5230. Users are advised that the Migratory Bird Treaty Act makes it unlawful to kill any migratory bird except as permitted by regulation. Any bird deaths caused by application of this pesticide are a violation of both state and federal law. In North America, all birds are considered migratory except for upland game birds (e.g. grouse, ptarmigans, prairie chickens, quail, ring-necked pheasant and wild turkey) and introduced bird species (e.g. European starling, house sparrow, and rock dove). Refer to label booklet for Endangered Species Considerations.	DECLARACIONES DE PRECAUCIÓN Además de los de producto principal (EPA Reg. No. 61282-49) PELIGROS AMBIENTALES Este producto es extremadamente tóxico para aves, peces y otros animales silvestres. Los animales que se alimenten del cebo tratado pueden morir. Perros, gatos y otros mamíferos y aves depredadoras o carroñeras podrían envenenarse si se alimentan de animales que han comido este cebo. No lo apliques directamente al agua, ni en áreas donde haya agua en la superficie, ni en zonas intermareales por debajo de la marca del nivel medio del agua alta. No lo uses en lugares donde sea probable que se produzca escorrentía. No contamines el agua al limpiar equipos o deshacerte de los residuos. Para proteger a la ardilla de tierra de Washington (<i>Spermophilus washingtoni</i>), está prohibido su uso en hábitats de matorral-estepa y pastizales con suelos de loam profundo y loam arenoso en el norte de los condados de Gilliam, Morrow y Umatilla. Además, está prohibido su uso en cualquier terreno que se encuentre a menos de 250 metros de sitios ocupados por la ardilla de tierra de Washington. Para obtener información sobre estas restricciones y para determinar si el lugar donde quieres aplicar se encuentra dentro del alcance de esta restricción, llama al Departamento de Pesca y Vida Silvestre de Oregon al 541-676-5230. Se recomienda a los usuarios que la Ley del Tratado de Aves Migratorias establece que es ilegal matar cualquier ave migratoria, excepto cuando lo permita la normativa. Cualquier muerte de aves causada por la aplicación de este pesticida viola tanto la ley estatal como la federal. En Norteamérica, todas las aves se consideran migratorias, excepto las aves de caza de tierra (por ejemplo, el urogallo, las perdices nival, los pollos de pradera, la codorniz, el faisán de cuello anillado y el pavo salvaje) y las especies de aves introducidas (por ejemplo, la estornino europeo, el gorrión doméstico y la paloma bravía). Consulta el folleto de la etiqueta para consideraciones sobre especies en peligro.
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.	Es una violación de la ley federal utilizar este producto de manera inconsistente con lo indicado en su etiqueta.
This labeling, the package label, and the booklet label for Prozap® Zinc Phosphide Pellets (EPA Reg. No. 61282-49) must be in the possession of the user at the time of application. All applicable direction, restrictions, and precautions on the package label, the booklet, and on this SLN label must be followed.	Esta etiqueta, la etiqueta del paquete y la etiqueta del folleto de Prozap® Zinc Fosfuro Pellets (EPA Reg. No. 61282-49) deben estar en posesión del usuario en el momento de la aplicación. Se deben seguir todas las instrucciones, restricciones y precauciones aplicables en la etiqueta del paquete, el folleto y esta etiqueta SLN.