

RESTRICTED USE PESTICIDE

DUE TO HAZARD TO NON-TARGET SPECIES

For retail sale to and use only by Certified applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

FIFRA SECTION 24(c) SPECIAL LOCAL NEED LABEL

For Distribution and Use Only in the State of Oregon

Prozap[®] Zinc Phosphide Pellets

EPA Reg. No. 61282-49

EPA SLN No. OR-200008

**For Control of Voles and Mice in Clover Grown for Seed and
Only for Uses and Application Methods on this 24(c) SLN Label**

**This label valid until May 15, 2027, or until otherwise
amended, withdrawn, cancelled, or suspended.**

Active Ingredient: Zinc Phosphide	2.0%
<u>Other Ingredients</u>	<u>98.0%</u>
Total	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

(In addition to those on parent product (EPA Reg. No. 61282-49))

ENVIRONMENTAL HAZARDS

This product is extremely toxic to birds, fish and other wildlife. Wildlife feeding on treated bait may be killed. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

To protect the Washington ground squirrel (*Uroditellus washingtoni*), use is prohibited in shrub-steppe and grassland habitat with deep loam and sandy-loam soils of northern Gilliam, Morrow, and Umatilla Counties. In addition, use is prohibited on any lands that lie within 250 meters of occupied Washington ground squirrel sites. For information regarding these restrictions and to determine if the desired location of application lies within the scope of this restriction, please call the Oregon Department of Fish and Wildlife at 541-676-5230.

Users are advised that the Migratory Bird Treaty Act makes it unlawful to kill any migratory bird except as permitted by regulation. **Any bird deaths caused by application of this pesticide is a violation of both state and federal law.** In North America, all birds are considered migratory except for upland game birds (e.g. grouse, ptarmigans, prairie-chickens, quail, ring-necked pheasant and wild turkey) and introduced bird species (e.g. European starling, house sparrow, and rock dove). Refer to label booklet for Endangered Species Considerations.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This Section 24(c) SLN label and the Section 3 container and booklet labeling for Prozap® Zinc Phosphide Pellets (EPA Reg. No. 61282-49) must be in the possession of the user at the time of application. All applicable directions, restrictions, and precautions on the Section 3 container and booklet labeling and on this SLN label must be followed.

Use Restrictions: For control of voles (*Microtus spp.*), house mice, and deer mice in clover grown for seed as specified below.

Application Timing: Applications of this product under this SLN label may begin on **April 28, 2026**.

Applications may be made through September 30, **2026**, or until Canada geese and cackling geese have been observed in the clover seed fields that were intended for treatment, whichever comes first. Depending on the year, Canada geese or cackling geese migrating southward may be observed in the field in mid-September or earlier. Above-ground applications of zinc phosphide may NOT be made if Canada geese or cackling geese have been observed in the field within the last fourteen (14) days, regardless of date.

Application Restrictions:

- Do not make applications if geese or other migratory birds have been observed in the field within the last fourteen (14) days.
- If geese are observed in the treated field within seven (7) days after broadcast application of this product, hazing is recommended. A hazing permit is not required.
- Keep out of any body of water. Do not apply where runoff is likely to occur.
- Do not graze animals on treated area or harvest any part of the treated crop for livestock feed.
- Do not apply if rain is forecast or irrigation is planned within the next three (3) days.
- Do not exceed four (4) applications per treated area per year.
- Anyone who applies bait by ground equipment must wear a dust mask and barrier laminate gloves. Applicators must wear barrier laminate gloves with hand baiting.

APPLICATION DIRECTIONS

For control of the vole complex (*Microtus spp.*), house mouse (*Mus musculus*), and deer mouse (*Peromyscus maniculatus*)

Broadcast Applications

When all restrictions indicated on this label are met, this product may be broadcast, either by air or by ground driven dispensing devices, cyclone seeder, or by hand in areas with heaviest vegetative cover. Apply at a rate of 6-10 pounds per acre. Use the higher label rate in areas with highest active population level. The number of vole holes is not an indicator of population level or activity.

Do not broadcast bait on bare ground. Do not apply by air when wind velocity exceeds 10 mph.

If applying this product after swathing the seed crop and while crop is drying in windrows, only apply between windrows. Do not apply over or on windrows or in such a manner that may result in zinc phosphide bait being combined with the clover. **This product may NOT be applied by air after swathing and while crop is drying in windrows.** However, aerial broadcast applications may resume after the seed crop has been combined and continue through **September 30, 2026**.

IMPROVING EFFICACY

Zinc phosphide bait deteriorates when exposed to rain, humidity and wet acidic soils. The longer the product is exposed to these conditions, the less effective it will be. Efficacy may be improved if applications are made after the soil pH is increased. Avoid treating before morning dew evaporates.

Special Crop Use Restrictions:

The pesticide applicator, the producer of the crop, and the seed conditioner must be aware that use of this product according to this labeling is deemed a nonfeed/non-food use by the Oregon Department of Agriculture, and is regulated by Oregon Administrative Rule (OAR) 603-057-0535, Pesticide Use On Crops Grown For Seed. If the applicator of this pesticide is not the producer, the applicator must provide a copy of this labeling to the producer of the crop. Producers of this crop who use this product, or cause the product to be used on a field they operate, must provide a copy of this pesticide label to the seed conditioner.

This pesticide does not have an established pesticide residue tolerance for this crop. Consequently, no portion of this seed crop may be used or distributed for food or feed for 1 year (365 days) after the last application of this product. This restriction pertains to, but is not limited to green chop, forage, hay, pellets, meal, whole seed, cracked seed, straw, roots, bulbs, foliage or seed screenings, and to the grazing of the crop field, stubble or regrowth. All seed screenings shall be disposed of in such a manner that the screenings cannot be distributed or used for food or feed purposes, as indicated in OAR 603-057-0535. Additional regulations concerning seed screenings are stated in OAR 603-057-0535.

Any seed from a field treated with this pesticide product shall bear specific and conspicuous container labeling, or if shipped in bulk, on the shipment invoice or bill of lading. The labeling shall contain the following statement:

"This seed was produced using one or more products for which the United States Environmental Protection Agency has not established pesticide residue tolerances. This seed, in whole, as sprouts, or in any form, may not be used for human consumption or animal feed. Failure to comply with this condition may violate requirements of the Federal Food and Drug Administration, the Oregon Department of Agriculture and other regulatory agencies."

24(c) Registrant:
HACCO, Inc.
110 Hopkins Drive
Randolph, WI 53956

Bilingual Reference English/Spanish

Prozap® Zinc Phosphide Pellets

EPA Reg. No. 61282-49

SLN No. OR-200008

SPECIAL LOCAL NEEDS (24c) LABEL/NECESIDAD LOCAL ESPECIAL ETIQUETA (24c)

Active Ingredient/Ingrediente Activo: Zinc Phosphide2.0%

Other Ingredients/Otros Ingredientes:.....98.0%

Total.....100.0%

RESTRICTED USE PESTICIDE	PESTICIDA DE USO RESTRINGIDO
DUE TO HAZRD TO NON-TARGET SPECIES	DEBIDO AL PELIGRO PARA ESPECIES NO OBJETIVO
For retail sale to and use only by Certified applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.	Para la venta al por menor y uso únicamente por aplicadores certificados o personas que estén bajo su directa supervisión y únicamente para los usos detallados en el certificado de la Certificación del Aplicador.
KEEP OUT OF REACH OF CHILDREN	MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
SIGNAL WORD: CAUTION	PALABRA CLAVE: PRECAUCIÓN
PRECAUTIONARY STATEMENTS (In addition to those on parent product (EPA Reg. No. 61282-49) ENVIRONMENTAL HAZARDS This product is extremely toxic to birds, fish and other wildlife. Wildlife feeding on treated bait may be killed. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. To protect the Washington ground squirrel (<i>Urocyon</i> <i>washingtoni</i>), use is prohibited in shrub-steppe and grassland habitat with deep loam and sandy-loam soils of northern Gilliam, Morrow, and Umatilla Counties. In addition, use is prohibited on any lands that lie within 250 meters of occupied Washington ground squirrel sites. For information regarding these restrictions and to determine if the desired location of application lies within the scope of this restriction, please call the Oregon Department of Fish and Wildlife at 541-676-5230. Users are advised that the Migratory Bird Treaty Act makes it unlawful to kill any migratory bird except as permitted by regulation. Any bird deaths caused by application of this pesticide are a violation of both state and federal law. In North America, all birds are considered migratory except for upland game birds (e.g. grouse, ptarmigans, prairie chickens, quail, ring-necked pheasant and wild turkey) and introduced bird species (e.g. European starling, house sparrow, and rock dove). Refer to label booklet for Endangered Species Considerations.	DECLARACIONES DE PRECAUCIÓN (Además de los del producto principal (EPA Reg. No. 61282-49) PELIGROS AMBIENTALES Este producto es extremadamente tóxico para aves, peces y otros animales silvestres. Los animales que se alimenten del cebo tratado pueden morir. Perros, gatos y otros mamíferos y aves depredadoras o carroñeras podrían envenenarse si se alimentan de animales que han comido este cebo. No lo apliques directamente al agua, ni en áreas donde haya agua en la superficie, ni en zonas intermareales por debajo de la marca del nivel medio del agua alta. No lo uses en lugares donde sea probable que se produzca escorrentía. No contamines el agua al limpiar equipos o deshacerte de los residuos. Para proteger a la ardilla de tierra de Washington (<i>Urocyon</i> <i>washingtoni</i>), está prohibido su uso en hábitats de matorral-estepa y pastizales con suelos de loam profundo y loam arenoso en el norte de los condados de Gilliam, Morrow y Umatilla. Además, está prohibido su uso en cualquier terreno que se encuentre a menos de 250 metros de sitios ocupados por la ardilla de tierra de Washington. Para obtener información sobre estas restricciones y para determinar si el lugar donde quieres aplicar se encuentra dentro del alcance de esta restricción, llama al Departamento de Pesca y Vida Silvestre de Oregon al 541-676-5230. Se recomienda a los usuarios que la Ley del Tratado de Aves Migratorias establece que es ilegal matar cualquier ave migratoria, excepto cuando lo permita la normativa. Cualquier muerte de aves causada por la aplicación de este pesticida viola tanto la ley estatal como la federal. En Norteamérica, todas las aves se consideran migratorias, excepto las aves de caza de tierra (por ejemplo, el urogallo, las perdices nival, los pollos de pradera, la codorniz, el faisán de cuello anillado y el pavo salvaje) y las especies de aves introducidas (por ejemplo, la estornino europeo, el gorrión doméstico y la paloma bravía). Consulta el folleto de la etiqueta para consideraciones sobre especies en peligro
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.	Es una violación de la ley federal utilizar este producto de manera inconsistente con lo indicado en su etiqueta.
This labeling, the package label, and the booklet label for Prozap® Zinc Phosphide Pellets (EPA Reg. No. 61282-49) must be in the possession of the user at the time of application. All applicable direction, restrictions, and precautions on the package label, the booklet, and on this SLN label must be followed.	Esta etiqueta, la etiqueta del paquete y la etiqueta del folleto de Prozap® Zinc Fosfuro Pellets (EPA Reg. No. 61282-49) deben estar en posesión del usuario en el momento de la aplicación. Se deben seguir todas las instrucciones, restricciones y precauciones aplicables en la etiqueta del paquete, el folleto y esta etiqueta SLN.