

RESTRICTED USE PESTICIDE

DUE TO HAZARD TO NON-TARGET SPECIES

For retail sale to and use only by Certified applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

FIFRA Section 24(c) Special Local Need (SLN)

For Distribution and Use Only in the State of Utah

Prozap[®] Zinc Phosphide Pellets

EPA Reg. No. 61282-49

EPA SLN No. UT-15-0003

For Control of Voles in:

Alfalfa, Timothy and Timothy/Alfalfa and Mixtures Produced for Hay, and Timothy Produced for Seed

Active Ingredient: Zinc Phosphide	2.0%
<u>Other Ingredients</u>	<u>98.0%</u>
Total	100.0%

This label is valid until **June 30, 2027** or until otherwise amended, withdrawn, cancelled or suspended before that date.

KEEP OUT OF REACH OF CHILDREN

CAUTION

ENVIRONMENTAL HAZARDS

This product is extremely toxic to birds, fish and other wildlife. Wildlife feeding on treated bait may be killed. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

To protect the Washington ground squirrel (*Urocitellus washingtoni*), use is prohibited in shrub-steppe and grassland habitat with deep loam and sandy loam soils of northern Gilliam, Morrow, and Umatilla Counties. In addition, use is prohibited on any lands that lie within 250 meters of occupied Washington ground squirrel sites. For information regarding these restrictions and to determine if the desired location of application lies within the scope of this restriction, please call the Oregon Department of Fish and Wildlife at 541-676-5230.

Users are advised that the Migratory Bird Treaty Act makes it unlawful to kill any migratory bird except as permitted by regulation. **Any bird deaths caused by application of this pesticide are a violation of both state and federal law.** In North America, all birds are considered migratory except for upland game birds (e.g. grouse, ptarmigans, prairie chickens, quail, ring-necked pheasant and wild turkey) and introduced bird species (e.g. European starling, house sparrow, and rock dove). Refer to label booklet for Endangered Species Considerations.

24(c) Registrant:
HACCO, Inc.
110 Hopkins Drive
Randolph, WI 53956

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. THIS LABEL AND THE LABEL FOR THE FEDERALLY REGISTERED PRODUCT, EPA REG. NO. 61282-49, MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION. READ THIS ENTIRE LABEL AND THE ENTIRE LABEL FOR 61282-49. FOLLOW ALL DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS FOUND ON THIS LABEL AND ALL THE APPLICABLE REQUIREMENTS ON THE LABEL FOR 61282-49

ALFALEA

VOLES

USE RESTRICTIONS: For control of meadow voles, long-tailed voles, California voles, Oregon voles, mountain voles and Townsend's voles (*Microtus spp.*) in alfalfa. All applications must occur shortly after a cutting of the hay, and/or prior to the next growth's attaining a length of 2 inches. Alfalfa forage from treated areas must not be harvested until it reaches maturity.

BROADCAST BAITING: This product may be broadcast by air or ground-driven dispensing devices. Apply at a rate of up to 10 lbs. per acre (0.2 lb. ai/A). For voles, make two applications per year separated by a minimum interval of 25 days. A maximum of 20 lbs per acre (0.4 lb ai/A) may be applied per year. Do not apply by air when wind velocity exceeds 10 mph. Do not apply in piles or permit piles to be formed by equipment.

TIMOTHY AND TIMOTHY / ALFALEA AND MIXTURES PRODUCED FOR HAY

VOLES

USE RESTRICTIONS: For control of meadow voles, long-tailed voles, California voles, Oregon voles, mountain voles, and Townsend's voles (*Microtus spp.*) in timothy and timothy/alfalfa mixtures. Do not apply by air. Do not apply to actively growing timothy or timothy/alfalfa mixtures. Do not apply to timothy or timothy/alfalfa mixtures within 60 days of harvest. Do not graze animals in treated areas.

BROADCAST BAITING: Broadcast bait using by hand, cyclone seeder, or ground-driven dispensing devices. A maximum of 2 applications by ground may be made at the rate of 5 to 10 lbs. per acre (0.1-0.2 lb ai/A), one in the fall after the last cutting and one in the spring when timothy and timothy-legume mixtures are still dormant. Do not apply in piles or permit piles to be formed by equipment. A maximum of 20 lbs (0.4 lb ai/A) per acre may be applied annually.

TIMOTHY PRODUCED FOR SEED

VOLES

USE RESTRICTIONS: For control of meadow voles, long-tailed voles, California voles, Oregon voles, mountain voles, and Townsend's voles (*Microtus spp.*) in timothy during the non-growing season. Do not apply by air. Do not apply to actively growing timothy or timothy/alfalfa or timothy/clover mixtures. A minimum of 158 days must pass between an application of Prozap Zinc Phosphide Pellets and any livestock foraging activity. . Do not graze animals in treated areas.

BROADCAST BAITING: This product may be broadcast by hand, cyclone seeder, or ground-driven dispensing devices at rates of up to 10 lbs (0.2 lb active ingredient) per acre during crop dormancy. A maximum of 20 lbs per acre (0.4 lb ai/A) may be applied annually.

IMPORTANT

- Do not apply zinc phosphide within a 100-foot radius of potable wells.
- Do not apply zinc phosphide within 40 feet of any watercourse, which includes ditches, irrigation canals, drainage areas, or other areas where surface water is present.
- Do not allow livestock foraging activity on treated alfalfa until 158 days after application.
- A valid pesticide applicator's license is required for all applications.

24(c) Registrant:
HACCO, Inc.
110 Hopkins Drive
Randolph, WI 53956

SLN UT-15-0003

Bilingual Reference English/Spanish

Prozap® Zinc Phosphide Pellets

EPA Reg. No. 61282-49

SLN No. UT-15-0003

SPECIAL LOCAL NEEDS (24c) LABEL/NECESIDAD LOCAL ESPECIAL ETIQUETA (24c)

Active Ingredient/Ingrediente Activo: Zinc Phosphide2.0%
Other Ingredients/Otros Ingredientes:.....98.0%
 Total.....100.0%

RESTRICTED USE PESTICIDE	PESTICIDA DE USO RESTRINGIDO
DUE TO HAZRD TO NON-TARGET SPECIES	DEBIDO AL PELIGRO PARA ESPECIES NO OBJETIVO
For retail sale to and use only by Certified applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.	Para la venta al por menor y uso únicamente por aplicadores certificados o personas que estén bajo su directa supervisión y únicamente para los usos detallados en el certificado de la Certificación del Aplicador.
KEEP OUT OF REACH OF CHILDREN	MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
SIGNAL WORD: CAUTION	PALABRA CLAVE: PRECAUCIÓN
ENVIRONMENTAL HAZARDS This product is extremely toxic to birds, fish and other wildlife. Wildlife feeding on treated bait may be killed. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. To protect the Washington ground squirrel (<i>Urocyonellus washingtoni</i>), use is prohibited in shrub-steppe and grassland habitat with deep loam and sandy-loam soils of northern Gilliam, Morrow, and Umatilla Counties. In addition, use is prohibited on any lands that lie within 250 meters of occupied Washington ground squirrel sites. For information regarding these restrictions and to determine if the desired location of application lies within the scope of this restriction, please call the Oregon Department of Fish and Wildlife at 541-676-5230. Users are advised that the Migratory Bird Treaty Act makes it unlawful to kill any migratory bird except as permitted by regulation. Any bird deaths caused by application of this pesticide are a violation of both state and federal law. In North America, all birds are considered migratory except for upland game birds (e.g. grouse, ptarmigans, prairie chickens, quail, ring-necked pheasant and wild turkey) and introduced bird species (e.g. European starling, house sparrow, and rock dove). Refer to label booklet for Endangered Species Considerations.	PELIGROS AMBIENTALES Este producto es extremadamente tóxico para aves, peces y otras especies silvestres. Las especies silvestres que coman cebo tratado pueden morir. Los perros, gatos y otros mamíferos depredadores y carroñeros, así como las aves pueden envenenarse si se alimentan de animales que hayan comido este cebo. No aplique directamente a cuerpos de agua, en áreas donde haya aguas superficiales, o en áreas intermareales que se encuentren bajo el nivel de altura máxima promedio del agua. No aplique donde sea probable que se produzcan escorrentías. No contamine el agua con la limpieza de los equipos o la eliminación de residuos. Para proteger a la ardilla de tierra de Washington (<i>Urocyonellus washingtoni</i>), está prohibido su uso en hábitats de matorral-estepa y pastizales con suelos de loam profundo y loam arenoso en el norte de los condados de Gilliam, Morrow y Umatilla. Además, está prohibido su uso en cualquier terreno que se encuentre a menos de 250 metros de sitios ocupados por la ardilla de tierra de Washington. Para obtener información sobre estas restricciones y para determinar si el lugar donde quieres aplicar se encuentra dentro del alcance de esta restricción, llama al Departamento de Pesca y Vida Silvestre de Oregón al 541-676-5230. Se recomienda a los usuarios que la Ley del Tratado de Aves Migratorias establece que es ilegal matar cualquier ave migratoria, excepto cuando lo permita la normativa. Cualquier muerte de aves causada por la aplicación de este pesticida viola tanto la ley estatal como la federal. En Norteamérica, todas las aves se consideran migratorias, excepto las aves de caza de tierra (por ejemplo, el urogallo, las perdices nival, los pollos de pradera, la codorniz, el faisán de cuello anillado y el pavo salvaje) y las especies de aves introducidas (por ejemplo, la estornino europeo, el gorrión doméstico y la paloma bravía). Consulta el folleto de la etiqueta para consideraciones sobre especies en peligro.
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.	Es una violación de la ley federal utilizar este producto de manera inconsistente con lo indicado en su etiqueta.
This label and the label for the federally registered product, epa reg. No. 61282-49, must be in the possession of the user at the time of pesticide application. Read this entire label and the entire label for 61282-49. Follow all directions, restrictions, and precautions found on this label and all the applicable requirements on the label for 61282-49.	Esta etiqueta y la etiqueta del producto registrado federalmente, epa reg. No. 61282-49, deben estar en posesión del usuario al momento de aplicar el pesticida. Lea toda esta etiqueta y toda la etiqueta del 61282-49. Siga todas las instrucciones, restricciones y precauciones encontradas en esta etiqueta y todos los requisitos aplicables en la etiqueta del 61282-49.