

SECTION 1: Identification

1.1. Product identifier

Trade name : Lauryl Sulfate Broth
Name : Lauryl Sulfate Broth
Product code NCM0030

1.2. Other means of identification

Part Number(s) : NCM0030|400000755|700003049|NCM0030A|700003050|NCM0030B|700003051|NCM0030C

1.3. Recommended use of the chemical and restrictions on use

No additional information available

1.4. Supplier's details

Manufacturer

Neogen Corporation
620 Leshar Place Lansing 48912 Michigan United States of America
T 800.234.5333
sds@neogen.com - <https://www.neogen.com/>

1.5. Emergency telephone number

Emergency number : 24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Flammable solids, Category 2 H228

2.2. Label elements

Hazard pictograms (GHS PH) :



Signal word (GHS PH) : Warning
Hazard statements (GHS PH) : H228 - Flammable solid
Precautionary statements (GHS PH) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240 - Ground and bond container and receiving equipment.
P241 - Use explosion-proof electrical/ventilating/lighting equipment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/....
P370+P378 - In case of fire: Use media other than water to extinguish.

2.3. Other hazards

No additional information available

SECTION 3: Composition / information on ingredients

3.1. Substances

Not applicable

Lauryl Sulfate Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

3.2. Mixtures

Name	Product identifier	%	GHS PH classification
Peptones, casein	CAS-No.: 91079-40-2	≥ 50 – < 75	Not classified
Lactose, anhydrous	CAS-No.: 63-42-3	≥ 10 – < 15	Not classified
Sodium chloride	CAS-No.: 7647-14-5	≥ 10 – < 15	Not classified
Disodium phosphate	CAS-No.: 7558-79-4	≥ 5 – < 10	Not classified
Potassium phosphate monobasic, anhydrous	CAS-No.: 7778-77-0	≥ 5 – < 10	Not classified
Sodium carbonate	CAS-No.: 497-19-8	≥ 0.5 – < 1	Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1, H314 Eye Dam. 1, H318
Sodium dodecyl sulfate	CAS-No.: 151-21-3	≥ 0.1 – < 0.5	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
Self protection of the first-aider	: First-aiders should pay attention to their own protection and use the recommended personal protective equipment (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal conditions. Dust of the product, if present, may cause respiratory irritation after excessive inhalation exposure.
Symptoms/effects after skin contact	: None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing.
Symptoms/effects after eye contact	: None under normal conditions. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable solid.
Explosion hazard	: No direct explosion hazard.
Reactivity	: Flammable solid.
General measures	: Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

Lauryl Sulfate Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

5.3. Special protective actions for fire-fighters

- | | |
|--------------------------------|---|
| Firefighting instructions | : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|------------------|---|
| General measures | : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage. |
|------------------|---|

6.1.1. For non-emergency personnel

- | | |
|----------------------|---|
| Protective equipment | : Wear recommended personal protective equipment. |
| Emergency procedures | : Ventilate spillage area. No open flames, no sparks, and no smoking. |

6.1.2. For emergency responders

- | | |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Evacuate unnecessary personnel. |

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|---|
| For containment | : Using a clean shovel, put the material in a dry container and cover without compressing it. |
| Methods for cleaning up | : Mechanically recover the product. Notify authorities if product enters sewers or public waters. |

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|--|
| Precautions for safe handling | : Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. |
| Hygiene measures | : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|---------------------|---|
| Technical measures | : Ground/bond container and receiving equipment. |
| Storage conditions | : Keep cool. Protect from sunlight. Keep away from ignition sources. |
| Storage temperature | : 2 – 30 °C |
| Packaging materials | : Always store product in container of same material as original container. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

Exposure limit values for the other components

No additional information available

8.2. Monitoring

No additional information available

Lauryl Sulfate Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Colour	: White, Off-white
Odour	: Characteristic
Odour threshold	: No data available
pH	: 6.6 – 7.2
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability	: Flammable solid.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: Solubility in water (mg/l).
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: Not applicable
Explosive limits	: Not applicable
Lower explosive limit (LEL)	: No data available

Lauryl Sulfate Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Upper explosive limit (UEL) : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity	: Flammable solid.
Chemical stability	: Stable under normal conditions
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use
Conditions to avoid	: Avoid contact with hot surfaces, Heat, No flames, no sparks. Eliminate all sources of ignition
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

11.1. Acute toxicity

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Peptones, casein (91079-40-2)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
---------------	--

Lactose, anhydrous (63-42-3)

LD50 oral rat	> 10000 mg/kg (Rat, Oral)
---------------	---------------------------

Sodium chloride (7647-14-5)

LD50 oral rat	> 3980 mg/kg bodyweight (Rat, Experimental value, 20 % aqueous solution, Oral)
LD50 dermal rabbit	> 10000 mg/kg (Rabbit, Experimental value, Dermal)
LC50 Inhalation - Rat	> 42 mg/l air (1 h, Rat, Male, Experimental value, 20 % aqueous solution, Inhalation (aerosol))
LC50 Inhalation - Rat (Dust/Mist)	> 10.5 mg/l Source: Corporate Solution From Thomson Micromedex

Disodium phosphate (7558-79-4)

LD50 oral rat	> 2000 mg/kg bodyweight (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 0.83 mg/l air Animal: rat, Guideline: EPA OPP 81-3 (Acute inhalation toxicity), Guideline: other:, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation)), Guideline: other:

Potassium phosphate monobasic, anhydrous (7778-77-0)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LD50 dermal rabbit	> 4640 mg/kg Source: National Library of Medicine
LC50 Inhalation - Rat	> 0.83 mg/l air (EPA OPP 81-3: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust), 14 day(s))

Lauryl Sulfate Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Sodium carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	2800 mg/kg
LD50 dermal rabbit	> 2000 mg/kg (16 CFR 1500.40, 24 h, Rabbit, Experimental value, Dermal, 14 day(s))
LD50 dermal	2500 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	1.2 mg/l/4h

Sodium dodecyl sulfate (151-21-3)	
LD50 oral rat	1200 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	1200 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	> 2000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Read-across, Dermal, 14 day(s))
LD50 dermal	200 mg/kg

Skin corrosion/irritation	: Not classified. pH: 6.6 – 7.2
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT - single exposure	: Not classified

Sodium dodecyl sulfate (151-21-3)	
STOT - single exposure	May cause respiratory irritation.
STOT - repeated exposure	: Not classified

Peptones, casein (91079-40-2)	
NOAEL (oral, rat, 90 days)	> 1000 mg/kg bodyweight Animal: rat, Guideline: other:

Disodium phosphate (7558-79-4)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Potassium phosphate monobasic, anhydrous (7778-77-0)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Aspiration hazard	: Not classified
-------------------	------------------

Lauryl Sulfate Broth	
Viscosity, kinematic	Not applicable

SECTION 12: Ecological information

12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified

Lauryl Sulfate Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Lactose, anhydrous (63-42-3)	
LC50 - Fish [1]	4625198 mg/l Source: Ecological Structure Activity Relationships
EC50 96h - Algae [1]	283000000 mg/l Source: Ecological Structure Activity Relationships
Partition coefficient n-octanol/water (Log Pow)	-5.03 (Estimated value, KOWWIN)
Sodium chloride (7647-14-5)	
LC50 - Fish [1]	5840 mg/l (ASTM, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Lethal)
LOEC (chronic)	441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'
NOEC (chronic)	314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'
Disodium phosphate (7558-79-4)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [1]	564000000 mg/l Source: Ecological Structure Activity Relationships
ErC50 algae	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	-5.8 Source: International Chemical Safety Cards
Potassium phosphate monobasic, anhydrous (7778-77-0)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [1]	12700000 mg/l Source: Ecological Structure Activity Relationships
ErC50 algae	> 100 mg/l (EU Method C.3, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
Sodium carbonate (497-19-8)	
LC50 - Fish [1]	300 mg/l (96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	200 – 227 mg/l (48 h, Ceriodaphnia sp., Semi-static system, Fresh water, Experimental value, Locomotor effect)
EC50 - Crustacea [2]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
EC50 96h - Algae [1]	242 mg/l Source: ECOTOX
Partition coefficient n-octanol/water (Log Pow)	-6.19 Source: Quantitative Structure Activity Relation
Sodium dodecyl sulfate (151-21-3)	
LC50 - Fish [1]	29 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	0.12 mg/l
EC50 - Other aquatic organisms [1]	11.1 mg/l Test organisms (species): other aquatic crustacea:

Lauryl Sulfate Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Sodium dodecyl sulfate (151-21-3)	
EC50 72h - Algae [1]	> 120 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	53 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [1]	1.2 mg/l Source: ECOTOX
ErC50 algae	> 120 mg/l (DIN 38412-9, 72 h, Scenedesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
NOEC chronic fish	≥ 1.357 mg/l Test organisms (species): Pimephales promelas Duration: '42 d'
NOEC chronic crustacea	0.88 mg/l
Partition coefficient n-octanol/water (Log Pow)	≤ -2.03 (Calculated, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.5 – 2.7 (log Koc, Calculated value)

12.2. Persistence and degradability

Lauryl Sulfate Broth	
Persistence and degradability	Not rapidly degradable
Peptones, casein (91079-40-2)	
Persistence and degradability	Not rapidly degradable
Lactose, anhydrous (63-42-3)	
Persistence and degradability	Readily biodegradable in water.
Sodium chloride (7647-14-5)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Disodium phosphate (7558-79-4)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
Potassium phosphate monobasic, anhydrous (7778-77-0)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Sodium carbonate (497-19-8)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Sodium dodecyl sulfate (151-21-3)	
Persistence and degradability	Readily biodegradable in water.

Lauryl Sulfate Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

12.3. Bioaccumulative potential

Lauryl Sulfate Broth	
Bioaccumulative potential	No additional information available
Lactose, anhydrous (63-42-3)	
Partition coefficient n-octanol/water (Log Pow)	-5.03 (Estimated value, KOWWIN)
Bioaccumulative potential	Not bioaccumulative.
Sodium chloride (7647-14-5)	
Bioaccumulative potential	Not bioaccumulative.
Disodium phosphate (7558-79-4)	
Partition coefficient n-octanol/water (Log Pow)	-5.8 Source: International Chemical Safety Cards
Bioaccumulative potential	Not bioaccumulative.
Potassium phosphate monobasic, anhydrous (7778-77-0)	
Bioaccumulative potential	Not bioaccumulative.
Sodium carbonate (497-19-8)	
Partition coefficient n-octanol/water (Log Pow)	-6.19 Source: Quantitative Structure Activity Relation
Bioaccumulative potential	Not bioaccumulative.
Sodium dodecyl sulfate (151-21-3)	
Partition coefficient n-octanol/water (Log Pow)	≤ -2.03 (Calculated, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.5 – 2.7 (log Koc, Calculated value)
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

Lauryl Sulfate Broth	
Mobility in soil	No additional information available
Lactose, anhydrous (63-42-3)	
Partition coefficient n-octanol/water (Log Pow)	-5.03 (Estimated value, KOWWIN)
Sodium chloride (7647-14-5)	
Surface tension	73.03 mN/m (23 °C, 14.5 g/l)
Ecology - soil	No (test)data on mobility of the substance available.
Disodium phosphate (7558-79-4)	
Partition coefficient n-octanol/water (Log Pow)	-5.8 Source: International Chemical Safety Cards
Ecology - soil	No (test)data on mobility of the substance available.
Potassium phosphate monobasic, anhydrous (7778-77-0)	
Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available.
Sodium carbonate (497-19-8)	
Surface tension	No data available in the literature
Partition coefficient n-octanol/water (Log Pow)	-6.19 Source: Quantitative Structure Activity Relation

Lauryl Sulfate Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Sodium carbonate (497-19-8)	
Ecology - soil	Low potential for adsorption in soil.
Sodium dodecyl sulfate (151-21-3)	
Surface tension	25.2 mN/m (23 °C, 1 g/l, EU Method A.5: Surface tension)
Partition coefficient n-octanol/water (Log Pow)	≤ -2.03 (Calculated, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.5 – 2.7 (log Koc, Calculated value)
Ecology - soil	Low potential for adsorption in soil.

12.5. Other adverse affects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal consideration

Ecological waste information	: The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

SECTION 14: Transport information

In accordance with IMDG / IATA / UN RTDG

IMDG	IATA	UNRTDG
14.1. UN number		
Not regulated for transport		
14.2. Proper Shipping Name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
No supplementary information available		

14.6. Special precautions for user

UN RTDG

Not regulated

IMDG

Not regulated

IATA

Not regulated

Lauryl Sulfate Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

14.7. Transport in bulk according to Annex II of Marpol 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

Priority Chemical List (PCL) and Chemical Control Orders (CCO)

Initial List of Single Substances and Compounds Covered under Chemical Control Order (CCO) and Priority Chemical List (PCL) DENR Administrative Order 2015-09	Not applicable	
Priority Chemical List DENR Administrative Order 2005-27	Not applicable	
Chemical Control Orders	Not applicable	
Chemical Control Order for Ozone Depleting Substances	Not applicable	

Others

Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Applicable	PEPTONE BACTERIOLOGICAL OXOID (91079-40-2) D-Glucose, 4-O-.beta.-D-galactopyranosyl- (63-42-3) SODIUM CHLORIDE (7647-14-5) Di-Sodium Hydrogen Phosphate (7558-79-4) MONOPOTASSIUM PHOSPHATE (7778-77-0) Carbonic acid disodium salt (497-19-8) DODECYL HYDROGEN SULFATE SODIUM SALT (151-21-3)
Controlled Chemical for Manufacture of Explosives or Explosives Ingredients (Decree No. 1866)	Not applicable	
Comprehensive Dangerous Drugs Act of 2002	Not applicable	
Fertilizers and Pesticides Regulation (Decree No. 1144)	Not applicable	
Food Additives Regulation	Additives approved only for limited number of food categories	LACTOSE (63-42-3)
	Enzymes permitted for use in food	Sodium chloride (7647-14-5) Disodium phosphate (7558-79-4) Potassium phosphate, monobasic (7778-77-0)
	Additives approved only for use as food processing	Sodium carbonate (497-19-8)
Management of Hazardous Waste (Republic Act No. 6969)	Not applicable	
Philippines Clean Air Act	Not applicable	
High Volume Chemicals List	Applicable	Sodium chloride (7647-14-5) Disodium phosphate (7558-79-4) Sodium carbonate anhydrous (497-19-8) Sodium lauryl sulfate (151-21-3)

Lauryl Sulfate Broth

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

15.2. International regulations

No additional information available

SECTION 16: Other information

Version	: 3.0
Issue date	: 01/10/2025
Revision date	: 03/09/2026
Supersedes	: 29/10/2025

Safety Data Sheet (SDS), Philippines

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.