



Bismuth Sulfite Agar

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual
Issue date: 02/10/2025 Revision date: 03/09/2026 Supersedes: 02/10/2025 Version: 2.0

SECTION 1: Identification

1.1. Product identifier

Trade name : Bismuth Sulfite Agar
Name : Bismuth Sulfite Agar
Product code NCM0086

1.2. Other means of identification

Part Number(s) : NCM0086|400000794|700003206|NCM0086A|700003207|NCM0086B|700003208|NCM0086C

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Laboratory chemicals, Scientific research and development

1.4. Supplier's details

Manufacturer

Neogen Corporation
620 Leshar Place Lansing 48912 Michigan United States of America
T 800.234.5333
sds@neogen.com - <https://www.neogen.com/>

1.5. Emergency telephone number

Emergency number : 24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified

2.2. Label elements

No additional information available

2.3. Other hazards

No additional information available

SECTION 3: Composition / information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS PH classification
Agar, powdered	CAS-No.: 9002-18-0	≥ 25 – < 50	Not classified
Peptones, casein	CAS-No.: 91079-40-2	≥ 15 – < 25	Not classified
Meat extracts, beef	CAS-No.: 68990-09-0	≥ 10 – < 15	Not classified
Dextrose, anhydrous	CAS-No.: 50-99-7	≥ 5 – < 10	Not classified
Enzymatic digest of animal tissue	-	≥ 5 – < 10	Not classified

Bismuth Sulfite Agar

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Name	Product identifier	%	GHS PH classification
Disodium phosphate	CAS-No.: 7558-79-4	≥ 5 – < 10	Not classified
Sodium sulfite	CAS-No.: 7757-83-7	≥ 5 – < 10	STOT SE 3, H335
Bismuth sulfite indicator	-	≥ 1 – < 5	Not classified
Trade secret-Growth Promoter	-	≥ 0.5 – < 1	Not classified
Ferric ammonium citrate	CAS-No.: 1185-57-5	≥ 0.5 – < 1	Eye Irrit. 2A, H319 STOT SE 3, H335
Sodium carbonate	CAS-No.: 497-19-8	≥ 0.5 – < 1	Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1, H314 Eye Dam. 1, H318
Iron(II) sulfate heptahydrate	CAS-No.: 7782-63-0	≥ 0.5 – < 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Brilliant green	CAS-No.: 633-03-4	< 0.1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
Self protection of the first-aiders	: First-aiders should pay attention to their own protection and use the recommended personal protective equipment (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal conditions. Dust of the product, if present, may cause respiratory irritation after excessive inhalation exposure.
Symptoms/effects after skin contact	: None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing.
Symptoms/effects after eye contact	: None under normal conditions. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.

Bismuth Sulfite Agar

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

General measures : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

5.3. Special protective actions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Using a clean shovel, put the material in a dry container and cover without compressing it.

Methods for cleaning up : Mechanically recover the product.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Keep cool. Protect from sunlight.

Storage temperature : 2 – 30 °C

Packaging materials : Always store product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

Exposure limit values for the other components

No additional information available

8.2. Monitoring

No additional information available

Bismuth Sulphite Agar

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

8.3. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Colour	: Light green
Odour	: Characteristic
Odour threshold	: No data available
pH	: 7.5 – 7.9
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability	: Non flammable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: Not applicable
Explosive limits	: Not applicable
Lower explosive limit (LEL)	: No data available

Bismuth Sulfite Agar

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Upper explosive limit (UEL) : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport
Chemical stability	: Stable under normal conditions
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use
Conditions to avoid	: None under recommended storage and handling conditions (see section 7)
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

11.1. Acute toxicity

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Agar, powdered (9002-18-0)	
LD50 oral rat	11000 mg/kg (Rat, Oral)
Peptones, casein (91079-40-2)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
Dextrose, anhydrous (50-99-7)	
LD50 oral rat	25800 mg/kg (Rat, Literature study, Oral)
Disodium phosphate (7558-79-4)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 420: Acute Oral toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 0.83 mg/l air Animal: rat, Guideline: EPA OPP 81-3 (Acute inhalation toxicity), Guideline: other:., Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation)), Guideline: other:
Sodium sulfite (7757-83-7)	
LD50 oral rat	2610 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 5.5 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (dust), 14 day(s))
LC50 Inhalation - Rat (Dust/Mist)	> 5.5 mg/l Source: International Uniform Chemical Information Database
Ferric ammonium citrate (1185-57-5)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: other:
LD50 dermal rabbit	> 7940 mg/kg Source: ECHA

Bismuth Sulfite Agar

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Sodium carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	2800 mg/kg
LD50 dermal rabbit	> 2000 mg/kg (16 CFR 1500.40, 24 h, Rabbit, Experimental value, Dermal, 14 day(s))
LD50 dermal	2500 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	1.2 mg/l/4h
Iron(II) sulfate heptahydrate (7782-63-0)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 oral	1389 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Read-across, Anhydrous form, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 1.1 mg/l (EPA OPP 81-3: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Read-across, Anhydrous form, Inhalation)
LC50 Inhalation - Rat (Dust/Mist)	> 1.1 mg/l Source: ECHA
Brilliant green (633-03-4)	
LD50 oral rat	674 mg/kg bodyweight (Equivalent or similar to OECD 423, Rat, Male / female, Read-across, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (Rat, Read-across, Dermal, 14 day(s))
Enzymatic digest of animal tissue	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
Skin corrosion/irritation	: Not classified. pH: 7.5 – 7.9
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Sodium sulfite (7757-83-7)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Ferric ammonium citrate (1185-57-5)	
NOAEL (animal/male, F0/P)	595.9 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:
STOT - single exposure	: Not classified
Sodium sulfite (7757-83-7)	
STOT - single exposure	May cause respiratory irritation.
Ferric ammonium citrate (1185-57-5)	
STOT - single exposure	May cause respiratory irritation.
STOT - repeated exposure	: Not classified
Peptones, casein (91079-40-2)	
NOAEL (oral, rat, 90 days)	> 1000 mg/kg bodyweight Animal: rat, Guideline: other:
Disodium phosphate (7558-79-4)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Bismuth Sulfite Agar

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Enzymatic digest of animal tissue	
NOAEL (oral, rat, 90 days)	> 1000 mg/kg bodyweight Animal: rat, Guideline: other:
Aspiration hazard	: Not classified
Bismuth Sulfite Agar	
Viscosity, kinematic	Not applicable

SECTION 12: Ecological information

12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified.
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.

Dextrose, anhydrous (50-99-7)	
LC50 - Fish [1]	11300000 mg/l Source: Ecological Structure Activity Relationships
EC50 96h - Algae [1]	3880000 mg/l Source: Ecological Structure Activity Relationships
Partition coefficient n-octanol/water (Log Pow)	-3.24 (Experimental value)

Disodium phosphate (7558-79-4)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [1]	564000000 mg/l Source: Ecological Structure Activity Relationships
ErC50 algae	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	-5.8 Source: International Chemical Safety Cards

Sodium sulfite (7757-83-7)	
LC50 - Fish [1]	316 mg/l (DIN 38412-15, 96 h, Leuciscus idus, Static system, Fresh water, Read-across, Lethal)
LC50 - Fish [2]	316 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	89 mg/l (EU Method, 48 h, Daphnia magna, Static system, Fresh water, Read-across, Locomotor effect)
EC50 72h - Algae [1]	43.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [1]	43.8 mg/l (Equivalent or similar to OECD 201, Desmodesmus subspicatus, Static system, Fresh water, Read-across, Growth rate)
NOEC (chronic)	> 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 316 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '34 d'
Partition coefficient n-octanol/water (Log Pow)	-4

Bismuth Sulfite Agar

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Ferric ammonium citrate (1185-57-5)	
LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Static system, Fresh water, Experimental value)
LC50 - Fish [2]	> 100 mg/l Test organisms (species): other:
EC50 - Crustacea [1]	275 mg/l (48 h, Daphnia magna, Static system, Fresh water, Experimental value)
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): other:
ErC50 algae	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Static system, Fresh water, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	-0.737 (Calculated, 25 °C)

Sodium carbonate (497-19-8)	
LC50 - Fish [1]	300 mg/l (96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	200 – 227 mg/l (48 h, Ceriodaphnia sp., Semi-static system, Fresh water, Experimental value, Locomotor effect)
EC50 - Crustacea [2]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
EC50 96h - Algae [1]	242 mg/l Source: ECOTOX
Partition coefficient n-octanol/water (Log Pow)	-6.19 Source: Quantitative Structure Activity Relation

Iron(II) sulfate heptahydrate (7782-63-0)	
LC50 - Fish [1]	925 mg/l (96 h, Poecilia reticulata, Static system, Literature study)
EC50 - Crustacea [1]	152 mg/l (48 h, Daphnia magna, Literature study, Anhydrous form)
NOEC chronic crustacea	10 mg/l
BCF - Fish [1]	≤ 20 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Cyprinus carpio, Flow-through system, Fresh water, Read-across, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	-0.37 Source: EPISUITE

Brilliant green (633-03-4)	
LC50 - Fish [1]	0.0305 mg/l (96 h, Lepomis macrochirus, Fresh water)
EC50 - Crustacea [1]	0.079 mg/l (96 h, Invertebrata, Fresh water)
ErC50 algae	1.7913 mg/l (7 day(s), Lemna gibba, Nominal concentration)
Partition coefficient n-octanol/water (Log Pow)	0.7647 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)

12.2. Persistence and degradability

Bismuth Sulfite Agar	
Persistence and degradability	Not rapidly degradable
Agar, powdered (9002-18-0)	
Persistence and degradability	Biodegradability in water: no data available.
Peptones, casein (91079-40-2)	
Persistence and degradability	Not rapidly degradable
Meat extracts, beef (68990-09-0)	
Persistence and degradability	Not rapidly degradable
Dextrose, anhydrous (50-99-7)	
Persistence and degradability	Readily biodegradable in water.

Bismuth Sulfite Agar

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Dextrose, anhydrous (50-99-7)	
ThOD	1.07 g O ₂ /g substance
Disodium phosphate (7558-79-4)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
Sodium sulfite (7757-83-7)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	0.12 g O ₂ /g substance
Bismuth sulfite indicator	
Persistence and degradability	Not rapidly degradable
Trade secret-Growth Promoter	
Persistence and degradability	Not rapidly degradable
Ferric ammonium citrate (1185-57-5)	
Persistence and degradability	Readily biodegradable in water.
Sodium carbonate (497-19-8)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Iron(II) sulfate heptahydrate (7782-63-0)	
Persistence and degradability	Biodegradability in soil: no data available, Readily biodegradable in water.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Brilliant green (633-03-4)	
Persistence and degradability	Not readily biodegradable in water.
Enzymatic digest of animal tissue	
Persistence and degradability	Not rapidly degradable
12.3. Bioaccumulative potential	
Bismuth Sulfite Agar	
Bioaccumulative potential	No additional information available
Agar, powdered (9002-18-0)	
Bioaccumulative potential	No bioaccumulation data available.
Dextrose, anhydrous (50-99-7)	
Partition coefficient n-octanol/water (Log Pow)	-3.24 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.
Disodium phosphate (7558-79-4)	
Partition coefficient n-octanol/water (Log Pow)	-5.8 Source: International Chemical Safety Cards
Bioaccumulative potential	Not bioaccumulative.

Bismuth Sulfite Agar

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Sodium sulfite (7757-83-7)	
Partition coefficient n-octanol/water (Log Pow)	-4
Bioaccumulative potential	Bioaccumulation: not applicable.
Ferric ammonium citrate (1185-57-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.737 (Calculated, 25 °C)
Bioaccumulative potential	Not bioaccumulative.
Sodium carbonate (497-19-8)	
Partition coefficient n-octanol/water (Log Pow)	-6.19 Source: Quantitative Structure Activity Relation
Bioaccumulative potential	Not bioaccumulative.
Iron(II) sulfate heptahydrate (7782-63-0)	
BCF - Fish [1]	≤ 20 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Cyprinus carpio, Flow-through system, Fresh water, Read-across, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	-0.37 Source: EPISUITE
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
Brilliant green (633-03-4)	
Partition coefficient n-octanol/water (Log Pow)	0.7647 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
12.4. Mobility in soil	
Bismuth Sulfite Agar	
Mobility in soil	No additional information available
Agar, powdered (9002-18-0)	
Ecology - soil	No (test)data on mobility of the substance available.
Dextrose, anhydrous (50-99-7)	
Partition coefficient n-octanol/water (Log Pow)	-3.24 (Experimental value)
Disodium phosphate (7558-79-4)	
Partition coefficient n-octanol/water (Log Pow)	-5.8 Source: International Chemical Safety Cards
Ecology - soil	No (test)data on mobility of the substance available.
Sodium sulfite (7757-83-7)	
Partition coefficient n-octanol/water (Log Pow)	-4
Ferric ammonium citrate (1185-57-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.737 (Calculated, 25 °C)
Ecology - soil	No (test)data on mobility of the substance available.
Sodium carbonate (497-19-8)	
Surface tension	No data available in the literature
Partition coefficient n-octanol/water (Log Pow)	-6.19 Source: Quantitative Structure Activity Relation
Ecology - soil	Low potential for adsorption in soil.
Iron(II) sulfate heptahydrate (7782-63-0)	
Partition coefficient n-octanol/water (Log Pow)	-0.37 Source: EPISUITE

Bismuth Sulfite Agar

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

Iron(II) sulfate heptahydrate (7782-63-0)	
Ecology - soil	Adsorbs into the soil.
Brilliant green (633-03-4)	
Surface tension	No data available in the literature
Partition coefficient n-octanol/water (Log Pow)	0.7647 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse affects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal consideration

Ecological waste information	: The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

SECTION 14: Transport information

In accordance with IMDG / IATA / UN RTDG

IMDG	IATA	UNRTDG
14.1. UN number		
Not regulated for transport		
14.2. Proper Shipping Name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
No supplementary information available		

14.6. Special precautions for user

UN RTDG

Not regulated

IMDG

Not regulated

IATA

Not regulated

Bismuth Sulfite Agar

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

14.7. Transport in bulk according to Annex II of Marpol 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

Priority Chemical List (PCL) and Chemical Control Orders (CCO)

Initial List of Single Substances and Compounds Covered under Chemical Control Order (CCO) and Priority Chemical List (PCL) DENR Administrative Order 2015-09	Not applicable	
Priority Chemical List DENR Administrative Order 2005-27	Not applicable	
Chemical Control Orders	Not applicable	
Chemical Control Order for Ozone Depleting Substances	Not applicable	

Others

Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Applicable	AGAR (9002-18-0) PEPTONE BACTERIOLOGICAL OXOID (91079-40-2) EXTRACT, MEAT, BEEF (68990-09-0) D-Glucose (50-99-7) Di-Sodium Hydrogen Phosphate (7558-79-4) SODIUM SULFITE (7757-83-7) Trade secret-Growth Promoter 1,2,3-PROPANETRICARBOXYLIC ACID, 2-HYDROXY, AMMONIUM IRON (3+) SALT (1185-57-5) Carbonic acid disodium salt (497-19-8) FERROSULPHATE HEPTAHYDRATE (7782-63-0) BRILLIANT GREEN (633-03-4)
Controlled Chemical for Manufacture of Explosives or Explosives Ingredients (Decree No. 1866)	Not applicable	
Comprehensive Dangerous Drugs Act of 2002	Not applicable	
Fertilizers and Pesticides Regulation (Decree No. 1144)	Not applicable	
Food Additives Regulation	Additives approved only for use as food processing	Agar, powdered (9002-18-0) Sodium carbonate (497-19-8)
	Enzymes permitted for use in food	Disodium phosphate (7558-79-4) Ferric ammonium citrate (1185-57-5)
Management of Hazardous Waste (Republic Act No. 6969)	Not applicable	
Philippines Clean Air Act	Not applicable	
High Volume Chemicals List	Applicable	Disodium phosphate (7558-79-4) Sodium sulfite (7757-83-7) Sodium carbonate anhydrous (497-19-8) Ferrous sulfate heptahydrate (7782-63-0)

Bismuth Sulfite Agar

Safety Data Sheet

according to the DENR EMB MC 2015-011 and DAO 2015-09 Guidance Manual

15.2. International regulations

No additional information available

SECTION 16: Other information

Version	: 2.0
Issue date	: 02/10/2025
Revision date	: 03/09/2026
Supersedes	: 02/10/2025

Safety Data Sheet (SDS), Philippines

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.