



Oxford Supplement (with Cycloheximide)

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended
Issue date: 06/10/2025 Revision date: 03/06/2026 Supersedes: 06/10/2025 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Oxford Supplement (with Cycloheximide)
Product code : NCM4070
Type of product : Food Safety -- [Food Safety]
Part Number(s) : 700004914|NCM4070-0.5|NCM4070

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals
Scientific research and development

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Neogen Corporation
620 Leshner Place
48912 Lansing – Michigan
United States of America
T 800.234.5333
sds@neogen.com - <https://www.neogen.com/>

1.4. Emergency telephone number

Emergency number : 24 hours:
Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international)
Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)

Country/Area	Organisation	Emergency number
United Kingdom	National Poisons Information Service (Birmingham Centre). City Hospital. Dudley Road B18 7QH Birmingham.	0344 892 0111 Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to GB CLP (SI 2019:720 as amended)

Acute toxicity (oral), Category 1 H300
Germ cell mutagenicity, Category 2 H341
Reproductive toxicity, Category 1B H360D
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Oxford Supplement (with Cycloheximide)

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

2.2. Label elements

Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP)



Signal word (GB CLP)

Contains

Hazard statements (GB CLP)

Precautionary statements (GB CLP)

: Danger
: Cycloheximide
: H300 - Fatal if swallowed.
H341 - Suspected of causing genetic defects.
H360D - May damage the unborn child.
H411 - Toxic to aquatic life with long lasting effects.
: P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, eye protection, face protection and hearing protection.

2.3. Other hazards

Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII	Cycloheximide (66-81-9), Polyvinylpyrrolidone (9003-39-8), Acriflavine hydrochloride (8063-24-9), Methanol (67-56-1)
Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII	Cycloheximide (66-81-9), Polyvinylpyrrolidone (9003-39-8), Acriflavine hydrochloride (8063-24-9), Methanol (67-56-1)

Results of Endocrine Disruptor assessment

Component	
Substance(s) not considered as endocrine disrupting. They are not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, nor identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP	Cycloheximide(66-81-9), Polyvinylpyrrolidone(9003-39-8), Acriflavine hydrochloride(8063-24-9), Methanol(67-56-1)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
Cycloheximide	CAS-No.: 66-81-9 EC-No.: 200-636-0	50 – 75	Acute Tox. 1 (Oral), H300 (ATE=2 mg/kg bodyweight) Muta. 2, H341 Repr. 1B, H360D Aquatic Chronic 2, H411

Oxford Supplement (with Cycloheximide)

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
Polyvinylpyrrolidone substance with workplace exposure limit(s)	CAS-No.: 9003-39-8 EC-No.: 201-800-4	5 – 10	Not classified
Acriflavine hydrochloride	CAS-No.: 8063-24-9	0.5 – 1	Acute Tox. 4 (Oral), H302 (ATE=1048 mg/kg bodyweight) Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Methanol substance with workplace exposure limit(s)	CAS-No.: 67-56-1 EC-No.: 200-659-6	0.1 – 0.5	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 (ATE=1400 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 (ATE=0.5 mg/l/4h) STOT SE 1, H370

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Self protection of the first-aider : First aid workers will be equipped with suitable personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

No additional information available

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

No additional information available

6.3. Methods and material for containment and cleaning up

No additional information available

Oxford Supplement (with Cycloheximide)

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No additional information available

7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : 2 – 8 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Polyvinylpyrrolidone (9003-39-8)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	10 mg/m ³ 4 mg/m ³
WEL STEL (OEL STEL)*	30 mg/m ³
	*STEL value is calculated based on the TWA limit
Methanol (67-56-1)	
United Kingdom - Occupational Exposure Limits	
Local name	Methanol
WEL TWA (OEL TWA)	266 mg/m ³
	200 ppm
WEL STEL (OEL STEL)	333 mg/m ³
	250 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Oxford Supplement (with Cycloheximide)

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

No additional information available

8.2.2.2. Skin protection

No additional information available

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Pellet.
Odour	: Characteristic.
Odour threshold	: Not available
pH	: Not available
pH solution	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flash point	: Not applicable
Flammability	: Not available
Explosive limits	: Not applicable
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Relative vapour density at 20°C	: Not applicable
Relative density	: Not available
Density	: Not available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
Viscosity, kinematic	: Not applicable
Explosive properties	: Not available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

No additional information available

Oxford Supplement (with Cycloheximide)

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Fatal if swallowed.
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Oxford Supplement (with Cycloheximide)

ATE UK (oral)	2.909 mg/kg bodyweight
---------------	------------------------

Cycloheximide (66-81-9)

LD50 oral rat	2 mg/kg (Rat, Literature study, Oral)
---------------	---------------------------------------

LD50 oral	2 mg/kg
-----------	---------

Polyvinylpyrrolidone (9003-39-8)

LD50 oral rat	100000 mg/kg (Rat, Oral)
---------------	--------------------------

LD50 dermal rat	> 12000 mg/kg (Rat, Dermal)
-----------------	-----------------------------

Acriflavine hydrochloride (8063-24-9)

LD50 oral rat	1048 mg/kg (Rat, Oral)
---------------	------------------------

Methanol (67-56-1)

LD50 oral rat	1187 – 2769 mg/kg bodyweight (BASF test, Rat, Male / female, Experimental value, 15-35 % aqueous solution, Oral, 7 day(s))
---------------	--

LD50 oral	1400 mg/kg
-----------	------------

LD50 dermal rabbit	17100 mg/kg (Rabbit, Experimental value, Dermal)
--------------------	--

LD50 dermal	15800 mg/kg
-------------	-------------

LC50 Inhalation - Rat	128.2 mg/l air (BASF test, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
-----------------------	--

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)

Cycloheximide (66-81-9)

pH	4 – 5 (2 %)
----	-------------

Polyvinylpyrrolidone (9003-39-8)

pH	3 – 7 (5 %)
----	-------------

Methanol (67-56-1)

pH	No data available in the literature
----	-------------------------------------

Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)

Oxford Supplement (with Cycloheximide)

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Cycloheximide (66-81-9)	
pH	4 – 5 (2 %)
Polyvinylpyrrolidone (9003-39-8)	
pH	3 – 7 (5 %)
Methanol (67-56-1)	
pH	No data available in the literature
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Polyvinylpyrrolidone (9003-39-8)	
IARC group	3 - Not classifiable
Reproductive toxicity	: May damage the unborn child.
Methanol (67-56-1)	
LOAEL (animal/male, F0/P)	2340 mg/kg bodyweight Monkey, Male, 3 days, daily dose
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
Acriflavine hydrochloride (8063-24-9)	
STOT-single exposure	Not classified (Based on available data, the classification criteria are not met)
Methanol (67-56-1)	
STOT-single exposure	Causes damage to organs.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Cycloheximide (66-81-9)	
Viscosity, kinematic	Not applicable (solid)
Methanol (67-56-1)	
Viscosity, kinematic	0.68 – 0.747 mm²/s
Other information	
No additional information available	

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

Cycloheximide (66-81-9)	
LC50 - Fish [1]	1.6 mg/l (48 h, Oryzias latipes, Literature study)
EC50 72h - Algae [1]	2.215 mg/l
Polyvinylpyrrolidone (9003-39-8)	
LC50 - Fish [1]	> 10000 mg/l (96 h, Leuciscus idus)
EC50 96h - Algae [1]	162000 mg/l Source: Ecological Structure Activity Relationships

Oxford Supplement (with Cycloheximide)

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Acriflavine hydrochloride (8063-24-9)	
LC50 - Fish [1]	1 – 10 mg/l (48 h, <i>Leuciscus idus</i>)
EC50 - Crustacea [1]	0.51 mg/l (48 h, <i>Daphnia magna</i>)
Methanol (67-56-1)	
LC50 - Fish [1]	15400 mg/l (EPA 660/3 - 75/009, 96 h, <i>Lepomis macrochirus</i> , Flow-through system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	18260 mg/l (OECD 202: <i>Daphnia</i> sp. Acute Immobilisation Test, 96 h, <i>Daphnia magna</i> , Semi-static system, Fresh water, Experimental value, Locomotor effect)
EC50 96h - Algae [1]	22000 mg/l (OECD 201: Alga, Growth Inhibition Test, <i>Pseudokirchneriella subcapitata</i> , Static system, Fresh water, Experimental value, Growth rate)
NOEC (chronic)	208 mg/l Test organisms (species): <i>Daphnia magna</i> Duration: '21 d'
NOEC chronic fish	446.7 mg/l Test organisms (species): <i>Pimephales promelas</i> Duration: '28 d'

12.2. Persistence and degradability

Oxford Supplement (with Cycloheximide)	
Persistence and degradability	Not rapidly degradable
Cycloheximide (66-81-9)	
Persistence and degradability	Not readily biodegradable in water.
Polyvinylpyrrolidone (9003-39-8)	
Persistence and degradability	Not readily biodegradable in water.
Acriflavine hydrochloride (8063-24-9)	
Persistence and degradability	Biodegradable in water.
Methanol (67-56-1)	
Persistence and degradability	Readily biodegradable in the soil, Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.6 – 1.1 g O ₂ /g substance
Chemical oxygen demand (COD)	1.4 g O ₂ /g substance
ThOD	1.5 g O ₂ /g substance

12.3. Bioaccumulative potential

Cycloheximide (66-81-9)	
BCF - Other aquatic organisms [1]	3.2 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	0.55 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Polyvinylpyrrolidone (9003-39-8)	
Partition coefficient n-octanol/water (Log Pow)	0.29 Source: Quantitative Structure Activity Relation
Bioaccumulative potential	No bioaccumulation data available.
Methanol (67-56-1)	
BCF - Fish [1]	1 – 4.5 (72 h, <i>Cyprinus carpio</i> , Static system, Fresh water, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	-0.77 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

Oxford Supplement (with Cycloheximide)

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

12.4. Mobility in soil

Cycloheximide (66-81-9)

Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.

Methanol (67-56-1)

Mobility in soil	2.75 Source: HSDB
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	-0.89 – -0.21 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.

12.5. Results of PBT and vPvB assessment

Component

Cycloheximide (66-81-9)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
Polyvinylpyrrolidone (9003-39-8)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
Acriflavine hydrochloride (8063-24-9)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
Methanol (67-56-1)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII

12.6. Other adverse effects

Ozone : Not classified (Based on available data, the classification criteria are not met)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

HP Code : HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
HP11 - "Mutagenic:" waste which may cause a mutation, that is a permanent change in the amount or structure of the genetic material in a cell.
HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 2811	UN 2811	UN 2811	UN 2811	UN 2811
14.2. UN proper shipping name				
TOXIC SOLID, ORGANIC, N.O.S. (Cycloheximide)	TOXIC SOLID, ORGANIC, N.O.S. (Cycloheximide)	Toxic solid, organic, n.o.s. (Cycloheximide)	TOXIC SOLID, ORGANIC, N.O.S. (Cycloheximide)	TOXIC SOLID, ORGANIC, N.O.S. (Cycloheximide)

Oxford Supplement (with Cycloheximide)

Safety Data Sheet


According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

ADR	IMDG	IATA	ADN	RID
Transport document description				
UN 2811 TOXIC SOLID, ORGANIC, N.O.S. (Cycloheximide), 6.1, II, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 2811 TOXIC SOLID, ORGANIC, N.O.S. (Cycloheximide), 6.1, II, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 2811 Toxic solid, organic, n.o.s. (Cycloheximide), 6.1, II, ENVIRONMENTALLY HAZARDOUS	UN 2811 TOXIC SOLID, ORGANIC, N.O.S. (Cycloheximide), 6.1, II, ENVIRONMENTALLY HAZARDOUS	UN 2811 TOXIC SOLID, ORGANIC, N.O.S. (Cycloheximide), 6.1, II, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)				
6.1	6.1	6.1	6.1	6.1
				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : T2
Special provisions (ADR) : 274, 614
Limited quantities (ADR) : 500g
Excepted quantities (ADR) : E4
Packing instructions (ADR) : P002, IBC08
Special packing provisions (ADR) : B4
Mixed packing provisions (ADR) : MP10
Portable tank and bulk container instructions (ADR) : T3
Portable tank and bulk container special provisions (ADR) : TP33
Tank code (ADR) : SGAH, L4BH
Tank special provisions (ADR) : TU15, TE19
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages (ADR) : V11
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13, CV28
Special provisions for carriage - Operation (ADR) : S9, S19
Hazard identification number (Kemler No.) : 60
Orange plates :



Tunnel restriction code (ADR) : D/E
EAC code : 2X

Transport by sea

Special provisions (IMDG) : 274
Limited quantities (IMDG) : 500 g
Excepted quantities (IMDG) : E4
Packing instructions (IMDG) : P002

Oxford Supplement (with Cycloheximide)

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B21, B4
Tank instructions (IMDG)	: T3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-A
Stowage category (IMDG)	: B
Properties and observations (IMDG)	: Toxic if swallowed, by skin contact or by inhalation.

Air transport

PCA Excepted quantities (IATA)	: E4
PCA Limited quantities (IATA)	: Y644
PCA limited quantity max net quantity (IATA)	: 1kg
PCA packing instructions (IATA)	: 669
PCA max net quantity (IATA)	: 25kg
CAO packing instructions (IATA)	: 676
CAO max net quantity (IATA)	: 100kg
Special provisions (IATA)	: A3, A5
ERG code (IATA)	: 6L

Inland waterway transport

Classification code (ADN)	: T2
Special provisions (ADN)	: 274, 614, 802
Limited quantities (ADN)	: 500 g
Excepted quantities (ADN)	: E4
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 2

Rail transport

Classification code (RID)	: T2
Special provisions (RID)	: 274, 614
Limited quantities (RID)	: 500g
Excepted quantities (RID)	: E4
Packing instructions (RID)	: P002, IBC08
Special packing provisions (RID)	: B4
Mixed packing provisions (RID)	: MP10
Portable tank and bulk container instructions (RID)	: T3
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAH, L4BH
Special provisions for RID tanks (RID)	: TU15
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W11
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW28, CW31
Colis express (express parcels) (RID)	: CE9
Hazard identification number (RID)	: 60

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

Oxford Supplement (with Cycloheximide)

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. National regulations

UK REACH Annex XVII (Restriction List)

UK restriction list (REACH Annex XVII)

Reference code	Applicable on	Entry title or description
3(a)	Methanol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Methanol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
69.	Methanol	Methanol

UK REACH Annex XIV (Authorisation List)

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

UK REACH Candidate List (SVHC)

This product contains no substance(s) listed on the UK REACH Candidate List (SVHC).

GB PIC Regulation (Prior Informed Consent)

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

POP Regulation (Persistent Organic Pollutants)

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

Control of Poisons and Explosives Precursors Act

This product contains substance(s) listed on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

Drug Precursors Regulation (EC 273/2004)

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

15.1.2. Other Information

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 1 (Oral)	Acute toxicity (oral), Category 1
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3

Oxford Supplement (with Cycloheximide)

Safety Data Sheet

According REACH Regulation 1907/2006 as retained in UK law by UK REACH SI 2019 No. 758 as amended

Full text of H- and EUH-statements:	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 1	Specific target organ toxicity – single exposure, Category 1
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H360	May damage fertility or the unborn child.
H360D	May damage the unborn child.
H370	Causes damage to organs.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet (SDS), UK

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.