

# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/11

## 70% Methanol

Revision 1  
Revision date 2019-11-04

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	70% Methanol
Product code	8055, 8056

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC21] Laboratory chemicals;
Description	Intended for laboratory use only.

#### 1.3. Details of the supplier of the safety data sheet

Company	Neogen Corporation
Address	620 Leshar Place Lansing MI 48912 USA
Web	www.neogen.com
Telephone	517-372-9200/800-234-5333
Email	SDS@neogen.com

#### 1.4. Emergency telephone number


	24 hours: Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international) Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)
--	--

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Flam. Liq. 2: H225; Acute Tox. 3: H301; Acute Tox. 3: H311; Acute Tox. 3: H331; STOT SE 1: H370;
--------------------------------------	--

#### 2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H311 - Toxic in contact with skin. Acute Tox. 3: H331 - Toxic if inhaled. STOT SE 1: H370 - Causes damage to organs .

## 70% Methanol

Revision 1  
Revision date 2019-11-04

## 2.2. Label elements

<b>Precautionary Statement: Prevention</b>	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
<b>Precautionary Statement: Response</b>	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ . P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
<b>Precautionary Statement: Storage</b>	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to an approved hazardous/special waste disposal facility in accordance with local and national regulations

## 2.3. Other hazards

<b>Other hazards</b>	May cause dizziness and headache.
----------------------	-----------------------------------

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Methanol	603-001-00-X	67-56-1	200-659-6		60 - 70%	Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT SE 1: H370;

## Description

	Concentrations listed are not product specifications.
--	---

## Further information

	Full text of Hazard Statements listed in this Section is provided in Section 16.
--	--

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

<b>Inhalation</b>	Move the exposed person to fresh air. If breathing is difficult give oxygen. If breathing stops, provide artificial respiration. Seek medical attention if irritation or symptoms persist.
<b>Eye contact</b>	Rinse immediately with plenty of water. Contact lenses should be removed. Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b>	Rinse immediately with plenty of water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	DO NOT INDUCE VOMITING unless advised to do so by a doctor. Rinse mouth thoroughly. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
<b>Eye contact</b>	May cause irritation to eyes.
<b>Skin contact</b>	May cause irritation to skin.

## 70% Methanol

Revision 1  
Revision date 2019-11-04**4.2. Most important symptoms and effects, both acute and delayed**

Ingestion	Toxic by inhalation, in contact with skin and if swallowed. Ingestion may cause nausea and vomiting.
-----------	--

**4.3. Indication of any immediate medical attention and special treatment needed**

	Remove the affected person from the source of contamination immediately. Transfer to hospital if there are burns or symptoms of poisoning. IF exposed or concerned: Get medical advice/attention. If medical advice is needed, have product container or label at hand.
--	---

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

	In case of fire, use carbon dioxide (CO <sub>2</sub> ), Alcohol resistant foam, Dry chemical, Foam. Use extinguishing media appropriate to the surrounding fire conditions.
--	---

**5.2. Special hazards arising from the substance or mixture**

	In case of fire and/or explosion do not breathe fumes. Fire will produce dense black smoke. Vapour may travel considerable distance to source of ignition and flash back. Heat will increase pressure in sealed containers.
--	---

**5.3. Advice for firefighters**

	Flammable liquid and vapour. In case of fire and/or explosion do not breathe fumes. Wear self contained breathing apparatus and protective clothing.
--	--

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

	Flammable liquid. Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid sparks, flames, heat and sources of ignition. Ensure adequate ventilation of the working area. Use as appropriate: Protective equipment. Avoid prolonged or repeated exposure.
--	--

**6.2. Environmental precautions**

	Prevent further spillage if safe. Clean spillage area thoroughly with plenty of water. Do not flush into surface water. Do not let product contaminate subsoil.
--	---

**6.3. Methods and material for containment and cleaning up**

	Flammable liquid. Absorb with inert, absorbent material. Collect spillage. Transfer to suitable, labelled containers for disposal. Dispose of this material and its container to hazardous or special waste collection point. Do not contaminate water by cleaning of equipment or disposal of wastes. Clean with detergents. Avoid solvents.
--	---

**6.4. Reference to other sections**

	See section 2, 8 & 13 for further information.
--	--

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes. Do not eat, drink or smoke in areas where this product is used or stored. Ensure adequate ventilation of the working area. Do not contaminate water by cleaning of equipment or disposal of wastes. Use as appropriate: Protective clothing. Read the entire label and follow all use directions, restrictions, and precautions.
--	--

**7.2. Conditions for safe storage, including any incompatibilities**

	Flammable liquid and vapour. Contact with combustible material may cause fire. Store in correctly labelled containers. Keep container tightly closed. Do not contaminate water, food, or feed by
--	--

## 70% Methanol

Revision 1  
Revision date 2019-11-04

## 7.2. Conditions for safe storage, including any incompatibilities

storage or disposal. Follow label instructions.

## 7.3. Specific end use(s)

See Section 1.2 for further information.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1. Exposure Limit Values

Methanol	WEL 8-hr limit ppm:	200	WEL 8-hr limit mg/m3:	266
	WEL 15 min limit ppm:	250	WEL 15 min limit mg/m3:	333
	WEL 8-hr limit mg/m3 total inhalable dust:	-	WEL 15 min limit mg/m3 total inhalable dust:	-
	WEL 8-hr limit mg/m3 total respirable dust:	-	WEL 15 min limit mg/m3 total respirable dust:	-

## 8.2. Exposure controls



## 8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

## 8.2.2. Individual protection measures

Use as appropriate: Protective equipment.

## Eye / face protection

Use as appropriate: Suitable eye protection.

Skin protection -  
Handprotection

Use as appropriate: Chemical-resistant gloves made of any waterproof material.

## Skin protection - Other

Use as appropriate: Protective clothing.

## Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

## Occupational exposure controls

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Keep away from food, drink and animal feedingstuffs. Provide chemical shower. Provide eye wash station.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

## 70% Methanol

Revision 1  
Revision date 2019-11-04

## 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid
<b>Colour</b>	Clear/Light yellow
<b>Odour</b>	Alcoholic/Strong
<b>Odour threshold</b>	100 ppm
<b>pH</b>	No data available
<b>Melting point</b>	-97.6 °C
<b>Initial boiling point</b>	64 - 65 °C
<b>Flash point</b>	16 °C
<b>Evaporation rate</b>	6.3 g/min
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper Explosive Limit</b>	36.5 %
<b>Lower Explosive Limit</b>	5.5 %
<b>Vapour pressure</b>	127 mmHg
<b>Vapour density</b>	1.11
<b>Relative density</b>	0.792
<b>Partition coefficient (n-octanol/water)</b>	-77 log P oct/wat
<b>Autoignition temperature</b>	440 °C
<b>Viscosity</b>	0.54 mPas (Cone & Plate)
<b>Oxidising properties</b>	No data available
<b>Solubility</b>	Soluble in water

## 9.2. Other information

<b>Surface tension</b>	22.07 mN/m
<b>VOC (Volatile organic compounds)</b>	Not applicable.

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

	Stable under normal conditions.
--	---------------------------------

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## 10.3. Possibility of hazardous reactions

	Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.
--	---

## 10.4. Conditions to avoid

	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
--	--

## 10.5. Incompatible materials

	Contact with combustible material may cause fire. Keep away from oxidising agents, Combustible materials.
--	---

## 10.6. Hazardous decomposition products

	Carbon oxides.
--	----------------

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

## 70% Methanol

Revision 1  
Revision date 2019-11-04

## 11.1. Information on toxicological effects

Acute toxicity	Toxic by inhalation, in contact with skin and if swallowed.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
Respiratory or skin sensitisation	May cause allergic reactions in susceptible people.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs, Volumes 1-123. Not listed in the National Toxicology Program (NTP) 14th Report on Carcinogens. Not listed in the American Conference of Governmental Industrial Hygienists (ACGIH) Guide to Occupational Exposure Values. Not listed in the OSHA standard 1910.1003 Carcinogens.
Reproductive toxicity	Adverse reproductive effects have been found in laboratory animals.
STOT-single exposure	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
STOT-repeated exposure	May cause damage to human organs based on animal data. (Central nervous system, vision organs, liver).
Aspiration hazard	No Significant Hazard.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure. Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects. Delayed appearance of the complaints and development of hypersensitivity (difficult breathing, coughing, asthma) are possible.

## 11.1.2. Mixtures

	See Section(s) 3 for further information.
--	---

## 11.1.3. Hazard Information

	See Section(s) 2 and 3 for further information.
--	---

## 11.1.4. Toxicological Information

70% Methanol	Oral Rat LD50: 5600 mg.kg Inhalation Rat LC50/4 h: 64000 ppm	Dermal Rabbit LD50: 15800 mg/kg
Methanol	Inhalation Rat LC50/6 h: 87.6 Dermal Rabbit LD50: 17100	Oral Rat LD50: 1187 Inhalation Rat LC50/4 h: 128.2

## 11.1.5. Hazard Class

	See Section(s) 2 and 14 for further information.
--	--

## 11.1.6. Classification Criteria

	Based on the Globally Harmonised System (GHS) considerations for the classification of mixtures. See Section 15 for regulatory citations.
--	--

## 11.1.7. Information on likely routes of exposure

	Eye contact. Ingestion. Skin contact. Inhalation.
--	---

## 11.1.8. Symptoms related to the physical, chemical and toxicological characteristics

	See Section(s) 4.2 for further information.
--	---

## 11.1.9. Delayed and immediate effects as well as chronic effects from short and long-term exposure

	See Section(s) 4.2 for further information.
--	---

## 11.1.10. Interactive effects

	No data available.
--	--------------------

## 70% Methanol

Revision 1  
Revision date 2019-11-04

## 11.1.11. Absence of specific data

&lt;1% of this mixture consists of ingredients of unknown acute toxicity.

## 11.1.12. Mixture versus substance information

See Section(s) 3 for further information.

## 11.1.13. Other information

No data available.

## SECTION 12: Ecological information

## 12.1. Toxicity

70% Methanol	Daphnia EC50/48h: 10000.0000 mg/l	Fish LC50/96h: 100000.0000 mg/l
Methanol	Daphnia EC50/48h: 10000.0000 mg/l Lepomis_Macrochirus LC50/96h: 15400 mg/L	Green algae EC50/96h: 22000 mg/L

## 12.2. Persistence and degradability

No data is available on this product.

## 12.3. Bioaccumulative potential

No data is available on this product.

## Partition coefficient

Methanol -0.77 log P

## 12.4. Mobility in soil

No data is available on this product.

## 12.5. Results of PBT and vPvB assessment

No data is available on this product.

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Dispose of as special waste in compliance with local and national regulations.

## Disposal methods

Do not contaminate water by cleaning of equipment or disposal of wastes. Do not flush into surface water. Dispose of in compliance with all local and national regulations.

## Disposal of packaging

Nonrefillable container. Do not reuse or refill this container.

If empty: Do not reuse this container. Place in trash or offer for recycling, if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## SECTION 14: Transport information

## Hazard pictograms

## 70% Methanol

Revision 1  
Revision date 2019-11-04

## Hazard pictograms



## 14.1. UN number

UN1230

## 14.2. UN proper shipping name

METHANOL (Methanol solution)

## 14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	6.1
IMDG	3
Subsidiary risk	6.1
IATA	3
Subsidiary risk	6.1

## 14.4. Packing group

Packing group II

## 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## ADR/RID

Hazard ID	336
Tunnel Category	(D/E)

## IMDG

EmS Code	F-E S-D
----------	---------

## IATA

Packing Instruction (Cargo)	364
Maximum quantity	60 L
Packing Instruction (Passenger)	352
Maximum quantity	1 L

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
Chemical Inventories/Right-to-Know Lists:	--International-- Basel Convention (Hazardous Waste): H3, H6.1. Chemical Weapons Convention (OPCW): This material contains no reportable components. Kyoto Protocol Greenhouse Gases: This material contains no reportable components. Mercosur Agreement: Not applicable. Montreal Protocol: This material contains no reportable components.



## 70% Methanol

Revision 1  
Revision date 2019-11-04

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Rotterdam Convention: This material contains no reportable components.  
The Stockholm Convention: This material contains no reportable components.

--Asia and the ASEAN Nations--.

Catalog of Hazardous Chemicals (China): This material contains no reportable components., [1022, Methanol (methyl alcohol), CAS No. 67-56-1].  
Regulation of Minister of Trade of the Republic of Indonesia, Number 75, Year 2014, regarding The Second Amendment of Minister of Trade, Number 44, Year 2009, Regarding Provision, Distribution, and Control of Hazardous Substances: This material contains no reportable components.  
Chemical Substances Control Law (Japan): Priority Assessment, [90, Methanol (Methyl alcohol), CAS No. 67-56-1], Air Pollution Control Law., Specified substance, [Methanol (Methyl alcohol), CAS No. 67-56-1].  
Industrial Safety and Health Act, Dangerous Substances (Japan): Second-class organic solvents, etc., [Methanol (Methyl alcohol), CAS No. 67-56-1]. Administrative controls, reg. no. 67, [Methanol (Methyl alcohol), CAS No. 67-56-1].  
Poisonous and Deleterious Substances Act (Japan): Deleterious, [Methanol (Methyl alcohol), CAS No. 67-56-1].  
Chemical Substances Subject to Permission (Korea): This material contains no reportable components.  
Restricted or Prohibited Substances (Korea): This material contains no reportable components.  
Use and Standards of Exposure of Chemicals Hazardous to Health (USECHH), Regulation 2000 (Malaysia): Schedule I exposure standard, CLASS regulation, [Methanol (Methyl alcohol), CAS No. 67-56-1].  
Philippine Inventory of Chemicals and Chemical Substances (PICCS): Toxic Substances and Hazardous and Nuclear Wastes Control Act (RA6969)., [Methanol (Methyl alcohol), CAS No. 67-56-1].  
Taiwan Toxic and Concerned Chemical Substances Control Act (TCCSCA): This material contains no reportable components.  
Hazardous Substances Act (Thailand): Type 1, [Methanol (Methyl alcohol), CAS No. 67-56-1].  
Law on Chemicals (Vietnam): Annex I, Appendix IV, Appendix VI, Appendix VII, [Methanol (Methyl alcohol), CAS No. 67-56-1].

--Australia and New Zealand--.

Australian Dangerous Goods Code: Class 3, (6.1).  
Australian Inventory of Chemical Substances (AICS): All ingredients listed or exempt.  
New Zealand Inventory of Chemicals (NZIoC): All ingredients listed or exempt.

--European Union (EU) and the United Kingdom (UK)--.

Annex XVII for REACH: Restricted, Flammable, [Methanol (Methyl alcohol), CAS No. 67-56-1].  
Article 95 of the Biocidal Products Regulation (BPR): Not applicable.  
Authorisation List (Annex XIV of REACH): This material contains no reportable components.

--North America--.

Domestic/Non-Domestic Substances Lists (DSL/NDSL): All ingredients listed or exempt.  
Toxic Substances Control Act (TSCA): All ingredients listed or exempt.  
Massachusetts Right-to-Know Hazardous Substance List: Methanol (Methyl alcohol).  
New Jersey Worker and Community Right to Know Act: Methanol (Methyl alcohol).  
Pennsylvania Right to Know Law: Methanol (Methyl alcohol).  
Rhode Island Right-to-Know General Law: Methanol (Methyl alcohol).

**\*\*California residents please note\*\***  
**WARNING:** This product can expose you to chemicals, including methanol (Methyl alcohol), CAS

## 70% Methanol

Revision 1  
Revision date 2019-11-04

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No. 67-56-1, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## SECTION 16: Other information

## Other information

Revision	<p>This document differs from the previous version in the following areas:.</p> <ul style="list-style-type: none"> <li>1 - Product Use.</li> <li>2 - Other hazards.</li> <li>2 - 2.1.2. Classification - EC 1272/2008.</li> <li>2 - Hazard pictograms.</li> <li>2 - Precautionary Statement: Prevention.</li> <li>2 - Precautionary Statement: Response.</li> <li>2 - Precautionary Statement: Storage.</li> <li>2 - Precautionary Statement: Disposal.</li> <li>4 - Ingestion.</li> <li>9 - 9.1. Information on basic physical and chemical properties (Viscosity).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Odour).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Initial boiling point).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Melting point).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Flash point).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Flammability (solid, gas)).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Autoignition temperature).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Vapour pressure).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Relative density).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Upper Explosive Limit).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Lower Explosive Limit).</li> <li>9 - 9.1. Information on basic physical and chemical properties (Odour threshold).</li> <li>9 - 9.2. Other information (Surface tension).</li> <li>9 - 9.2. Other information (Product Subcategory).</li> <li>11 - 11.1.4. Toxicological Information.</li> <li>11 - Acute toxicity.</li> <li>11 - Repeated or prolonged exposure.</li> <li>11 - Reproductive toxicity.</li> <li>11 - STOT-repeated exposure.</li> <li>11 - 11.1.7. Information on likely routes of exposure.</li> <li>11 - 11.1.13. Other information.</li> <li>13 - Disposal of packaging.</li> <li>14 - ADR/RID.</li> <li>15 - Chemical Inventories/Right-to-Know Lists:.</li> <li>16 - Maximum content of VOC.</li> </ul>
Acronyms	<p>ACGIH: American Conference of Governmental Industrial Hygienists.  ADR/RID: European Agreements Concerning the International Carriage of Dangerous Goods by Rail (RID) and by Road (ADR).  CAS No.: Chemical Abstracts Service.  GHS: Globally Harmonized System.  HCS 2012: U.S. Hazard Communication Standard (2012 revision).  IATA: International Air Transport Association.  ICAO: International Civil Aviation Organisation.  IMDG: International Maritime Dangerous Goods.  LC: Lethal concentration.  LD: Lethal dose.  OEL: Occupational exposure limit.</p>

## 70% Methanol

Revision 1  
Revision date 2019-11-04

## Other information

	<p>OSHA: U.S. Occupational Safety and Health Administration.          PEL: Permissible Exposure Limit.          REACH: Registration, Evaluation, Authorisation, and Restriction of Chemicals.          SVHC: Substance of very high concern.          UN: United Nations.          US DOT: United States Department of Transportation.          VOC: Volatile Organic Compound.          WEL: Workplace Exposure Limit.</p>
<p><b>Text of Hazard Statements in Section 3</b></p>	<p>Flam. Liq. 2: H225 - Highly flammable liquid and vapour.          Acute Tox. 3: H301 - Toxic if swallowed.          Acute Tox. 3: H311 - Toxic in contact with skin.          Acute Tox. 3: H331 - Toxic if inhaled.          STOT SE 1: H370 - Causes damage to organs .          STOT SE 2: H371 - May cause damage to organs .</p>

## Further information

	<p>DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.</p> <p>Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.</p>
--	--