

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/11

65% Ethanol

Revision 1
Revision date 2019-11-04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	65% Ethanol
Product code	8073, 8074

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC21] Laboratory chemicals;
Description	Intended for laboratory use only.

1.3. Details of the supplier of the safety data sheet

Company	Neogen Corporation
Address	620 Leshler Place Lansing MI 48912 USA
Web	www.neogen.com
Telephone	517-372-9200/800-234-5333
Email	SDS@neogen.com

1.4. Emergency telephone number


	24 hours: Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international) Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)
--	--

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Flam. Liq. 2: H225; Acute Tox. 4: H302; Acute Tox. 4: H312; Acute Tox. 4: H332; STOT SE 1: H370;
--------------------------------------	--

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H312 - Harmful in contact with skin. Acute Tox. 4: H332 - Harmful if inhaled. STOT SE 1: H370 - Causes damage to organs .

65% Ethanol

Revision 1
Revision date 2019-11-04

2.2. Label elements

Precautionary Statement: Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ . P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Precautionary Statement: Storage	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved hazardous/special waste disposal facility in accordance with local and national regulations

2.3. Other hazards

Other hazards	None known.
----------------------	-------------

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol	603-002-00-5	64-17-5	200-578-6		50 - 60%	Flam. Liq. 2: H225;
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
Methanol	603-001-00-X	67-56-1	200-659-6		1 - 10%	Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT SE 1: H370;

Description

	Concentrations listed are not product specifications.
--	---

Further information

	Full text of Hazard Statements listed in this Section is provided in Section 16.
--	--

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. If breathing is difficult give oxygen. If breathing stops, provide artificial respiration. Seek medical attention if irritation or symptoms persist.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed. Seek medical attention if irritation or symptoms persist.
Skin contact	Rinse immediately with plenty of water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	DO NOT INDUCE VOMITING unless advised to do so by a doctor. Rinse mouth thoroughly. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

65% Ethanol

Revision 1
Revision date 2019-11-04

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system. May cause dizziness and headache.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	Ingestion may cause nausea and vomiting. Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

	Remove the affected person from the source of contamination immediately. Transfer to hospital if there are burns or symptoms of poisoning. IF exposed or concerned: Get medical advice/attention. If medical advice is needed, have product container or label at hand.
--	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

	In case of fire, use carbon dioxide (CO ₂), Alcohol resistant foam, Dry chemical, Foam. Use extinguishing media appropriate to the surrounding fire conditions.
--	---

5.2. Special hazards arising from the substance or mixture

	In case of fire and/or explosion do not breathe fumes. Fire will produce dense black smoke. Vapour may travel considerable distance to source of ignition and flash back. Heat will increase pressure in sealed containers.
--	---

5.3. Advice for firefighters

	Flammable liquid and vapour. In case of fire and/or explosion do not breathe fumes. Wear self contained breathing apparatus and protective clothing.
--	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Flammable liquid. Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid sparks, flames, heat and sources of ignition. Ensure adequate ventilation of the working area. Use as appropriate: Protective equipment. Avoid prolonged or repeated exposure.
--	--

6.2. Environmental precautions

	Prevent further spillage if safe. Clean spillage area thoroughly with plenty of water. Do not flush into surface water. Do not let product contaminate subsoil.
--	---

6.3. Methods and material for containment and cleaning up

	Flammable liquid. Absorb with inert, absorbent material. Collect spillage. Transfer to suitable, labelled containers for disposal. Dispose of this material and its container to hazardous or special waste collection point. Do not contaminate water by cleaning of equipment or disposal of wastes. Clean with detergents. Avoid solvents.
--	---

6.4. Reference to other sections

	See section 2, 8 & 13 for further information.
--	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes. Do not eat, drink or smoke in areas where this product is used or stored. Ensure adequate ventilation of the working area. Do not contaminate water by cleaning of equipment or disposal of wastes. Use as appropriate: Protective clothing. Read the entire label and follow all use directions, restrictions, and precautions.
--	--

65% Ethanol

Revision 1
Revision date 2019-11-04

7.2. Conditions for safe storage, including any incompatibilities

Flammable liquid and vapour. Contact with combustible material may cause fire. Store in correctly labelled containers. Keep container tightly closed. Do not contaminate water, food, or feed by storage or disposal. Follow label instructions.

7.3. Specific end use(s)

See Section 1.2 for further information.


SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Ethanol	WEL 8-hr limit ppm:	1000	WEL 8-hr limit mg/m3:	1920
	WEL 15 min limit ppm:	-	WEL 15 min limit mg/m3:	-
	WEL 8-hr limit mg/m3 total inhalable dust:	-	WEL 15 min limit mg/m3 total inhalable dust:	-
	WEL 8-hr limit mg/m3 total respirable dust:	-	WEL 15 min limit mg/m3 total respirable dust:	-
Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm:	400	WEL 8-hr limit mg/m3:	999
	WEL 15 min limit ppm:	500	WEL 15 min limit mg/m3:	1250
	WEL 8-hr limit mg/m3 total inhalable dust:	-	WEL 15 min limit mg/m3 total inhalable dust:	-
	WEL 8-hr limit mg/m3 total respirable dust:	-	WEL 15 min limit mg/m3 total respirable dust:	-
Methanol	WEL 8-hr limit ppm:	200	WEL 8-hr limit mg/m3:	266
	WEL 15 min limit ppm:	250	WEL 15 min limit mg/m3:	333
	WEL 8-hr limit mg/m3 total inhalable dust:	-	WEL 15 min limit mg/m3 total inhalable dust:	-
	WEL 8-hr limit mg/m3 total respirable dust:	-	WEL 15 min limit mg/m3 total respirable dust:	-

8.2. Exposure controls

	
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Use as appropriate: Protective equipment.
Eye / face protection	Use as appropriate: Suitable eye protection.
Skin protection - Handprotection	Use as appropriate: Chemical-resistant gloves made of any waterproof material.
Skin protection - Other	Use as appropriate: Protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Occupational exposure controls	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from food, drink and animal feedingstuffs. Provide chemical shower. Provide eye wash station.

SECTION 9: Physical and chemical properties

65% Ethanol

Revision 1
Revision date 2019-11-04

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear/Colourless
Odour	Alcoholic/Mild
Odour threshold	10 ppm
pH	No data available
Melting point	-114.1 °C
Freezing Point	No data available
Initial boiling point	78.29 °C
Flash point	21.5 °C
Evaporation rate	No data available
Flammability (solid, gas)	Not applicable.
Upper Explosive Limit	27.7 %
Lower Explosive Limit	3.1 %
Vapour pressure	59.27 mmHg
Vapour density	1.59
Relative density	0.79
Partition coefficient (n-octanol/water)	-0.31 log P oct/wat
Autoignition temperature	400 °C
Viscosity	1.074 mPas (Cone & Plate)
Oxidising properties	No data available
Solubility	Miscible in water

9.2. Other information

Surface tension	21.97 mN/m
VOC (Volatile organic compounds)	100 %

SECTION 10: Stability and reactivity

10.1. Reactivity

	Stable under normal conditions.
--	---------------------------------

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3. Possibility of hazardous reactions

	Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.
--	---

10.4. Conditions to avoid

	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
--	--

10.5. Incompatible materials

	Contact with combustible material may cause fire. Keep away from oxidising agents, Combustible materials.
--	---

10.6. Hazardous decomposition products

	Carbon oxides.
--	----------------

SECTION 11: Toxicological information

65% Ethanol

Revision 1
Revision date 2019-11-04

11.1. Information on toxicological effects

Acute toxicity	Harmful by inhalation, in contact with skin and if swallowed.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
Respiratory or skin sensitisation	May cause allergic reactions in susceptible people.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	Listed by the International Agency for Research on Cancer (IARC) as a Group 1 substance: known human carcinogen, (by ingestion). Not listed in the National Toxicology Program (NTP) 14th Report on Carcinogens. Not listed in the American Conference of Governmental Industrial Hygienists (ACGIH) Guide to Occupational Exposure Values. Not listed in the OSHA standard 1910.1003 Carcinogens.
Reproductive toxicity	Adverse reproductive effects have been found in laboratory animals.
STOT-single exposure	May cause dizziness and headache. May cause damage to organs central nervous system vision organs, liver, systemic toxicity.
STOT-repeated exposure	Component(s) may cause damage to human organs based on animal data.
Aspiration hazard	No Significant Hazard.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure. Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects. Delayed appearance of the complaints and development of hypersensitivity (difficult breathing, coughing, asthma) are possible.

11.1.2. Mixtures

	See Section(s) 3 for further information.
--	---

11.1.3. Hazard Information

	See Section(s) 2 and 3 for further information.
--	---

11.1.4. Toxicological Information

	No data available
--	-------------------

11.1.5. Hazard Class

	See Section(s) 2 and 14 for further information.
--	--

11.1.6. Classification Criteria

	Based on the Globally Harmonised System (GHS) considerations for the classification of mixtures. See Section 15 for regulatory citations.
--	--

11.1.7. Information on likely routes of exposure

	Eye contact. Ingestion. Skin contact. Inhalation.
--	---

11.1.8. Symptoms related to the physical, chemical and toxicological characteristics

	See Section(s) 4.2 for further information.
--	---

11.1.9. Delayed and immediate effects as well as chronic effects from short and long-term exposure

	See Section(s) 4.2 for further information.
--	---

11.1.10. Interactive effects

	No data available.
--	--------------------

11.1.11. Absence of specific data

	<1% of this mixture consists of ingredients of unknown acute toxicity.
--	--

11.1.12. Mixture versus substance information

65% Ethanol

Revision 1
Revision date 2019-11-04

11.1.12. Mixture versus substance information

See Section(s) 3 for further information.

11.1.13. Other information

No data available.

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data is available on this product.

12.3. Bioaccumulative potential

No data is available on this product.

Partition coefficient

Ethanol -0.349 log P

Methanol -0.77 log P

12.4. Mobility in soil

No data is available on this product.

12.5. Results of PBT and vPvB assessment

No data is available on this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of as special waste in compliance with local and national regulations.

Disposal methods

Do not contaminate water by cleaning of equipment or disposal of wastes. Do not flush into surface water. Dispose of in compliance with all local and national regulations.

Disposal of packaging

Nonrefillable container. Do not reuse or refill this container.
 If empty: Do not reuse this container. Place in trash or offer for recycling, if available.
 If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1170

14.2. UN proper shipping name

65% Ethanol

Revision 1
Revision date 2019-11-04

14.2. UN proper shipping name

	ETHANOL
--	---------

14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

14.4. Packing group

Packing group	II
---------------	----

14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

ADR/RID

Hazard ID	33
Tunnel Category	(D/E)

IMDG

EmS Code	F-E S-D
----------	---------

IATA

Packing Instruction (Cargo)	364
Maximum quantity	60 L
Packing Instruction (Passenger)	353
Maximum quantity	5 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
Chemical Inventories/Right-to-Know Lists:	<p>--International--.</p> <p>Basel Convention (Hazardous Waste): H3.</p> <p>Chemical Weapons Convention (OPCW): This material contains no reportable components.</p> <p>Kyoto Protocol Greenhouse Gases: This material contains no reportable components.</p> <p>Mercosur Agreement: Applicable.</p> <p>Montreal Protocol: This material contains no reportable components.</p> <p>The Rotterdam Convention: This material contains no reportable components.</p> <p>The Stockholm Convention: This material contains no reportable components.</p> <p>--Asia and the ASEAN Nations--.</p> <p>Catalog of Hazardous Chemicals (China): [2568, Ethanol (Ethyl alcohol), CAS No. 64-17-5], [111, Isopropanol, CAS No. 67-63-0], [1022, Methanol (Methyl alcohol), CAS No. 67-56-1].</p> <p>Regulation of Minister of Trade of the Republic of Indonesia, Number 75, Year 2014, regarding The Second Amendment of Minister of Trade, Number 44, Year 2009, Regarding Provision, Distribution, and Control of Hazardous Substances: Usable hazardous and toxic material, [Ethanol (Ethyl alcohol), CAS No. 64-17-5].</p>

65% Ethanol

Revision 1

Revision date 2019-11-04

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Substances Control Law (Japan): Priority Assessment, (human health), [102, Isopropanol, CAS No. 67-63-0], [90, Methanol (Methyl alcohol), CAS No. 67-56-1], Air Pollution Control Law., Specified substance, [Methanol (Methyl alcohol), CAS No. 67-56-1].

Industrial Safety and Health Act, Dangerous Substances (Japan): Labeling/Notification required, Dangerous substance, Flammable, [Ethanol (Ethyl alcohol), CAS No. 64-17-5], [Isopropanol, CAS No. 67-63-0], [Methanol (Methyl alcohol), CAS No. 67-56-1], Second-class organic solvents, etc., [Isopropanol, CAS No. 67-63-0], [Methanol (Methyl alcohol), CAS No. 67-56-1].

Poisonous and Deleterious Substances Act (Japan): Deleterious, [Ethanol (Ethyl alcohol), CAS No. 64-17-5], [Methanol (Methyl alcohol), CAS No. 67-56-1].

Chemical Substances Subject to Permission (Korea): This material contains no reportable components.

Restricted or Prohibited Substances (Korea): This material contains no reportable components.

Use and Standards of Exposure of Chemicals Hazardous to Health (USECHH), Regulation 2000 (Malaysia): Schedule I exposure standard, CLASS regulation, [Ethanol (Ethyl alcohol), CAS No. 64-17-5], [Isopropanol, CAS No. 67-63-0], [Methanol (Methyl alcohol), CAS No. 67-56-1].

Philippine Inventory of Chemicals and Chemical Substances (PICCS): Toxic Substances and Hazardous and Nuclear Wastes Control Act (RA6969)., [Ethanol (Ethyl alcohol), CAS No. 64-17-5], [Isopropanol (2-Propanol), CAS No. 67-63-0], [Methanol (Methyl alcohol), CAS No. 67-56-1].

Taiwan Toxic and Concerned Chemical Substances Control Act (TCCSCA): This material contains no reportable components.

Hazardous Substances Act (Thailand): Type 1, [Methanol (Methyl alcohol), CAS No. 67-56-1].

Law on Chemicals (Vietnam): Annex I, Appendix VII, [Isopropanol (2-Propanol), CAS No. 67-63-0], [Methanol (Methyl alcohol), CAS No. 67-56-1].

--Australia and New Zealand--.

Australian Dangerous Goods Code: Class 3.

Australian Inventory of Chemical Substances (AICS): All ingredients listed or exempt.

New Zealand Inventory of Chemicals (NZIoC): All ingredients listed or exempt.

--European Union (EU) and the United Kingdom (UK)--.

Annex XVII for REACH: Restricted, Flammable.

Article 95 of the Biocidal Products Regulation (BPR): [PT1, Ethanol (Ethyl alcohol), CAS No. 64-17-5].

Authorisation List (Annex XIV of REACH): This material contains no reportable components.

--North America--.

Domestic/Non-Domestic Substances Lists (DSL/NDSL): All ingredients listed or exempt.

Toxic Substances Control Act (TSCA): All ingredients listed or exempt.

Massachusetts Right-to-Know Hazardous Substance List: Isopropanol, Methanol (Methyl alcohol).

New Jersey Worker and Community Right to Know Act: Ethyl alcohol, Isopropyl alcohol, Methanol (Methyl alcohol).

Pennsylvania Right to Know Law: Ethanol, 2-Propanol, Methanol (Methyl alcohol).

Rhode Island Right-to-Know General Law: Ethyl alcohol, Isopropyl alcohol, Methanol (Methyl alcohol).

****California residents please note****

WARNING: This product can expose you to chemicals, including methanol (Methyl alcohol), CAS No. 67-56-1, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Other information

65% Ethanol

Revision 1
Revision date 2019-11-04

Other information

Revision	<p>This document differs from the previous version in the following areas:</p> <ul style="list-style-type: none"> 1 - Product Use. 2 - 2.1.2. Classification - EC 1272/2008. 2 - Hazard pictograms. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Storage. 2 - Precautionary Statement: Disposal. 4 - Inhalation. 4 - Ingestion. 9 - 9.1. Information on basic physical and chemical properties (Odour). 9 - 9.1. Information on basic physical and chemical properties (Initial boiling point). 9 - 9.1. Information on basic physical and chemical properties (Melting point). 9 - 9.1. Information on basic physical and chemical properties (Flash point). 9 - 9.1. Information on basic physical and chemical properties (Explosive properties). 9 - 9.1. Information on basic physical and chemical properties (Vapour pressure). 9 - 9.1. Information on basic physical and chemical properties (Relative density). 9 - 9.1. Information on basic physical and chemical properties (Viscosity). 9 - 9.1. Information on basic physical and chemical properties (Vapour density). 9 - 9.1. Information on basic physical and chemical properties (Solubility). 9 - 9.1. Information on basic physical and chemical properties (Partition coefficient (n-octanol/water)). 9 - 9.1. Information on basic physical and chemical properties (Odour threshold). 9 - 9.2. Other information (VOC (Volatile organic compounds)). 9 - 9.2. Other information (Partition coefficient). 9 - 9.2. Other information (Surface tension). 9 - 9.2. Other information (Product Subcategory). 11 - Acute toxicity. 11 - Repeated or prolonged exposure. 11 - Carcinogenicity. 11 - Reproductive toxicity. 11 - STOT-single exposure. 11 - 11.1.7. Information on likely routes of exposure. 11 - 11.1.13. Other information. 13 - Disposal of packaging. 15 - Chemical Inventories/Right-to-Know Lists:. 16 - Maximum content of VOC.
Acronyms	<p>ACGIH: American Conference of Governmental Industrial Hygienists. ADR/RID: European Agreements Concerning the International Carriage of Dangerous Goods by Rail (RID) and by Road (ADR). CAS No.: Chemical Abstracts Service. GHS: Globally Harmonized System. HCS 2012: U.S. Hazard Communication Standard (2012 revision). IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation. IMDG: International Maritime Dangerous Goods. LC: Lethal concentration. LD: Lethal dose. OEL: Occupational exposure limit. OSHA: U.S. Occupational Safety and Health Administration. PEL: Permissible Exposure Limit. REACH: Registration, Evaluation, Authorisation, and Restriction of Chemicals.</p>

65% Ethanol

Revision 1
Revision date 2019-11-04

Other information

	<p>SVHC: Substance of very high concern. UN: United Nations. US DOT: United States Department of Transportation. VOC: Volatile Organic Compound. WEL: Workplace Exposure Limit.</p>
Text of Hazard Statements in Section 3	<p>Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H336 - May cause drowsiness or dizziness. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H311 - Toxic in contact with skin. Acute Tox. 3: H331 - Toxic if inhaled. STOT SE 1: H370 - Causes damage to organs . STOT SE 2: H371 - May cause damage to organs .</p>
Maximum content of VOC	100 %.

Further information

	<p>DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.</p> <p>Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.</p>
--	--