



# Siloxycide<sup>®</sup> Safety Data Sheet

Issuing Date No data available

Revision Date 08-Oct-2018

Revision Number 3

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product Name Siloxycide<sup>®</sup>

### Other means of identification

Synonyms 480021

### Recommended use of the chemical and restrictions on use

Recommended Use Disinfectant & General Biocidal Product (Non-Aerosol)

Uses advised against No information available

### Details of the supplier of the safety data sheet

Supplier Name Preserve International, A wholly-owned subsidiary of Neogen<sup>®</sup>

Supplier Address 944 Nandino Blvd.  
Lexington, KY 40511  
USA

Emergency telephone number CHEMTREC US & CANADA-1-800-424-9300, Outside US-+1-703-527-3887

302-454-8102

Company Emergency Phone  
Number

## 2. HAZARDS IDENTIFICATION




### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Gases)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

### GHS Label elements, including precautionary statements

#### Emergency Overview

<b>Signal word</b>	<b>Danger</b>	
<b>Hazard Statements</b> H272 May intensify fire H302 Harmful if swallowed H314 Causes severe skin burns and eye damage H332 Harmful if inhaled H335 May cause respiratory irritation		
		
GHS03	GHS05	GHS07
<b>Appearance</b> Colorless	<b>Physical state</b> Liquid	<b>Odor</b> Pungent

#### **Precautionary Statements –General**

Keep out of reach of children

#### **Precautionary Statements-Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

Specific treatment (see supplemental first aid instructions on this label)

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

#### **Skin**

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### **Inhalation**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Call a POISON CENTER or doctor/physician if you feel unwell  
 Immediately call a POISON CENTER or doctor/physician

**Ingestion**

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell  
 Rinse mouth  
 Do NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Unknown Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity

**Other information****Interactions with Other Chemicals**

No information available.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Hazardous Ingredients

.

Chemical Name	CAS No	Weight-%	Trade Secret
Hydrogen peroxide	7722-84-1	50	
Silver nitrate	7761-88-8	0.1	
Other ingredients		49.9	*

### 4. FIRST AID MEASURES

**First aid measures****General Advice**

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. If threatening unconsciousness, position and transport in recovery position.

**Eye contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.

---

<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek immediate medical attention/advice.
<b>Inhalation</b>	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.
<b>Self-protection of the first aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

**Most important symptoms and effects, both acute and delayed**

**Most Important Symptoms and Effects** Burning sensation. Coughing and/ or wheezing. Difficulty in breathing.

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

#### **Uniform Fire Code**

Corrosive: Other--Liquid  
Toxic: Liquid  
Oxidizer: Class 2--Liquid

### Hazardous Combustion Products

Carbon monoxide  
Carbon dioxide

### Explosion Data

**Sensitivity to Mechanical Impact** No.

**Sensitivity to Static Discharge** No.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool endangered containers with water spray jet.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

#### **Personal precautions**

Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid breathing vapors or mists. Avoid generation of dust.

#### **Other Information**

Refer to protective measures listed in Sections 7 and 8.

### Environmental precautions

#### **Environmental precautions**

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

### Methods and material for containment and cleaning up

#### **Methods for containment**

Prevent further leakage or spillage if safe to do so.

#### **Methods for cleaning up**

Pick up and transfer to properly labeled containers. Soak up with inert absorbent material.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists.

### Conditions for safe storage, including any incompatibilities

**Storage** Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Store away from other materials.

**Incompatible Products** Acids. Bases. Oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen peroxide 7722-84-1	TWA: 1 ppm	TWA: 1 ppm TWA: 1.4 mg/m <sup>3</sup> (vacated) TWA: 1 ppm (vacated) TWA: 1.4 mg/m <sup>3</sup>	IDLH: 75 ppm TWA: 1 ppm TWA: 1.4 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

### Appropriate engineering controls

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems

### Individual protection measures, such as personal protective equipment

**Respiratory protection** Self contained breathing apparatus If 1) ventilation insufficient in confined spaces/insufficient oxygen. 2) in case of large uncontrolled emissions 3) In all circumstances when the mask and cartridge do not give adequate protection. Short term: filter apparatus, special gas filter, NO-P3.  
Use NIOSH approved or respiratory protection that conforms to international standards  
Wear an approved full face air supplied respirator for excessive or unknown concentrations.  
Selected chemical cartridges for respirators, i.e. OV, OV/AG, GME.

**Hand protection** Wear protective gloves of PVC, nitrile or butyle rubber. Take note of the information given by the producer concerning permeability and break through times as well as the specific

workplace conditions.

**Eye protection**

Chemical resistant goggles must be worn.

**Skin and body protection**

Protective suit, if splashes are likely to occur, rubber or PVC boots and apron.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. For environmental protection, remove and wash all contaminated protective equipment before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical and Chemical Properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	Pungent
<b>Appearance</b>	Colorless	<b>Odor Threshold</b>	No information available
<b>Color</b>	No information available		
<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks</u></b>	<b><u>Method</u></b>
<b>pH</b>	<2	None known	
<b>Melting / freezing point</b>	No data available	None known	
<b>Boiling point / boiling range</b>	>100° C	None known	
<b>Flash Point</b>	Not applicable	None known	
<b>Evaporation Rate</b>	No data available	None known	
<b>Flammability (solid, gas)</b>	This product is not flammable	None known	
<b>Flammability Limit in Air</b>			
<b>Upper flammability limit</b>	No data available		
<b>Lower flammability limit</b>	No data available		
<b>Vapor pressure</b>	20 hPA 20°C	None known	
<b>Vapor density</b>	No data available	None known	
<b>Specific Gravity</b>	1.23 g/cm <sup>3</sup>	None known	
<b>Water Solubility</b>	Completely soluble	None known	
<b>Solubility in other solvents</b>	No data available	None known	
<b>Partition coefficient: n-octanol/water</b>	No data available	None known	
<b>Autoignition temperature</b>	No data available	None known	
<b>Decomposition temperature</b>	No data available	None known	
<b>Kinematic viscosity</b>	1 mPA*s 20 °C	None known	
<b>Dynamic viscosity</b>	No data available	None known	
<b>Explosive properties</b>	This product is not explosive		
<b>Oxidizing properties</b>	No data available		

**Other Information**

<b>Softening Point</b>	No data available
<b>VOC Content (%)</b>	No data available
<b>Particle Size</b>	No data available
<b>Particle Size Distribution</b>	

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Hazardous Polymerization

Hazardous polymerization does not occur.

### Conditions to avoid

Excessive heat.

### Incompatible materials

Acids. Bases. Oxidizing agents. Combustible substances

### Hazardous Decomposition Products

Nitrous gases, carbon monoxide and carbon dioxide

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

##### Inhalation

Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract. Harmful by inhalation.

##### Eye contact

Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.

##### Skin contact

Corrosive. (based on components). Causes burns.

##### Ingestion

Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if swallowed.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Product Mixture	= 3185mg/kg ( Rat )	=>5000 mg/kg ( Rat )	= 2.1 g/m <sup>3</sup> ( Rat ) 4 h

### Information on toxicological effects

#### Symptoms

Erythema (skin redness). Burning. May cause blindness. Coughing and/ or wheezing.



**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Sensitization** Non sensitizing.**Mutagenic Effects** No information available.**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrogen peroxide 7722-84-1	A3	Group 3		

*ACGIH (American Conference of Governmental Industrial Hygienists)**A3 - Animal Carcinogen**IARC (International Agency for Research on Cancer)**Group 3 - Not Classifiable as to Carcinogenicity in Humans***Reproductive toxicity** No information available.**STOT - single exposure** No information available.**STOT - repeated exposure** No information available.**Chronic Toxicity** No known effect based on information supplied. Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Carcinogenic potential is unknown.**Target Organ Effects** Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Blood. Lungs.**Aspiration Hazard** No information available.**Numerical measures of toxicity Product Information**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)**

1,602.00 mg/kg

**ATEmix (inhalation-gas)**

9,000.00 ppm (4 hr)

**ATEmix (inhalation-dust/mist)**

4.00 mg/l

**ATEmix (inhalation-vapor)**

22.00 ATEmix

**Ecotoxicity**

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Ceriodaphnia dubia (Water Flea)
Halosil HPC/Sanosil HWP	72h EC50: = 2.5 mg/L (Chlorella vulgaris) (hydrogen peroxide 50%)	96h LC50: = 16.4 mg/L (Pimephales promelas) 96 h LC50 =134 mg/L (Menidia beryllina) 96 h LC50 = 10.7 (Mysidopsis bahia)	96h LC50: 7.07 mg/L

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

<b>Disposal methods</b>	This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).
<b>Contaminated Packaging</b>	Dispose of contents/containers in accordance with local regulations.
<b>US EPA Waste Number</b>	D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Hydrogen peroxide 7722-84-1	Toxic Corrosive Ignitable Reactive

### 14. TRANSPORT INFORMATION

#### DOT

<b>UN-No.</b>	UN2014
<b>Proper Shipping Name</b>	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
<b>Hazard Class</b>	5.1
<b>Subsidiary Class</b>	8
<b>Packing Group</b>	II
<b>ERG No</b>	140
<b>Description</b>	UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II

#### TDG

<b>UN-No.</b>	UN2014
<b>Proper Shipping Name</b>	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
<b>Hazard Class</b>	5.1
<b>Subsidiary class</b>	8
<b>Packing Group</b>	II
<b>Description</b>	UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II

#### MEX

<b>UN-No.</b>	UN2014
<b>Proper Shipping Name</b>	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
<b>Hazard Class</b>	5.1
<b>Subsidiary class</b>	8
<b>Packing Group</b>	II
<b>Description</b>	UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II

#### ICAO

Forbidden

#### IATA

Forbidden Not regulated

#### IMDG/IMO

<b>UN-No.</b>	UN2014
<b>Proper Shipping Name</b>	HYDROGEN PEROXIDE, AQUEOUS SOLUTION

<b>Hazard Class</b>	5.1
<b>Subsidiary class</b>	8
<b>Packing Group</b>	II
<b>EmS-No.</b>	F-H, S-Q
<b>Marine Pollutant</b>	N/A
<b>Description</b>	UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II,

**RID**

<b>UN-No.</b>	UN2014
<b>Proper Shipping Name</b>	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
<b>Hazard Class</b>	5.1
<b>Packing Group</b>	II
<b>Classification code</b>	OC1
<b>Description</b>	UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II
<b>ADR/RID-Labels</b>	8

**ADR**

<b>UN-No.</b>	UN2014
<b>Proper Shipping Name</b>	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
<b>Hazard Class</b>	5.1
<b>Packing Group</b>	II
<b>Classification code</b>	OC1
<b>Tunnel restriction code</b>	(E)
<b>Description</b>	UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II
<b>ADR/RID-Labels</b>	5.1 8

**ADN**

<b>UN-No.</b>	UN2014
<b>Proper Shipping Name</b>	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
<b>Hazard Class</b>	5.1
<b>Packing Group</b>	II
<b>Classification code</b>	OC1
<b>Description</b>	UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II
<b>Hazard Labels</b>	5.1 + 8
<b>Limited Quantity</b>	1 L

## 15. REGULATORY INFORMATION

**International Inventories**

<b>TSCA</b>	Complies
<b>DSL</b>	All components are listed either on the DSL or NDSL.
<b>IECSC</b>	-

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**US Federal Regulations**

EPA Registration # 84526-2

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden release of pressure hazard	Yes
Reactive Hazard	Yes

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrogen peroxide 7722-84-1	X	X	X	X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Hydrogen peroxide 7722-84-1		1000 lb (>52%)	

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Hydrogen peroxide 7722-84-1	X	X	X	X	
Supplier Trade Secret	X	X	X	X	

**International Regulations****Mexico****National occupational exposure limits**

Component	Carcinogen Status	Exposure Limits
Hydrogen peroxide 7722-84-1 ( 50% )	A3	Mexico: TWA 1 ppm Mexico: TWA 1.5 mg/m <sup>3</sup> Mexico: STEL 2 ppm Mexico: STEL 3 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

A3 - Confirmed Animal Carcinogen

**16. OTHER INFORMATION**

<b>NFPA</b>	<b>Health Hazards</b> 3	<b>Flammability</b> 0	<b>Instability</b> 1	<b>Physical and Chemical Hazards - Personal Protection</b> X
<b>HMIS</b>	<b>Health Hazards</b> 3	<b>Flammability</b> 0	<b>Physical Hazard</b> 1	

Prepared By Halosil International

**Revision Date** 08-Oct-2018  
**Revision Note** Rev 5

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**