

FIRST AID HAVE LABEL WHEN GOING FOR TREATMENT ADVICE	
<b>If on Skin or on Clothing:</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>If Swallowed:</b>	<ul style="list-style-type: none"> <li>Immediately call a poison control center, doctor, or 1-800-498-5743.</li> <li>Do not give any liquid to the person.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not administer anything by mouth to an unconscious person.</li> </ul>
<b>Note to Physician:</b> Contains petroleum distillate. Vomiting may cause aspiration pneumonia.	
For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318	

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION:** Avoid contact with skin or clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

When using this product as a space spray in food plants, food must be removed or covered during treatment. Apply only when the facility is not in operation. All food processing surfaces must be thoroughly cleaned with an appropriate cleaning agent and rinsed with potable water before reuse.

**PHYSICAL OR CHEMICAL HAZARDS**  
**FLAMMABLE:** Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions, use restrictions and precautions.

**Use Restrictions**  
**Not for Use in Residential Areas**

Do not use in nurseries or rooms where infants, ill or aged persons are present.

For use as a space spray: Except when used on livestock, do not enter or allow other to enter until vapors, mists and aerosols have dispersed, and the area has been thoroughly ventilated. Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors, and/or mists have dispersed.

**Application Restrictions**

Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application.

Do not place metering device directly over or within 8 feet of exposed food, dishes, utensils, food processing equipment, and food handling or preparation.

**PROZAP®**  
**LD-44T**

**1% PYRETHRINS**

**30 DAY SUPPLY**

**Kills flies, mosquitoes and small flying moths**

**Active Ingredient:**

Pyrethrins.....	1.0%
Piperonyl butoxide*	2.0%
N-Octyl Bicycloheptene Dicarboximide.....	3.0%
<b>Other Ingredients**:</b> .....	94.0%
<b>Total</b> .....	100.0%

\* (butylcarbityl) (6-propylpiperonyl) ether and related compounds.

\*\* Contains Petroleum Distillates

EPA Est. No.  
47000-IA-01  
61282-WI-01  
66171-CA-001  
66171-TN-001

EPA Reg. No.  
47000-7

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store in a cool, dry secure area in original container.

**CONTAINER DISPOSAL:** Do not puncture or incinerate!

**If empty:** Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency for disposal instructions.

**Manufactured by:** Chem-Tech, Ltd.™  
1006 Business Hwy 5, Pleasantville,  
IA 50225 U.S.A.

Chem-Tech, Ltd.™ is a wholly-owned  
subsidiary of Neogen® Corporation  
Item No. 0073010



**Net Contents:**  
6.5 oz.

When using this product, installers and service technicians must comply with the license, certificate, or registration requirements of the state(s), tribe(s) or local authority(ies) when they are installed.

When applying via remote activation device, do not apply when people and pets are present. If possible, when applying via automatic timer, set the timing for application when people and pets are unlikely to be present.

Direct nozzles to spray toward the target area and away from areas where people are typically present.

Do not install within 3 feet of air vents, air conditioner units, or windows.

Carefully follow directions for the dispenser unit when installing the dispenser and replacing cans or conducting maintenance.

The maximum application rate for metered release devices is 0.00046 lb. pyrethrin per 1000 cubic feet.

When used in dairy barns or facilities: Close milk bulk tanks to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

Do not apply this product in barns or stables where animals intended for slaughter or human consumption will be maintained.

Do not apply when food, feed, and/or water is present.

**FOR USE IN:**

Food handling and food preparation areas of restaurants, and food processing plants, stores, farm buildings, dairies, barns, kennels, factories, hotels, motels, offices, ships, planes (cargo areas only), supermarkets, food warehouses, bottling plants, milk and egg handling areas of dairies and chicken houses.

**For Use in Automatic Dispensers**

Use one dispensing unit for each 6,000 cubic feet of space to be treated. Large drafts or forced ventilation may reduce or eliminate the insecticidal efficiency of these installations.

The Dispenser activates once every 15 minutes; after two hours of operation, enough insecticide is suspended in the air to kill flies, mosquitoes, and gnats in the treated area. Usually, the effectiveness will be noticeable within one hour after the Dispenser is activated. If less than 24-hour control is required, the Dispenser should be set to start one hour before control is desired and run one hour after control is no longer needed. Keep in mind that such factors as air flow rate, size of space treated, humidity, and room temperatures all affect insect activity and control. As with any method of insect control, best results are achieved when sanitation and Integrated Pest Management (IPM) practices are followed.

This Product kills flies, gnats, flying moths, and mosquitoes in food handling establishments, food processing establishments, restrooms, dining rooms, and restaurants.

**DISCLAIMER**

To the extent permitted by applicable law, seller makes no representation or warranty, either expressed or implied, for results due to misuse, improper handling or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or improper storage of this material. L5134-0719