

Propionibacterium Acnes Immunostimulant

ImmunoRegulin® 5 mL suspension of 2 mg



Description: ImmunoRegulin® is a preparation consisting of 0.4 mg/mL non-viable *Propionibacterium acnes* suspended in 12.5% ethanol in saline.

Indications: As an adjunct to antibiotic therapy in controlling and reducing the lesions of chronic recurring pyoderma in the dog.

Dosage: Two injections per week for the first two weeks followed by one injection per week until the 12th week; thereafter, once a month until symptoms abate or stabilize.

Administration: IMMUNOREGULIN MUST BE ADMINISTERED BY THE INTRAVENOUS (IV) ROUTE.

IMMUNOREGULIN IS RESTRICTED TO USE BY, OR UNDER THE SUPERVISION OF A VETERINARIAN

SHAKE WELL TO OBTAIN UNIFORM SUSPENSION

Recommended Dosage

Weight Range	Dose
up to 15 lbs	0.25 mL
15 to 45 lbs	0.50 mL
45 to 75 lbs	1.00 mL
75 lbs or greater	2.00 mL

Contraindications: The therapeutic effect of the immunostimulant may be compromised if used with glucocorticoids. Steroid therapy should be withdrawn at least seven days before initiating immunostimulant therapy.

Cautions: The effects of this product have not been studied in pregnant animals. Do not use when pregnancy is suspected or a cardiac condition exists. There may be a minor rise in temperature, chills, temporary loss of appetite or sluggishness a few hours after injection.

Store at 2°–25°C (35°–77°F) until first used, then store at 2°–8°C (35°–46°F). Do not freeze.

Anaphylactoid reactions may occur.

Antidote: Epinephrine.

VLN/PCN: 302/9350.00

Lansing, MI 48912
800-525-2022
L843-0518

Ser. No.:

Exp. Date:

