

OPEN HERE

FIRST AID

If Swallowed:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice or transport the patient to the nearest hospital. Do not give any liquid to the patient. Do not administer anything by mouth to an unconscious person. Do not induce vomiting unless told to do so by the poison control center or doctor.
If on Skin or on Clothing:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

Have product container or label with you when calling a poison control center, doctor, or going in for treatment.
For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear the following:

- Long-sleeved shirt and long pants,
- Shoes and socks,
- Chemical-resistant gloves (such as barrier laminate, nitrile rubber, neoprene rubber, or Viton).

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations:

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
 Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
 Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing them.
 As soon as possible, wash thoroughly and change into clean clothing.

Manufactured by:
Chem-Tech, Ltd.

1006 Business Hwy 5, Pleasantville, IA 50225 U.S.A.
 Chem-Tech, Ltd. is a wholly-owned subsidiary of Neogen Corporation L5429-0318



Item No.: 1453510



ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. Do not spray on plastic, painted, or varnished surfaces or directly into any electrical equipment, such as radios, televisions, computers, etc.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions, use restrictions, and precautions.

Entry Restrictions

For use as a surface spray: Do not allow adults, children, or pets to enter treated areas until sprays have dried.

For use as a space spray: Except when used on livestock, do not enter or allow others to enter treated areas until vapors, mists, and aerosols have dispersed, and the area has been thoroughly ventilated. Do not remain in treated areas. Exit area immediately and remain outside the treated area until aerosols, vapors, and/or mists have dispersed.

Application Restrictions

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For Indoor Use:

Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food-processing equipment, and food preparation surfaces, or wash them before reuse. Remove pets, birds, and cover fish aquariums before use.

When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

Not for use in outdoor residential misting systems.

Do not use in aircraft.

PROZAP[®]
LD-44Z
Insect Fogger

CONTAINS PYRETHRIN

⊕ **Kills and Repels Flies, Mosquitoes, and Lice**

⊕ **Use in and around Farms: Including Dairy, Beef, Hog, Horse, and Poultry Operations**

ACTIVE INGREDIENTS:

Pyrethrins.....0.50%

Piperonyl Butoxide*.....4.00%

OTHER INGREDIENTS:.....95.50%

TOTAL.....100.00%

*Equivalent to 3.2% (Butylcarbityl) (6-Propylpiperonyl) ether and 0.8% related compounds.

EPA Reg. No.47000-145

EPA Est. No. 47000-IA-01


EPA Est. No. 61282-WI-01

EPA Est. No. 66171-CA-001

EPA Est. No. 66171-TN-001

(First letter of batch number indicates establishment)

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**



Net Contents:
20 oz. (591.47 mL)

DAIRY FARM USE:

For the milking parlor and milk room: Close all windows and doors. Direct this product upward and in all directions at a rate of 1 to 3 seconds per 1,000 cubic feet. Keep room closed for 15 minutes following application. Open and ventilate before reoccupying. Cover milking utensils and milk to prevent contamination from spray and dead falling insects.

ANIMAL USE (Do not spray sick animals):

From an approximately 2-foot distance, thoroughly spray this product over the entire animal as it is being released to pasture. Do not spray directly toward animal's eyes. Spot treat withers, shoulders, back, and where saliva accumulates from head-tossing.

STANCHION BARN USE:

Walk behind animals and direct spray over animals' backs allowing 1 second per animal. For most effective results, apply this product each morning.

BEEF CATTLE OPERATIONS:

In barns, close all windows and doors. Spray this product at the rate of 1 to 2 seconds per 1,000 cubic feet. Keep area closed for 15 minutes following application. Ventilate area after treatment is complete. If area cannot be closed, double the dosage. Repeat application daily or as necessary.

HORSE BARN AND STABLES:

Close all windows and doors. Spray this product at the rate of 1 to 2 seconds per 1,000 cubic feet. Keep area closed for 15 minutes following application. Ventilate area after treatment is complete. If area cannot be closed, double the dosage. For animal applications, lightly mist over backs of horses and ponies from a distance of at least 2 feet. Repeat application daily or as necessary.

POULTRY OPERATIONS:

Use only in empty poultry houses (when birds are not present). Close all windows and doors. Spray this product at the rate of 1 to 2 seconds per 1,000 cubic feet. Keep area closed for 15 minutes following application. Ventilate area after treatment is complete. If area cannot be closed, double the dosage. Repeat application daily or as necessary.

HOG OPERATIONS:

In hog houses, close all windows and doors. Spray this product at the rate of 1 to 2 seconds per 1,000 cubic feet. Keep area closed for 15 minutes following application. Ventilate area after treatment is complete. If area cannot be closed, double the dosage. For animal applications, direct spray over animals' backs and spray for 1 to 2 seconds per hog. Do not spray directly towards animal's face or eyes. Repeat application daily or as necessary.

MUD DAUBER AND WASP NESTS:

Spray this product mist directly on insects and their nests from an approximately 2-foot distance. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places, contacting as many insects as possible.

FLEAS:

General Volumetric Treatment: Hold aerosol 36" above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 square feet, making sure that all floor areas are contacted. Change litter before application. Keep area closed for 15 minutes. Remove animals before spraying. Open and ventilate before reoccupying. Repeat application after 7 days or as necessary.

KENNELS AND CATTERIES:

Remove animals before spraying. Ventilate after treatment is completed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
PESTICIDE STORAGE: Store in a cool, dry place away from heat or open flame.
PESTICIDE DISPOSAL AND CONTAINER HANDLING: Do not puncture or incinerate!
 If empty: Place in trash or offer for recycling if available.
 If partly filled: Call your local solid waste agency for disposal instructions.

DISCLAIMER

To the extent permitted by applicable law, Seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling, or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil, or property arising out of misuse, improper handling, or improper storage of this material.

For non-emergency (e.g., current product information), call: **1-800-621-8829**

this panel covered by over wrap

**SPECIMEN
LABEL**

INSIDE FRONT COVER
PANEL 5
COPY AREA
7.75" HEIGHT x 3.375" WIDTH