

**KEEP OUT OF REACH OF CHILDREN**

**Indications:** For use as an aid in prevention and treatment of ketosis (acetonemia) in dairy cattle.

**Directions for Use:** Mix with feed or use as a drench. Consult veterinarian if condition does not improve.

**Prevention:**

Dairy Cattle.....6-8 fl oz/head/day  
Begin 2 weeks before calving and continue for 6 weeks after calving.

**Treatment:**

Dairy Cattle.....6-16 fl oz/head/day  
Dosage dependent upon severity, to be given for up to 10 days.

**Caution:** Overuse may disrupt rumen flora, decrease rumen motility, and cause diarrhea. Not for human use.



NDC: 59051-235-01

**FOR ANIMAL USE ONLY**

# Propylene Glycol, U.S.P.

**Active Ingredients:**

Propylene Glycol, USP.....100%

**Storage:** Store at a temperature between 15°-30°C (59°-86°F).  
Keep container tightly closed when not in use.

Seller makes no warranty of any kind.

Made in the U.S.A.

**Manufactured for:**

Neogen Corporation  
944 Nandino Blvd.  
Lexington, KY 40511  
859-254-1221 • 800-621-8829  
animalsafety.neogen.com

Lot No.

Exp. Date:



**Net Contents:**  
1 gallon (3.785 liters)

L621-0117

Item No. 79231



7 26087 79231 6