

Pancreatic Enzyme
Concentrate



PanaKare™ Plus Powder & Tablets

Product Numbers: See tables below



Presentation **Rx**

PanaKare Plus Powder	Product Number	Case Count
4 oz powder bottle	09064	12/case
8 oz powder bottle	09065	12/case
12 oz powder bottle	09066	12/case



Presentation **Rx**

PanaKare Plus Tablets	Product Number	Case Count
100 ct bottle	09067	12/case
500 ct bottle	09068	12/case

Product Description

PanaKare™ Plus is a pancreatic enzyme concentrate of porcine origin.

Indications

For use as a digestive aid in replacement therapy where digestion of protein, carbohydrate and fat is inadequate due to exocrine pancreatic insufficiency.

Storage

Store at a temperature between 15°-30°C (59°-86°F). Keep lid tightly closed.

PanaKare Plus Powder

Dosage and Administration: Administer with each meal.

Dose is estimated according to the severity of the condition and weight of the animal. Once clinical signs are controlled, dose may be reduced to lowest effective dose.

Add to moistened pet food (canned or dry) prior to feeding. Thorough mixing is necessary to bring the enzymes into close contact with the food particles. After mixing, let stand at room temperature for 15-20 minutes (minimum).

Average Dose/Meal

Dogs: 3/4–1 teaspoon

Cats: 1/4–3/4 teaspoon

Warnings

For animal use only. Not for human use. Keep out of reach of children.

Caution

Federal law restricts this drug to use by or on the order of a licensed veterinarian.

Discontinue use in animals with symptoms of sensitivity. Oral and/or tongue ulceration may occur at higher doses. Ulcers typically resolve with a reduction in dose or slight dilution of product with water.

Powder contains

Lipase	71,000 USP units
Protease	388,000 USP units
Amylase	460,000 USP units





PanaKare™ Plus Powder & Tablets

PanaKare Plus Tablets

Dosage and Administration: Administer orally before each meal.

Dose is estimated according to the severity of the condition and weight of the animal. Once clinical signs are controlled, dose may be reduced to lowest effective dose.

Tablets are not intended for mixing directly with food.

Average Dose/Meal

Dogs: 2-3 tablets

Cats: 1/2-1 tablet

Warnings

For animal use only. Not for human use. Keep out of reach of children.

Caution

Federal law restricts this drug to use by or on the order of a licensed veterinarian.

Discontinue use in animals with symptoms of sensitivity.

Powder contains

Lipase	9,000 USP units
Protease	57,000 USP units
Amylase	64,000 USP units

To learn more, call 800.525.2022 or 859.254.1221, or visit NEOGEN.com.

