

FOR ANIMAL USE ONLY

Each mL contains:

Phytonadione	10 mg
Emulphor EL-719	70 mg
Dextrose • H ₂ O	41.2 mg
Benzyl Alcohol (preservative)	1.5%
Water for Injection	q.s.

Protect from light - store in a dark place.

Store at a temperature between 15° and 30°C (59° - 86°F).

For complete Warning, Cautions, Adverse Reactions, Diluents, and additional information, please read accompanying insert.

Item No. 09089



Rev. 09-18
V-0681-04
Made in the USA

NDC: 59051-9089-5

Vitamin K₁ Injection

STERILE SOLUTION

Phytonadione 10 mg/mL • Aqueous Colloidal

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

NEOGEN[®] Vet

**Net Contents: 100 mL
MULTIPLE DOSE VIAL**

KEEP OUT OF REACH OF CHILDREN

Dosage and Administration:

Cattle, Calves, Horses, Swine, Sheep and Goats: Acute hypoprothrombinemia (with hemorrhage) - intravenously 0.5 - 2.5 mg/kg body weight, at a rate not to exceed 10 mg/minute in mature animals and 5 mg/minute in newborn and very young animals. Non-acute hypoprothrombinemia - Intramuscularly or subcutaneously, 0.5 - 2.5 mg/kg body weight.

Dogs and Cats: Acute hypoprothrombinemia (with hemorrhage) and non-acute hypoprothrombinemia - 0.25 - 5 mg/kg subcutaneously OR intramuscularly. Use higher end of dose for second generation rodenticides.



Manufactured by: Sparhawk Laboratories, Lenexa, KS 66215
Manufactured for: Neogen Corporation, Lexington, KY 40511
859-254-1221 • animalsafety.neogen.com

Lot No.

Exp. Date: